[I-9]

Native oxide formation on Compound Semiconductors

Seong Soo Choi
Department of Physics
Sun-Moon University
Ahsan, Chung Nam 337-840

The inhomogeneous (Ga-0, As-0) native oxide on the GaAs surface has been formed upon exposure to air at For (Al, Ga)As compound semiconductor, temperature. the airgrown native oxide on (Al. Ga)As has been found to have inhomogeneos distribution of aluminum by Auger Electron Spectroscopy(AES). For CdTe, the surface has been very inert and the airgrown native oxide has (Cd-0. Te-0) bonding and it is believed to be CdTeO₃. For the native oxides on either surface. or GaAs those can be removed by deionized(DI) water only, while the airgrown native oxides formed on the ternary compound semiconductor (Al, Ga)As and (Cd. Mn) Te would not be removed by DI water rinsing only.