## The Crystal Structure of Dimeric Copper(II) Complex with Chiral Tetradentate N<sub>4</sub> Bis Amide Ligand, 1,6-Bis(S)-pyrrolidinyl-1,6-dioxo-2,5-diazahexane(S,S-proenH<sub>2</sub>)

Bae-Wook Lee, Jae-Ha Park, Dong-Kug Son, Bong-Gon Kim,\* Chang-Eon Oh, and Myung-Ki Doh\*

Department of Chemistry, Yeungnam University, Kyongsan 712-749, Korea \*Department of Chemical Education, Kyeongsang National University, Chinju 660-701, Korea Received March 25, 1999

The chemistry of interaction between the biological molecules and metal complexes with amino acids, peptides, and their derivatives is well known.<sup>1</sup> Amides (peptides), which are essential components constituting living organisms, have strong coordinating ability to various transition metal ions such as Cu(II), Ni(II), Pt(II), Ru(III) and Co(III).<sup>2</sup> Generally, ligands containing an amide group coordinate to metal through a terminal amino nitrogen and the oxygen of amide moiety. After amide ligands lose an amide proton in alkaline solution, metal ion complexation have mainly occurred at the amide nitrogen, the most basic site.<sup>3</sup> Therefore, amide ligands can act as a chelating ligand to yield monomeric, dimeric, and polymeric complexes with transition metal ions.<sup>4</sup> In particular, coordinating properties of the metal complexes with tetradentate N<sub>4</sub> mono or bis amide ligands have been widely studied by potentiometric and spectrophotometric measurements, and a crystal structure analysis during the last thirty years.<sup>5</sup> The Cu(II) complexes of bispicolinamide ligands such as NN'-bis(2'-pyridinecarboxamide)-cis-1,2-cyclohexane(cis-bpch),6a N,N'-bis(2'-pyridinecarboxamide)-trans-1.2-cvclohexane(trans-bpch).6b N.N'-bis (2'-pyridinecarboxamide)-1,2-benzene(bpbH<sub>2</sub>)/<sup>6</sup> and N.N''-bis (6'-methylpyridine-2'-carboxamido)-1.2-benzene(6-mebpbH<sub>2</sub>)<sup>6d</sup> have been shown to exhibit a distorted square-pyramidal structure owing to a planar preferential tendency of an amide ligands containing pyridine ring.

On the other hand, Martell *et al.*<sup>2</sup> suggested possible structures of the dimeric Cu(II) complex formed by NN'-Digly-



cylethylenediamine (DGEN) on the basis of an electron spin resonance (ESR) study and potentiometric measurements. However, X-ray crystal structure was not yet reported. In this study, we report X-ray crystal structure of the dimeric Cu(II) complex formed by 1.6-bis(S)-pyrrolidinyl-1.6-dioxo -2.5-diazahexane(S,S-proenH<sub>2</sub>) as related ligand with DGEN. The S,S-proenH<sub>2</sub> is a linear chiral tetradentate bisamide ligand that has not only two chiral center in S-proline molety but also two pyrrolidinyl ring instead of pyridine. The circular dichroism(CD) spectra of Cu(II) complexes with S.S-proenH<sub>2</sub> in aqueous solution was also investigated.

## **Experimental Section**

Electronic and CD spectra were measured using a HP 8452 spectrophotometer and Jasco J-715 spectropolarimeter, respectively. <sup>13</sup>C NMR spectra were recorded with a Bruker (300) in D<sub>2</sub>O. using DSS (sodium 2.2-dimethyl-2-silapentane sulfonate) as internal standard. Elemental analysis was carried out by Perkin Elmer 240-C. All material was of reagent grade and was used without further purification.

**Preparation of S<sub>2</sub>S-proenH<sub>2</sub> Ligand.** Carbobenzoxy-(S)proline was prepared from (S)-proline (0.2 mol. 23.0 g) and carbobenzoxy chloride(cbz-Cl) (0.24 mol. 40.9 g) according to the method of Corey *et al.*<sup>8</sup> and then. *N.N'-bis*(carbobenzoxy-(S)-proly)ethylenediamine was prepared from the Carbobenzoxy-(S)-proline (0.24 mol, 60.0 g) and en (0.12 mol. 7.2 g) by using dicyclohexylcarbodiimide (DCC) as coupling agent in dichloromethane. The *S.S*-proenH<sub>2</sub> was obtained from decarbobenzoxylation<sup>9</sup> of *N.N'-bis*(carbobenzoxy-(S)-prolyl)ethylenediamine in methanol. Yield; 60%. <sup>13</sup>C NMR (D<sub>2</sub>O),  $\delta = 28.09$ , 33.38, 41.19, 49.87 (CH<sub>2</sub> of en backbone and pyrrolidinyl ring), 63.88 (chiral carbon of *S*proline moiety). 179.80 (C=O).

**Preparation of**  $[Cu_2(S,S-proenH)_2](ClO_4)_2:2H_2O. S,S-proenH_2 (10 mmol, 2.54 g) and Cu(ClO_4)_2:6H_2O (8 mmol, 2.96 g) was dissolved in 50 mL water and then the mixture was stirred for 4 h. at room temperature. The solution was diluted to 500 mL and then loaded onto a cation exchange resin (SP Sephadex C25) column. After the column was washed thoroughly with water, the adsorption band was separated with 1.0 M NaClO_4. The solution was evaporated to a volume of$ *ca* $. 50 mL and left overnight in a refrigerator; blue crude crystals of <math>[Cu_2(S,S-proenH)_2](ClO_4)_2:2H_2O$  were precipitated, which (1.15 g) was collected by filtration. A crystal, suitable for single-crystal X-ray diffraction, was recrystallised by dissolving in the minimum volume of hot water. *Calc.* for Cu\_2C\_24H\_46N\_8O\_14Cl\_2; C, 33.18; H, 5.34; N, 12.90. *Found*; C. 33.21; H, 4.91; N, 13.26.

**X-ray Diffraction Measurements.** Single crystal of  $[Cu_2(S,S-proenH)_2](ClO_1)_2 \cdot 2H_2O$  was mounted on an Enraf-Nonius CAD-4 diffractometer. Unit cell parameters were determined from automatically centered of 25 reflections  $(22.68 \le 2\theta \le 24.70)$  and refined by least-squares methods. Intensities were collected with graphite-monochromated Mo K $\alpha$  radiation, using the  $\omega$ -2 $\theta$  scan. For  $[Cu_2(S,S-proenH)_2]$  (ClO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O, among 3259 reflections measured in the range  $4.30 \le 2\theta \le 49.94$ , 2640 were assumed to be observed  $(F \ge 4\sigma(F))$ . Three standard reflections were measured every 2 h as orientation and intensity control and no significant intensity decay was observed. Lorentz and polarization corrections were made but no absorption correction was made. The crystal structure was solved by direct method<sup>10</sup> for [Cu<sub>2</sub>(S.S-proenH)<sub>2</sub>](ClO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O and refined by fullmatrix least-squares methods using the SHELXL93 computer program.<sup>11</sup> For  $[Cu_2(S,S-proenH)_2](ClO_4)_2/2H_2O$ , the positions of all non-hydrogen atoms were refined with anisotropic displacement factors. H3 and H7 were located and refined with isotropic thermal parameters whereas the remaining hydrogen atoms were allowed to ride on their bonded atoms with the isotropic displacement factors fixed with values 1.2 times those of the bonded atoms.

## **Results and Discussion**

The dimeric Cu(II) complex was prepared by the reaction of Cu(ClO<sub>4</sub>)<sub>2</sub>·6H<sub>2</sub>O and *S*<sub>2</sub>*S*-proenH<sub>2</sub> in aqueous solution. Elemental analysis indicated that the blue product was  $[Cu_2(S_2S-proenH)_2](ClO_4)_2\cdot2H_2O$ . An ORTEP drawing of the complex is shown in Figure 1. Its crystallographic data, and selected bond lengths and angles are listed in Table 1 and Table 2. respectively. In the  $[Cu_2(S_2S-proenH)_2]^{2+}$  complex, two Cu(II) ions bridged by an amide nitrogen of deprotonated *S*\_2S-proenH<sup>-</sup> ligand; Cu(1) is bound to the nitrogen of



**Figure 1**. An ORTEP drawing and crystal packing of the  $[Cu_2(S_*S_{proen}H)_2](ClO_1)_2$   $(2H_2O)$  with the labeling of the atoms. Thermal ellipsoids are drawn to include 50% probability. Two of each hydrate and ClO<sub>4</sub> ion is omitted for clarity.

**Table 1.** Crystallographic Data for  $[Cu_2(S,S-\text{proenfI})_2](ClO_4)_2 + 2H_2O$ 

formula	CusCadLa NaClaOva		
fu	868 67		
۶Å	0.71069		
crystal system	monoelinie		
Space group	$P_{\rm ex}(24)$		
Unit cell dimensions	a=9.7820(13) Å		
onit cen annensions	$b = 12.8244(8)$ Å $\beta = 104.033(10)$ deg		
	c = 14.519(2) Å		
v	$1767 1(3) Å^{3}$		
Z	2		
Deale			
crystal size	0.3×0.4×0.3 mm <sup>3</sup>		
absorption coeff.	1.430 mm <sup>-1</sup>		
F(000)	900		
index ranges	-3≤h≤116≤k≤1517≤l≤16		
$2\theta$ range	4.30-49.94 deg		
no. of unique data	3259 [R <sub>int</sub> = 0.0302]		
no. of obsd data (F=4o(F))	2640		
Ra	0.0512 (4o data)		
$wR(P^2)^b$	0.1268 (4o data)		
$R^a$	0.0703(all data)		
$wR(P^2)^b$	0.1520(all data)		
goodness of fit	L.046		
largest diff, peak and hole	0.677 and -0.807 e Å <sup>3</sup>		
$aR = \nabla   F  _{*}  F  / \nabla  F  = bw R(F2)$	$= \left[ \nabla \omega t E \left[ 2 E \left[ 2 \lambda^2 \right] \nabla \omega t E \left[ 2 \lambda^2 \right]^2, \text{ where } \omega t = 1 \right] \right]$		

 $\frac{3R - 2[[P_0] - [P_0] / 2[P_0], WR(P_0) - [2W(P_0) - P_0)] - W(P_0)]}{[\sigma^2(F_0)] (0.0894P)^2 - 0.0950P], P - (F_0^2 + 2F_0^2)/3}$ 

pyrrolidinyl ring and amide nitrogen and Cu(2) is chelated by the antide oxygen and nitrogen of pyrrolidinyl ring. Each copper atom of distorted square planar is surrounded by three nitrogen atoms and one oxygen atom such as one of the possible structure of the dimeric Cu(II) complex with DGEN

Table 2. Selected Bond Lengths (Å) and Angles(°) for  $[Cu_2(S,S-procnH)_2](ClO_4)_2$  · 2H<sub>2</sub>O

bond lengths (Å)		bond angles (°)	
Cul-N2	1.892(7)	N2-Cu1-O4	94.0(3)
Cul-O4	1.966(6)	N2-Cu1-N1	84.8(3)
Cul-N1	2.022(7)	O4-Cu1-N1	176.0(3)
Cul-N8	2.023(8)	N2-Cu1-N8	176.4(3)
Cu2-N6	1.927(7)	O4-Cu1-N8	83.2(3)
Cu2-O2	1.963(6)	N1-Cu1-N8	98.1(3)
Cu2-N5	1.981(9)	N6-Cu2-O2	94.4(3)
Cu2-N4	2.007(7)	N6-Cu2-N5	83.8(4)
OI-C5	1.265(11)	O2-Cu2-N5	175.4(5)
O2-C8	1.256(9)	N6-Cu2-N4	175.5(3)
O3-C17	1.264(11)	O2-Cu2-N4	84.7(3)
O4-C20	1.273(10)	N5-Cu2-N4	96.7(3)
N2-C5	1.323(11)	C5-N2-C6	116.3(7)
N3-C8	1.292(11)	C5-N2-Cul	116.7(6)
N6-C17	1.285(12)	C6-N2-Cul	126.7(5)
N7-C20	1.293(12)	C17-N6-C18	118.3(8)
		C17-N6-Cu2	114.6(7)
		C18-N6-Cu2	125.9(6)

Notes

was suggested by potentiometric measurements and ESR study. The least-square plane through the four donor atoms of Cu(1)[N(1), N(2), N(8), O(4)] forms a dihedral angle of 10.09° with the Cu(2)[N(4), N(5), N(6), O(2)] plane.

Bond distances between each copper atom and donor (N, O) atoms are Cu(1)-N(1); 2.022(7) Å, Cu(1)-N(2); 1.892(7) Å, Cu(1)-N(8); 2.023(8) Å, Cu(1)-O(4); 1.966(6) Å, Cu(2)-N(4); 2.007(7) Å, Cu(2)-N(5); 1.981(9) Å, Cu(2)-N(6); 1.927(7) Å, Cu(2)-O(2); 1.963(6) Å. The shortening of the Cu(1)-N(2) and Cu(2)-N(6) bond lengths agree with the stronger basicity of the deprotonated amide nitrogen atoms.<sup>5,12</sup> The N(1)-Cu(1)-O(4), N(2)-Cu(1)-N(8), N(5)-Cu(2)-O(2), and N(4)-Cu(2)-N(6) angles are 176.0(3)° and 176.4(3)°, respectively. Distortion of the complex is also evident from the values found for the N(2)-Cu(1)-O(4), N(8)-Cu(1)-O(4), N(4)-Cu(2)-O(2), and N(6)-Cu(2)-O(2) angles 194.0(3)°, 83.2(3)°, 84.7(3)° and 94.4(3)°, respectively].

The bond lengths within the amide portion of the ligands in  $[Cu_2(S,S-proenH)_2]^{2-}$  are unusual. The bond lengths of four amide portion are N(2)-C(5); 1.323(11), O(1)-C(5); 1.265(11), N(6)-C(17); 1.285(12), O(3)-C(17); 1.264(11), N(7)-C(20); 1.293(12), O(4)-C(20); 1.273(10), N(3)-C(8); 1.292(11), O(2)-C(8); 1.256(9) Å, respectively. It should be noted that the C-N distance is shorter and C-O is longer compared to those found from free amide (C-N; 1.330 Å, C-O; 1.240 Å). This result agrees with many investigations which reveal that complexation of the deprotonated amide nitrogen shortens the peptide C-N and lengthens the C-O bond.3 These observations have been attributed to that the substitution of an amide proton by a metal ion results in the bond length change to the direction of double bond character in the C-N and single bond character in the C-O (eq 1).<sup>3</sup> However, the shortening of the bond lengths in  $[Cu_2(S,S$ proenH)<sub>2</sub>]<sup>2+</sup> crystal for two C-N bonds were different. The decrease in the bond lengths of 0.007 Å and 0.045 Å for the N(2)-C(5) and N(6)-C(17) were found, indicating that the

$$\sum_{O}^{H} C = N_{R}^{H} + M \longrightarrow H^{+} + \sum_{(i)}^{H} C = N_{R}^{M}$$
(1)

character of N(2)-C(5) bond is close to that of the single bond. It can also be seen that the structure of the  $|Cu_2(S,S$ proenH)<sub>2</sub>]<sup>2</sup> allows an intermolecular one dimensional hydrogen bonding |C(5)-O(1) - H-N(7)|(2.737 Å)| and C(17)-O(3) - H-N(3)|(2.728 Å)| interaction between the amide oxygen and the hydrogen on the unbounded nitrogen to Cu(II) ion.

The absorption and CD spectra of  $[Cu_2(S,S-\text{proenH})_2]^2$  in aqueous solutions are shown in Figure 2. Before addition of base, the complex exhibited an absorption band at 572 nm  $(\varepsilon - 115 \text{ dm}^3 \text{mol}^{-1}\text{cm}^{-1})$  and a weak CD band at 516 nm  $(\Delta_{\varepsilon} - 0.26)$  (curve 1). A weakness of CD spectrum in d-d region indicates that the vicinal effect was derived from the stereospecifity of the *S*,*S*-proenH<sub>2</sub> ligand. As the concentration of base is increased, the band maximum shifts to shorter wavelength and increases in intensity of the absorption and CD spectrum. The color gradually changes from blue to red-



**Figure 2.** Absorption(top) and CD spectra(bottom) of  $[Cu_2(S.S.proenH)_2]^{2+}$  (1.2×10<sup>-3</sup> mol·dm<sup>-3</sup>) at various OH<sup>-</sup> molar ratio. The molar ratios are (1) aqueous solution. (2) 1 : 1, (3) 1 : 2, (4) 1 : 3 and (5) 1 : 4, respectively.

violet. In strong base, the absorption spectral data is similar to those of Cu(II) complex with the deprotonated DGEN ligand.<sup>7,13</sup> It is clear that the substitution of amide oxygen atoms by deprotonated amide nitrogen atoms moves the absorption maximum to shorter wavelengths. By using ion exchange chromatography, it was identified that the Cu(II) complex with deprotonated  $S_iS$ -proenII<sub>2</sub> is neutral. Therefore, complex I is considered to be the most probable structure for [Cu( $S_iS$ -proen)], which has two deprotonated amide



groups. In addition to the red-shift and increases in the absorption intensity, the CD spectra gradually changes from negative band to positive as the basicity of the solution increases (Figure 2). These observations can be explained by increases in the number of the nitrogen atom in complex I which has an *S* orientation (from three nitrogens in  $[Cu_2(S,S-proenII)_2]^{2+}$  to four nitrogens in basic solution). It suggests that the vicinal effect of complex I becomes larger compared to that of  $[Cu_2(S,S-proenII)_2]^{2+}$ .

Acknowledgment. This research was supported by the Basic Science Research Institute Program (BSRI-98-015-D00162), Ministry of Education, Korea and Yeungnam University research grants in 1998.

## References

- (a) Buckingham, D. A. In *Biological Aspects of Inorganic Chemistry*: Addison, A. W., Cullen, W. R., Dolphin, D., James, R. R., Eds.; Willy: New York, 1977; pp 141-196.
  (b) Sherman, S. E.; Lippard, S. J. *Chem. Rev.* 1987, *87*, 1153.
  (c) Sherman, S. E.; Gibson, D.; Wang, A. H. J.; Lippard, S. J. J. Am. Chem. Soc. 1988, *110*, 7368.
- 2. (a) Koikawa, M.; Gotoh, M.; Okawa, H.; Kohzuma, T.; Kida, S. J. Chem. Soc., Dalton Trans. 1989, 1613. (b) Garcia, A.; Costa, R.; Ribas, J. Inorg. Chim. Acta 1990, 168. 249. (c) Brown, S. J.: Olmstead, M. M.; Mascharak, P. K. Inorg. Chem. 1989, 28, 3720. (d) Mak, S. T.: Wong, W. T.: Yam, V. W. W.; Lai, T. F.; Che, C. M. J. Chem. Soc., Dalton Trans. 1991, 1915. (c) Ray, M.; Mukherjee, R.; Richardson, J. F.: Buehanan, R. M. J. Chem. Soc., Dalton Trans. 1991, 2451. (1) Cini, R.: Fanizzi, F. P.: Intini, F. P.: Maresca, L.: Natile, G. J. Am. Chem. Soc. 1993, 115, 5123. (g) Rochon, F. D.: Kong, P. C.: Melanson, R. Inorg. Chem. 1990. 29, 1352. (h) Ilan, Y.; Taube, H. Inorg. Chem. 1983, 22, 1655. (i) Chou, M. H.; Szalda, D. J.; Creutz, C.; Sutin, N. Inorg. Chem. 1994, 33, 1674. (j) Rav, M.; Ghosh, D.; Shirin, Z.; Mukherjee, R. Inorg. Chem. 1997, 36, 3568. (k) Muetterties, M.; Mascharak, P. K.; Cox, M. B.; Arora, S. K. Inorg. Chim. Acta 1989, 160, 123. (1) Lee, B. W.; Oh, C. E.; Doh, M. K. Bull. Korean Chem. Soc. 1998, 19, 457.
- 3. Sigel, H.; Martin, B. Chem. Rev. 1982, 82, 385.
- (a) Hollis, L. S.: Roberts, M. M.: Lippard, S. J. *Inorg. Chem.* **1983**, *22*, 3637. (b) Rochon, F. D.: Boughzala, R.: Melanson, R. *Can. J. Chem.* **1992**, *70*, 2476. (c) Rochon, F. D.: Kong, R. C.: Melanson, R. *Inorg. Chem.* **1990**, *29*,

1352.

- (a) Lloret, F.: Julve, M.: Faus, J.: Journaux, Y.: Philoche-Levisalles, M.: Jeannin, Y. Inorg. Chem. 1989, 28, 3702.
  (b) Lloret, F.: Sletten, J.: Ruiz, R.: Julve, M.: Faus, J.: Verdaguer, M. Inorg. Chem. 1992, 31, 778.
  (c) Lloret, F.: Julve, M.: Faus, J.: Ruiz, R.: Castro, I.: Mollar, M.: Philoche-Levisalles, M. Inorg. Chem. 1992, 31, 784.
  (d) Lloret, F.: Julve, M.: Real, J. A.: Faus, J.: Ruiz, R.: Mollar, M.: Castro, I.: Bois, C. Inorg. Chem. 1992, 31, 2956.
  (e) Lee, B. W.: Kim, D. Y.: Kim, B. J.: Oh, C. E.: Kim, B. G.: Doh, M. K. Bull. Korean Chem. Soc. 1998, 7, 789.
- (a) Stephens, F. S.; Vagg, R. S. Inorg. Chim. Acta 1981, 51, 149. (b) Mulqi, M.; Stephens, F. S.; Vagg, R. S. Inorg. Chim. Acta 1981, 51, 9. (c) Chapman, R. S.; Stephens, F. S.; Vagg, R. S. Inorg. Chim. Acta 1980, 43, 29. (d) Chapman, R. S.; Stephens, F. S.; Vagg, R. S. Inorg. Chim. Acta 1981, 52, 169.
- Sun Bai, K.: Martell, A. E. J. Am. Chem. Soc. 1969, 91, 4412.
- Corey, E. J.: Shibata, S.: Bakshi, K. R. J. Org. Chem. 1988, 53, 2861.
- Corey, E. J.; Bailar, Jr. J. C. J. Am. Chem. Soc. 1959, 81, 2620.
- 10. Sheldrick, G. M. Acta Crystallogr. 1990, A46, 467.
- Sheldrick, G. M. SHELXL-93: Program for the Refinement of crystal structures: University of Göettingen: Göettingen, German, 1993.
- McLachlan, G. A.: Brudenell, S. J.; Fallon, G. D.; Martin, R. L.: Spiecia, L.: Edward, R. T. J. Chem. Soc., Dalton Trans. 1995, 439.
- Briellmann, M.; Zuberbuhler, A. D. Helvetica Chimica Acta 1982, 65, 46.