# Photodissociation of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br at 234 nm

Hyun Kook Kim, Dababrata Paul, Kiryong Hong, Hana Cho, Kyoung-Seok Lee,<sup>†</sup> and Tae Kyu Kim<sup>\*</sup>

Department of Chemistry and Center for Functional Materials, Pusan National University, Busan 609-735, Korea \*E-mail: tkkim@pusan.ac.kr

<sup>†</sup>Division of Metrology for Quality Life, Korea Research Institute of Standards and Science, Daejeon 305-340, Korea Received November 5, 2011, Accepted November 12, 2011

The photodissociation dynamics of cyclopropyl bromide (C<sub>3</sub>H<sub>5</sub>Br) and cyclobutyl bromide (C<sub>4</sub>H<sub>7</sub>Br) at 234 nm was investigated. A two-dimensional photofragment ion-imaging technique coupled with a [2+1] resonanceenhanced multiphoton ionization scheme was utilized to obtain speed and angular distributions of the nascent  $Br(^{2}P_{3/2})$  and  $Br^{*}(^{2}P_{1/2})$  atoms. The recoil anisotropies for the Br and Br<sup>\*</sup> channels were measured to be  $\beta_{Br} = 0.92 \pm 0.03$  and  $\beta_{Br^*} = 1.52 \pm 0.04$  for C<sub>3</sub>H<sub>5</sub>Br and  $\beta_{Br} = 1.10 \pm 0.03$  and  $\beta_{Br^*} = 1.49 \pm 0.05$  for C<sub>4</sub>H<sub>7</sub>Br. The relative quantum yield for Br was found to be  $\Phi_{Br} = 0.13 \pm 0.03$  and for C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br, respectively. The soft radical limit of the impulsive model adequately modeled the related energy partitioning. The nonadiabatic transition probability from the 3*A*' and 4*A*' potential energy surfaces was estimated and discussed.

Key Words : Photodissociation, Cycloalkyl Halides, Curve-crossing, Cs symmetry, Ion-imaging

## Introduction

Photodissociation dynamics of organic halides in the ultraviolet (UV) region has prompted extensive experimental and theoretical investigations aiming at elucidating the mechanism of formation of halogen atoms in the ground and excited spin-orbit coupling states.<sup>1-10</sup> As a prototype for depicting numerous types of photodissociations in a variety of polyatomic molecules, the photodissociation of methyl halide ( $CX_3Y$ ; X = H, D, F:Y = Br, I) in the A-band has been intensively studied.<sup>11-13</sup> Its A-band owing to the  $\sigma^* \leftarrow n$ transition is composed of three optically accessible states:  ${}^{1}Q_{1}(3E)$ ,  ${}^{3}Q_{0}(2A_{1})$ , and  ${}^{3}Q_{1}(2E)$  in descending order of energy.<sup>14</sup> They are repulsive in nature, leading to the prompt/ impulsive dissociation of the C-Y bond. In the adiabatic limit, the  ${}^{3}Q_{0}(2A_{1})$  state correlates with the spin-orbit excited  $Y^{*}({}^{2}P_{1/2})$  channel in which the related transition dipole moment is aligned parallel to the C-Y bond axis, and others with the  $Y(^{2}P_{3/2})$  channel where the corresponding transitions are polarized perpendicular to the C-Y bond. Curve crossing occurs between  ${}^{1}Q_{1}(3E)$  and  ${}^{3}Q_{0}(2A_{1})$  surfaces which arises from the symmetry reduction of the parent molecule during dissociation. As the symmetry is lowered from the intrinsic  $C_{3v}$  to  $C_s$ , the  ${}^1Q_1(3E)$  state splits into two components, 4A' and 2A". The  ${}^{3}Q_{1}(2E)$  state splits into 2A' and 1*A*". The  ${}^{3}Q_{0}(2A_{1})$  state is reduced to 3*A*'. It has been proposed that the symmetry lowering motion such as *e*-type bending vibration induces the symmetry to be reduced and a fraction of molecules consequently dissociates via the surfaces in  $C_s$  symmetry.<sup>4,5,10,15,16</sup>

Cycloalkyl halides are mono-halogenated cyclic ring molecules which has intrinsic  $C_s$  symmetry. In particular, the photodissociation dynamics of cyclopropyl iodide was investigated at 266 and 280 nm using ion-imaging of nascent iodine atoms.<sup>17</sup> In another study, state-selective photofrag-

ment translational spectroscopy of cyclohexyl iodide was performed and the energy difference between the equatorial and axial conformers was determined by monitoring I and I<sup>\*</sup> fragments at several excitation wavelengths.<sup>18</sup> Recently photodissociation dynamics of cyclopentyl bromide has been studied by velocity ion imaging method.<sup>19</sup> However, detailed dissociation dynamics of mono-halogenated cycloalkanes has not yet been elucidated and more information is necessary to explain and to gain a detailed understanding of the photodissociation dynamics of cycloalkyl halides in A-band. Due to the intrinsic  $C_s$  symmetry of cycloalkyl halides, the nonadiabatic dissociation dynamics should be explained in terms of interaction between involved potential energy surfaces in  $C_s$  symmetry.<sup>10,15</sup>

In this work, we investigate the photodissociation dynamics of cyclopropyl bromide ( $C_3H_5Br$ ) and cyclobutyl bromide ( $C_4H_7Br$ ) at 234 nm. The nascent Br and Br\* atoms were selectively detected using a [2+1] resonance-enhanced multiphoton ionization (REMPI) scheme. The relative quantum yield for the Br and Br\* channels were measured. Their speed and angular distributions were obtained by use of a velocity map ion-imaging technique. The results provide an insight into the photodissociation dynamics of cycloalkyl halides with  $C_s$  symmetry, and can be applied to the photodissociation of other complicated multihalogenated cycloalkanes.


## Experiment

The experimental setup has been described in detail elsewhere.<sup>9,10</sup> Our velocity mapping apparatus consists of a supersonic molecular beam source, time-of-flight (TOF) spectrometer, and a position sensitive detector. A  $C_3H_5Br$  or  $C_4H_7Br$  (Aldrich, 99%) molecular beam with a pulse width of 180 µs was obtained using 1% of the gas mixture seeded

## 144 Bull. Korean Chem. Soc. 2012, Vol. 33, No. 1


in He buffer and was operated at 10 Hz. The experiment was performed using one-color scheme. Linearly polarized UV laser light was produced by doubling of the Nd:YAG laser (Spectra Physics, GCR-170) pumped dye laser (Lumonics HD 500) output using a BBO crystal and was aligned utilizing a half-wave retardation plate. The UV laser light with a typical energy of 50-100  $\mu$ J/pulse was focused perpendicularly onto the molecular beam in the ionization region by lens with a 150 mm focal length. A single UV laser pulse excited C<sub>3</sub>H<sub>5</sub>Br or C<sub>4</sub>H<sub>7</sub>Br molecules and ionized resultant Br and Br<sup>\*</sup> fragments. The [2+1] REMPI technique employed to selectively ionize Br (233.7 nm, *via* 6p <sup>4</sup>P<sub>3/2</sub> intermediate state) and Br<sup>\*</sup> (234.0 nm, *via* the intermediate state of 6p <sup>4</sup>D<sub>1/2</sub>).<sup>20</sup>

Resultant Br fragment were accelerated using a repeller, an extractor, and a ground electrode. The nonhomogeneous electric field around electrodes functioned as an electrostatic ion lens<sup>21</sup> to create an image on a two-dimensional positionsensitive detector that was composed of a dual chevron microchannel plate (MCP), a phosphor screen (Galileo Electrooptic Corp. 3040FM), an image intensifier, and a charge-coupled device (CCD) camera. A synchronously triggering pulse was applied to the image intensifier in order to segregate Br ion signals from background noises caused by scattering light and ions with different masses. More than  $10^4$  shots were averaged to construct an image. TOF mass Hyun Kook Kim et al.



**Figure 1.** Raw ion images of (a) Br and (b) Br<sup>\*</sup> from the photodissociation of  $C_3H_5Br$ . Those of Br and Br<sup>\*</sup> from  $C_4H_7Br$  are shown in (c) and (d), respectively. In all images, the polarization vector of the photolysis laser is vertical.

spectra were collected using a photomultiplier tube and a digital oscilloscope instead of the image intensifier and the CCD camera. To minimize background noises, images and



**Figure 2.** Angular distributions for (a) Br and (b)  $Br^*$  channels in the photodissociation of  $C_3H_3Br$  at 234 nm. Those of Br and  $Br^*$  from  $C_4H_7Br$  are shown in (c) and (d), respectively. The open circles are the experimental data and the anisotropy parameters are extracted by the fitting curves (red solid lines).

spectra contained at off-resonance wavelengths under the same condition were subtracted from those at resonance wavelengths. All images and spectra were averaged over a range of 2 cm<sup>-1</sup> to cover all velocity components of Br atoms.

#### Results

**Raw Images and Recoil Anisotropies**. The raw images of Br and Br<sup>\*</sup> obtained from the photolysis of C<sub>3</sub>H<sub>5</sub>Br/ C<sub>4</sub>H<sub>7</sub>Br at 234 nm are presented in Figure 1. Since the polarization of the photolysis laser beam was aligned vertically, distinct polar-cap appearances in all images indicate that Br/Br<sup>\*</sup> from C<sub>3</sub>H<sub>5</sub>Br/C<sub>4</sub>H<sub>7</sub>Br photolysis were produced almost *via* parallel transition. In order to extract the recoil anisotropy, the raw ion image has been processed using an inverse Abel transformation. The intensity of the components with velocity at proper ranges has been integrated at individual angles. The resultant angular distributions are plotted in Figure 2. The recoil anisotropy,  $\beta$ , has been extracted by fitting the angular distribution with the formula,<sup>22</sup>

$$P(\theta) = 1 + \beta P_2(\cos\theta), \tag{1}$$

where  $P(\theta)$  is the integrated intensity at the angle  $\theta$  and is a second-order Legendre polynomial.  $\beta$  varies from 2 for the limit of a parallel transition and to -1 for that of a perpendicular transition. As shown in Figure 2, the anisotropy parameters determined for the overall ranges of velocity


distributions are  $\beta_{Br} = 0.92 \pm 0.03$  and  $\beta_{Br^*} = 1.52 \pm 0.04$  for C<sub>3</sub>H<sub>5</sub>Br. For C<sub>4</sub>H<sub>7</sub>Br,  $\beta_{Br} = 1.10 \pm 0.03$  and  $\beta_{Br^*} = 1.49 \pm 0.05$  are obtained.

**Translational Energy Distributions.** The total translational energy distribution based on a center-of-mass coordinate, P(E), is obtained by converting the speed distribution, P(v), according to the equations:

$$P(E) = P(v) = \frac{dv}{dE} \propto \frac{P(v)}{v}$$
(2)

$$E_T = \frac{1}{2} (m_{\rm Br} + m_{\rm R}) \left(\frac{m_{\rm Br}}{m_{\rm R}}\right) v_{\rm Br}^2 \,. \tag{3}$$

where *R* denotes C<sub>3</sub>H<sub>5</sub> for C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub> for C<sub>4</sub>H<sub>7</sub>Br. *P*(*v*) is extracted by integrating the reconstructed 3D speed distribution over all angles at each speed. The total translational energy distributions for Br and Br<sup>\*</sup> from C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br are plotted in Figure 3. Each distribution in Figure 3 was well fitted by a *single* Gaussian distribution, indicating that the bromine fragments are produced *via* direct dissociation on the repulsive surfaces. The average translation energy,  $\langle E_T \rangle$ , for the Br and Br<sup>\*</sup> from C<sub>3</sub>H<sub>5</sub>Br is determined to be 76.85 and 65.51 kJ/mol, respectively. For C<sub>4</sub>H<sub>7</sub>Br,  $\langle E_T \rangle_{Br} = 67.10 \text{ kJ/mol}$  and  $\langle E_T \rangle_{Br} = 58.86 \text{ kJ/mol}$  are obtained. To calculate the fraction of the translational energy of Br to the available energy ( $f_T$ ), the following relationship was used:



**Figure 3.** Total translational energy distributions for (a) Br and (b)  $Br^*$  in the photodissociation of  $C_3H_5Br$  at 234 nm. Those of Br and  $Br^*$  from  $C_4H_7Br$  are shown in (c) and (d), respectively. Each data point (open circle) corresponds to the relative intensity by integrating values for all angular components at a specific translational energy. The red solid lines indicate the curves fitted with a Gaussian-shaped function.

#### 146 Bull. Korean Chem. Soc. 2012, Vol. 33, No. 1

**Table 1.** Average translational energies, energy fractions, recoil anisotropy parameters, and relative quantum yields of Br and Br<sup>\*</sup> resulting from the photolysis of  $C_3H_5Br$  and  $C_4H_7Br$  at 234 nm. The energy unit is kJ/mol.  $f_T$  is the fraction of the translational energy to the available energy measured in this work. Numbers in parentheses are the errors corresponding to one standard deviation

Channel	$E_{\rm avl}$	$\langle E_T \rangle$	$f_T$	β	Φ
$C_3H_5 + Br$	209.00	76.85	0.37	0.92(0.03)	_
$C_3H_5 + Br^*$	165.50	65.51	0.40	1.52(0.04)	0.13(0.03)
$C_4H_7 + Br$	237.21	67.10	0.29	1.10(0.03)	_
$C_4H_7 + Br^*$	193.03	58.86	0.30	1.49(0.05)	0.18(0.02)

$$f_T = \frac{\langle E_T \rangle}{E_{\rm avl}} \tag{4}$$

$$E_{\rm avl} = hv - D_0 - E_{\rm el} + E_{\rm int} \tag{5}$$

where  $E_{avl}$  and hv designates the available energy of the photodissociation and the photon energy of 234 nm, respectively. The parameter  $D_0$  indicates the dissociation energy of the C–Br bond; a value of  $D_0 = 72.9$  kJ/mol and 69.3 kJ/mol based on the density functional theory (DFT) at B3LYP/6-311++G(d,p) level,<sup>23,24</sup> was chosen for C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br, respectively. The electronic energy,  $E_{el}$ , is equal to the appropriate electronic energy level of atomic bromine, and was chosen to be 0 for Br and 44.1 kJ/mol for Br<sup>\*</sup>. Because rotational and vibrational excitations are negligible in a supersonic molecular beam, the internal energy,  $E_{int}$ , was set to zero. The average translation energies and  $f_T$  values of Br/ Br<sup>\*</sup> channels for C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br are listed in Table 1.

**Relative Quantum Yields.** The relative quantum yields are defined as follows:


$$\Phi_{\rm Br} = \frac{N_{\rm Br}}{N_{\rm Br} + N_{\rm Br^*}},\tag{6}$$

$$\Phi_{\mathrm{Br}^*} = 1 - \Phi_{\mathrm{Br}} \,, \tag{7}$$

where  $N_X$  is the number of species X (X = Br, Br<sup>\*</sup>). These numbers were extracted from the relative [2+1] REMPI ion signal intensities of Br and Br<sup>\*</sup> in the TOF spectra, yielding values of  $\Phi_{Br} = 0.13 \pm 0.03$  for C<sub>3</sub>H<sub>5</sub>Br and 0.18 ± 0.02 for C<sub>4</sub>H<sub>7</sub>Br. The extracted relative quantum yields are also listed in Table 1.

## Discussion

As shown in Figure 3, the total energy distributions for Br and Br<sup>\*</sup> from photolysis of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br are well characterized by single-peaked Gaussian functions. The  $f_T$ values from C<sub>3</sub>H<sub>5</sub>Br were 0.37 for Br and 0.40 for Br<sup>\*</sup>. From C<sub>4</sub>H<sub>7</sub>Br,  $f_T = 0.29$  and 0.30 were obtained for Br and Br<sup>\*</sup> formation channels, respectively. These  $f_T$  values indicate that a considerable portion of the available energy is partitioned into the internal degrees of freedom of the R (R = C<sub>3</sub>H<sub>5</sub> or C<sub>4</sub>H<sub>7</sub>) fragments. Based on these findings, the 234 nm dissociation dynamics of C<sub>3</sub>H<sub>5</sub>Br seems to be similar to that of C<sub>4</sub>H<sub>7</sub>Br. The energy partitioning in the dissociation *via* repulsive potential can be explained by invoking two



**Figure 4.** Schematic diagram of the photolyses of (a)  $C_3H_5Br$  and (b)  $C_4H_7Br$  on the 3*A*' and [4*A*', 2*A*''] electronic states. Dotted lines show the trajectories along individual pathways. The numbers represent the fraction of molecules for different dissociation pathways.

radical limits of the impulsive model. The rigid radical limit ignore the energy flow onto the vibration energy of the fragments, and thereby the upper limit of  $f_T$ . If we apply the rigid radical limit to the photodissociation of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br, the fraction of the energy into the translational energy ( $f_T^{rigid}$ ) is calculated by the following relationship:<sup>25-27</sup>

$$f_T^{rigid} = \left(1 + \frac{I_{\rm R}}{\mu_{\rm R} r_{c.m}^2 \sin^2 \chi}\right)^{-1},$$
(8)

$$f_T^{rigid} = 1 - f_{int}^{rigid}, \tag{9}$$

where  $I_R$  is the moment of inertia of the R(C<sub>3</sub>H<sub>5</sub> or C<sub>4</sub>H<sub>7</sub>) fragment about an axis through its center-of-mass (c.m.) and perpendicular to the plane defined by the c.m., Br atom, and the a-carbon atom where the bromine atom is attached. The parameter  $\mu_{R-Br}$  is the reduced mass of the R and bromine fragments, and  $r_{c.m.}$  is the distance from the c.m. of the R fragment to the  $\alpha$ -carbon atom. Using geometrical parameters optimized by density functional theory (DFT) at B3LYP/6-311++G(d,p) level,<sup>24</sup> we estimate values of  $f_{int}^{rigid}$ = 0.13( $f_T^{rigid}$  = 0.87) for C<sub>3</sub>H<sub>5</sub>Br and  $f_{int}^{rigid}$  = 0.01( $f_T^{rigid}$  = 0.99) for C<sub>4</sub>H<sub>7</sub>Br at the rigid radical limit. As shown in Table 1, these values are very different from the findings for the Br/Br<sup>\*</sup> formations from C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br. This fact indicates that the dissociation process involves considerable vibrational excitation of the photofragments. Therefore, the soft radical limit,<sup>26,27</sup> which considers the vibrational excitation of fragments, could be applied to the C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br. Using the soft radical limit, values of  $f_T^{soft} = \mu_{C-Br}/\mu_{C_3H_5-Br} = 0.38$  for C<sub>3</sub>H<sub>5</sub>Br and  $f_T^{soft} = \mu_{C-Br}/\mu_{C_4H_7-Br} = 0.32$  for C<sub>4</sub>H<sub>7</sub>Br were determined, where  $\mu_{A-B}$  is the reduced mass of the A and B fragments. The soft radical limit of the impulsive model seems more appropriate for predicting energy partitioning in the photodissociations of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br at 234 nm. Although there is no a priori reason for the agreement between the values predicted using the soft radical limit and those measured in this work, this fact strongly suggests that vibrational excitation should be considered in the photodissociations of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br, which is related with the shape of the related potential energy surfaces involved in the nonadiabatic transition.<sup>28</sup>

Since the total energy distributions for Br and Br<sup>\*</sup> from photolysis of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br are well characterized by single-peaked Gaussian functions, it is therefore reasonable to assume that at 234 nm the  $\sigma^* \leftarrow n$  type of electronic transition localized on the C–Br chromophore is excited here as in the simplest alkyl bromides.<sup>5,10,13</sup> The recoil anisotropy parameters observed in this study ( $\beta_{Br} = 0.92 \pm 0.03$  and  $\beta_{Br^*} = 1.52 \pm 0.04$  from C<sub>3</sub>H<sub>5</sub>Br and  $\beta_{Br} = 1.10 \pm 0.03$  and  $\beta_{Br^*} = 1.49 \pm 0.05$  from C<sub>4</sub>H<sub>7</sub>Br) are less than the limiting value of parallel transition ( $\beta_{lim}^{\parallel} = +2$ ), indicating that both perpendicular and parallel transitions are responsible for generation of Br and Br<sup>\*</sup> from C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br. The relative contributions of the parallel and perpendicular transitions to the obtained anisotropy parameters can be calculated from the following relationship:

$$\begin{pmatrix} \beta_{\rm Br} \\ \beta_{\rm Br^*} \end{pmatrix} = \begin{pmatrix} C_{\rm Br}^{\parallel} & C_{\rm Br}^{\perp} \\ C_{\rm Br^*}^{\parallel} & C_{\rm Br^*}^{\perp} \end{pmatrix} \begin{pmatrix} \beta_{\rm lim}^{\parallel} \\ \beta_{\rm lim}^{\perp} \end{pmatrix}$$
(10)

where  $C_{N}^{M}(M = \bot, \parallel; N = Br, Br^{*}; C_{N}^{\perp} + C_{N}^{\parallel} = 1)$  is the relative fraction of the species N generated by either the parallel (||) or perpendicular ( $\perp$ ) transition.  $\beta_{\lim}^{\parallel}$  and  $\beta_{\lim}^{\perp}$ are the limit values of the anisotropy parameters for the parallel and perpendicular transitions, respectively. As mentioned before, the electronic transition of C3H5Br and C<sub>4</sub>H<sub>7</sub>Br at 234 nm is a  $\sigma^* \leftarrow n$  transition mainly localized on the C-Br bond. Therefore, a limiting value for the parallel transition can be deduced from that of the Br<sup>\*</sup> generated in the 234 nm photodissociation of CF<sub>3</sub>Br.<sup>15</sup> It has been known that only  ${}^{3}Q_{0}$  (pure parallel component) is responsible for the generation of Br\* in the photodissociation of CF<sub>3</sub>Br at 234 nm. As a result,  $\beta_{\text{lim}}^{\parallel} = 1.8$  was chosen for the analysis. On the same account,  $\beta_{\text{lim}}^{\perp} = -1/2 \beta_{\text{lim}}^{\parallel} = -0.9$  was selected. The use of limiting values is not rigorous for repulsive dissociation of polyatomic molecule, especially when a significant fraction of energy appears in internal energy of fragment.<sup>27</sup> Nevertheless, this approach helps one to interpret the data qualitatively and discuss the related dynamic processes during photodissociation. As results, from C<sub>3</sub>H<sub>5</sub>Br, 67% (33%) of Br evolves from the parallel (perpendicular) transition and 90% (10%) of Br<sup>\*</sup> arise from the initial parallel (perpendicular) transition. For the C<sub>4</sub>H<sub>7</sub>Br case, 74% (26%) of Br evolves from the parallel (perpendicular) transition and 88% (12%) of Br<sup>\*</sup> arise from the initial parallel (perpendicular) transition. To investigate the origins of the transitions, the excited states pertinent to the absorption at 234 nm must be conjectured. The excited states of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br at 234 nm can be inferred from the simplest organic halides, remembering that the C–Br moiety acts as the main chromophore at 234 nm.

There are three optically accessible states of CH<sub>3</sub>Br are denoted  ${}^{1}Q_{1}$ ,  ${}^{3}Q_{0}$ , and  ${}^{3}Q_{1}$ , in descending order of energy.<sup>13,29</sup> As discussed, in molecules with intrinsic  $C_s$  symmetry, the  ${}^{3}Q_{1}$  state splits into the 2A' and 1A" states. The  ${}^{3}Q_{0}$  state does not split and is directly correlated with the 3A' state. The  ${}^{1}Q_{1}$ state is correlated with the 4A' and 2A'' states in the  $C_s$ symmetry. In the UV spectrum of CH<sub>2</sub>BrCl,<sup>5,30</sup> the absorption band of lowest [2A', 1A''] (<sup>3</sup>O<sub>1</sub>) states is shifted to significant longer wavelengths compared to the  ${}^{3}O_{1}$  state of CH<sub>3</sub>Br. Another feature is that the 3A' ( $^{3}Q_{0}$ ) and [4A' and 2A'' ( $Q_1$ ) states are very close and have nearly equal widths for CH<sub>2</sub>BrCl. Since C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br are also of intrinsic  $C_s$  symmetry, the potential energy surfaces reached via the transition localized on the C-Br bond seem to be similar to those in CH<sub>2</sub>BrCl. As with CH<sub>2</sub>BrCl, the 3A' (<sup>3</sup>Q<sub>0</sub>) and [4A' and 2A'' (<sup>1</sup>Q<sub>1</sub>) states of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br are accessible at 234 nm excitation.<sup>5</sup> The 4A' and 2A'' states are responsible for the electronic transitions aligned perpendicular to the C-Br bond and correlate with the channel for Br formation. whereas the  $3A' \leftarrow 1A'$  transition is polarized parallel to the bond and correlates with the Br<sup>\*</sup> channel.<sup>5</sup> However, in  $C_s$ symmetry, an avoided crossing can be formed between the 3A' and 4A' surfaces. As a consequence, 234 nm excitation leads to Br production via three pathways (3A', 2A", and a nonadiabatic transition from 4A' to 3A'), and to Br<sup>\*</sup> production via two pathways (4A' and a nonadiabatic transition from 3A' to 4A'). The nonadiabatic transition from the 3A' to 4A' results in the generation of the parallel component for the Br\* channel. In addition, the nonadiabatic transition from the 4A' to 3A' results in the generation of the perpendicular observed for the Br channel.

The fractions of the dissociation pathways leading to the generation of the parallel and perpendicular components of Br and Br<sup>\*</sup> have been extracted using following relationship:

$$\begin{pmatrix} \Phi_{\rm Br} C_{\rm Br}^{\parallel} & \Phi_{\rm Br} C_{\rm Br}^{\perp} \\ \Phi_{\rm Br^*} C_{\rm Br^*}^{\parallel} & \Phi_{\rm Br^*} C_{\rm Br^*}^{\perp} \end{pmatrix} = \begin{pmatrix} f_{3A' \leftarrow 3A'} & f_{3A' \leftarrow 4A'} + f_{2A'' \leftarrow 2A''} \\ f_{4A' \leftarrow 3A'} & f_{4A' \leftarrow 4A'} \end{pmatrix} (11)$$

where  $f_{A \leftarrow B}(A, B = 3A', 4A', 2A'')$  is the fraction of molecules that dissociate *via* the *A* and *B* surfaces before and after the crossing point, respectively, and  $\sum_{A,B} f_{A \leftarrow B} = 1$ . Then the curve-crossing probability were calculated using,

$$P_{\rm up} = \frac{f_{4A' \leftarrow 3A'}}{f_{4A' \leftarrow 3A'} + f_{3A' \leftarrow 3A'}}$$

$$P_{\rm down} = \frac{f_{3A' \leftarrow 4A'}}{f_{4A' \leftarrow 4A'} + f_{3A' \leftarrow 4A'}} \leq \frac{f_{3A' \leftarrow 4A'} + f_{2A'' \leftarrow 2A''}}{f_{4A' \leftarrow 4A'} + f_{3A' \leftarrow 4A'} + f_{2A'' \leftarrow 2A''}}$$
(12)

**Table 2.** Fractions of molecules dissociating *via* individual pathways and curve-crossing probabilities in the photodissociations of  $C_3H_5Br$  and  $C_4H_7Br$  at 234 nm

Molecule	$f_{3A' \leftarrow 3A'}$	$\begin{array}{c} f_{3A'\leftarrow 4A'} + \\ f_{2A'''\leftarrow 2A''} \end{array}$	$f_{4A' \leftarrow 4A'}$	$f_{4A' \leftarrow 3A'}$	$P_{\rm up}$	$P_{\rm down}$
C <sub>3</sub> H <sub>5</sub> Br	0.09	0.04	0.09	0.78	0.90	$\leq 0.31$
C <sub>4</sub> H <sub>7</sub> Br	0.13	0.05	0.10	0.72	0.85	$\leq 0.33$

where  $P_{up}$  and  $P_{down}$  are probability of nonadiabatic transitions from the lower to the upper and from the upper and the lower surfaces, respectively. The resultant fractions and curve crossing probabilities from photolyses of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br are listed in Table 2.  $P_{up} = 0.90$  and  $P_{down} \le 0.31$ (hence 0.31 is the upper limit of  $P_{down}$ ) for C<sub>3</sub>H<sub>5</sub>Br and  $P_{up} = 0.85$  and  $P_{down} \le 0.33$  for C<sub>4</sub>H<sub>7</sub>Br may be indicative of the difference between the up and down crossing probabilities, which is contrary to the Landau-Zener model.<sup>31</sup> Similar results have been observed for the dissociations of CH<sub>3</sub>Br and CH<sub>3</sub>I, in which the difference between the up and down crossing probabilities was attributed to the symmetry reduction from  $C_{3v}$  to  $C_s$  caused by zero-point motion along e-symmetry modes or the excitation of vibrational bending modes.<sup>4,15,28,32</sup> This finding indicates that there are significant vibrational excitations of fragments which are in agreements with observed  $f_T$  values. To unravel the relationship<sup>33</sup> between the vibrational excitation of the products and the shape of the related potential energy surfaces involved in the photodissociation of C3H5Br and C4H7Br, further theoretical investigation is in progress.

## Summary

The photodissociations of C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br have been investigated at 234 nm using a photofragment ion-imaging technique coupled with a REMPI scheme. The nascent Br and Br\* atoms were detected after C-Br dissociation via the  $\sigma^* \leftarrow n$  transition localized on the C-Br bond. The total translational energy distributions for Br and Br\* pathways from C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br were found to be well modeled by single Gaussian distribution. The energy partitioning in this process was well modeled by the soft radical limit of the impulsive model, suggesting that a significant amount of energy is partitioned into the vibrational degrees of freedom of the fragments. Based on the recoil anisotropy parameters and relative quantum yields, the relative contributions of the parallel and perpendicular transitions to the generation of bromine fragments have been extracted for the Br and Br\* pathways from C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br. Using these values, the fractions of the dissociation pathways leading to the generation of the parallel and perpendicular components of Br and Br\* have been calculated. The nonadiabatic transition

probability from the 3A' and 4A' potential energy surfaces was estimated to be 0.90 and 0.85 for C<sub>3</sub>H<sub>5</sub>Br and C<sub>4</sub>H<sub>7</sub>Br, respectively.

Acknowledgments. This work was supported by the Korea Research Foundation Grant (KRF-2008-314-C00161).

## References

- 1. Molina, M. J.; Rowland, F. S. Nature 1974, 248, 810.
- 2. Garcia, R. R.; Solomon, S. J. Geophys. Res. 1994, 99, 12937.
- Tzeng, W. B.; Lee, Y. R.; Lin, S. M. Chem. Phys. Lett. 1994, 227, 467.
- Kim, T. K.; Lee, K. W.; Lee, K. S.; Lee, E. K.; Jung, K. H. Chem. Phys. Lett. 2007, 446, 31.
- Zou, P.; McGiven, W. S.; North, S. W. Phys. Chem. Chem. Phys. 2000, 2, 3785.
- Blanchet, V.; Samartzis, P. S.; Wodtke, A. M. J. Chem. Phys. 2009, 130, 034304.
- Hua, L.; Shen, H.; Zhang, C.; Cao, Z.; Zhang, B. Chem. Phys. Lett. 2008, 460, 50.
- Lee, K. S.; Lee, K. W.; Lee, S. K.; Jung, K. H.; Kim, T. K. J. Mol. Spectra. 2008, 249, 43.
- Paul, D.; Kim, H. K.; Hong, K.; Kim, T. K. Bull. Korean Chem. Soc. 2011, 32, 659.
- Lee, S. K.; Paul, D.; Hong, K.; Cho, H. N.; Jung, K. W.; Kim, T. K. Bull. Korean Chem. Soc. 2009, 30, 2962.
- 11. Eppink, A. T. J. B.; Parker, D. H. J. Chem. Phys. 1999, 110, 832.
- 12. Eppink, A. T. J. B.; Parker, D. H. J. Chem. Phys. 1998, 109, 4758.
- Gougousi, T.; Samartzis, P. C.; Kitsopoulos, T. N. J. Chem. Phys. 1998, 108, 5742.
- 14. Mulliken, R. S. J. Chem. Phys. 1940, 8, 382.
- Kim, T. K.; Park, M. S.; Lee, K. W.; Jung, K. H. J. Chem. Phys. 2001, 115, 10745.
- 16. Lee, K. W.; Jee, Y. J.; Jung, K. H. J. Chem. Phys. 2002, 115, 4490.
- Arnold, P. A.; Cosofret, B. R.; Dylewski, S. M.; Houston, P. L.; Carpenter, B. K. J. Phys. Chem. A 2001, 105, 1693.
- Freitas, J. E.; Hwang, H. J.; Ticknor, A. B.; Elsayed, M. A. Chem. Phys. Lett. 1991, 183, 165.
- Ghazal, A. Y.; Liu, Y.; Wang, Y.; Hu, C.; Zhang, B. Chem. Phys. Lett. 2011, 511, 39.
- Park, M. S.; Jung, Y. J.; Lee, S. H.; Kim, D. C.; Jung, K. H. Chem. Phys. Lett. 2000, 322, 429.
- 21. Eppink, A. T. J. B.; Parker, D. H. Rev. Sci. Instrum. 1997, 68, 3477.
- 22. Zare, R. N.; Herschbach, D. R. Proc. IEEE 1963, 51, 173.
- 23. Becke, A. D. Phys. Rev. A 1988, 38, 3098.
- 24. Lee, C.; Yang, W.; Parr, R. G. Phys. Rev. B 1988, 37, 785.
- 25. Busch, G. E.; Wilson, K. R. J. Chem. Phys. 1972, 56, 3626.
- 26. Busch, G. E.; Wilson, K. R. J. Chem. Phys. 1972, 56, 3638.
- 27. Busch, G. E.; Wilson, K. R. J. Chem. Phys. 1972, 56, 3655.
- Amatatsu, Y.; Yabushita, S.; Morokuma, K. J. Chem. Phys. 1996, 104, 9783.
- 29. Mulliken, R. S. J. Chem. Phys. 1935, 3, 513.
- McGiven, W. S.; Li, R.; Zou, P.; North, S. W. J. Chem. Phys. 1999, 111, 5771.
- Landau, L. D.; Lifshitz, E. M. *Quantum Mechanics 3*; Pergamon: New York, 1997.
- 32. Felder, P. Chem. Phys. Lett. 1992, 197, 425.
- 33. Amatatsu, Y.; Morokuma, K. J. Chem. Phys. 1991, 94, 4858.