

## REMARKS ON THE WIENER POLARITY INDEX OF SOME GRAPH OPERATIONS<sup>†</sup>

MORTEZA FAGHANI, ALI REZA ASHRAFI\* AND OTTORINO ORI

ABSTRACT. The Wiener polarity index  $W_p(G)$  of a graph  $G$  of order  $n$  is the number of unordered pairs of vertices  $u$  and  $v$  of  $G$  such that the distance  $d_G(u, v)$  between  $u$  and  $v$  is 3. In this paper the Wiener polarity index of some graph operations are computed. As an application of our results, the Wiener polarity index of a polybuckyball fullerene and  $C_4$  nanotubes and nanotori are computed.

AMS Mathematics Subject Classification : 05C12.

*Key words and phrases* : Wiener polarity index, graph operation, poly-buckyball fullerene.

### 1. Introduction

Let  $G = (V, E)$  be a connected simple graph in which  $V$  and  $E$  are the set of vertices and edges respectively. As usual the distance between the vertices  $u$  and  $v$  is denoted by  $d_G(u, v)$  (or  $d(u, v)$  for short) and it is the length of a shortest path connecting  $u$  and  $v$ . The number of unordered pairs of vertices  $u$  and  $v$  of  $G$  such that  $d_G(u, v) = k$  is denoted by  $d(G, k)$ . A topological index  $Top(G)$  for  $G$  is a number with this property that for every graph  $H$  isomorphic to  $G$ ,  $Top(G) = Top(H)$ . The Wiener index is the first distance-based and most studied topological indices, both from theoretical point of view and applications. It is equal to the sum of distances between all pairs of vertices of the respective graph [29].

The Wiener polarity index of an organic molecule with molecular graph  $G = (V, E)$  is defined as  $W_p(G) = d(G, 3)$ . Using the Wiener polarity index, Lukovits and Linert demonstrated quantitative structure property relationships in a series of acyclic and cycle-containing hydrocarbons [25]. In [12] Hosoya, one of the

---

Received July 20, 2011. Revised September 19, 2011. Accepted October 17, 2011.

\*Corresponding author. <sup>†</sup>The work of the first and second authors was supported in part by the research grant of the University of Kashan, I. R. Iran.

© 2012 Korean SIGCAM and KSCAM.

pioneers of chemical graph theory, found a physico-chemical interpretation of  $W_p(G)$ .

Recently, Du, Li and Shi [7] described a linear time algorithm for computing the Wiener polarity index of trees and characterized the trees maximizing the index among all trees of given order. Deng, Xiao and Tang [3] characterized the extremal trees with respect to this index among all trees of order  $n$  and diameter  $d$ . Deng [4] also gave the extremal Wiener polarity index of all chemical trees with order  $n$ . Xiao and Deng [30] found the maximum Wiener polarity index of chemical trees with  $n$  vertices and  $k$  pendants. Tong and Deng [27] characterized the trees with the first three smallest Wiener polarity indices among all trees of order  $n$  and diameter  $d$ . Mathematical properties and chemical meaning of the Wiener polarity index and its applications in chemistry can be found in [3, 4, 7, 9, 10, 12, 25, 27, 30] and the references cited therein.

The Wiener index of Cartesian product graphs was studied in [8, 21]. In [20], Klavzar et al computed the Szeged index of Cartesian product graphs and in [21] the  $PI$  index of the Cartesian product graphs is computed. In a series of papers [1, 2, 11, 13, 15, 16, 17, 18, 19, 31, 33], Ashrafi and his co-authors considered  $PI$ , vertex  $PI$ , hyper-Wiener, edge Wiener, edge frustration, Szeged, edge Szeged and Zagreb group indices into account under some graph operations. Here we continue this progress to compute the Wiener polarity index of some graph operations.

Throughout this paper our notation is standard and taken mainly from [5, 14, 28]. For a graph  $G$  and two vertices  $u, v \in V(G)$ , we define the odd distance  $od_G(u, v)$  as the length of the shortest odd walk joining  $u, v \in G$ , and the even distance  $ed_G(u, v)$  as the length of the shortest even walk joining  $u, v \in G$ . If there are no walk of odd (even) length between  $u$  and  $v$ , then we set  $od_G(u, v) = \infty$  ( $ed_G(u, v) = \infty$ ).

**Definition 1.1.** Let  $G$  and  $H$  be simple connected graphs. The join  $G + H$ , symmetric difference  $G\Delta H$ , disjunction  $G \vee H$ , composition  $G[H]$ , Cartesian product  $G \times H$ , strong product  $G \odot H$  and tensor product  $G \otimes H$  of  $G$  and  $H$  are defined as follows:

$$V(G + H) = V(G) \cup V(H),$$

$$E(G + H) = E(G) \cup E(H) \cup \{uv : u \in V(G), v \in V(H)\}$$

$$V(G\Delta H) = V(G) \times V(H),$$

$$E(G\Delta H) = \{(a, b)(c, d) : ac \in E(G) \text{ or } bd \in E(H) \text{ not both}\}$$

$$E(G \vee H) = \{(a, b)(c, d) : ac \in E(G) \text{ or } bd \in E(H)\}$$

$$E(G[H]) = \{(a, b)(c, d) : ac \in E(G) \text{ or } a = c \text{ and } bd \in E(H)\}$$

$$E(G \times H) = \{(a, b)(c, d) : [ac \in E(G) \text{ and } b = d] \text{ or } [a = c \text{ and } bd \in E(H)]\}$$

$$E(G \odot H) = \{(a, b)(c, d) : [ac \in E(G) \text{ and } b = d] \\ \text{or } [a = c \text{ and } bd \in E(H)] \text{ or } [ac \in E(G) \text{ and } bd \in E(H)]\}$$

$$E(G \otimes H) = \{(a, b)(c, d) : [ac \in E(G) \text{ and } bd \in E(H)]\}$$

It is an easy fact that the Wiener polarity index of any graph with diameter less than 3 such as the complete graph  $K_n$ , the star graph  $S_n$ , the Wheel  $W_n$ , the Petersen graph  $P_{2,5}$ , the complete bipartite graph  $K_{m,n}$ , join  $G + H$ , symmetric difference  $G\Delta H$  and the disjunction  $G \vee H$  are zero.

**Example 1.2.** The Wiener polarity index of the  $n$ -vertex path  $P_n$  is  $n - 3$  and for the cycle  $C_n$ ,  $n \geq 7$  is  $n$ .

**Example 1.3.** Consider the path  $P_n$  with vertex set  $V(P_n) = \{x_1, x_2, \dots, x_n\}$ . We form a graph  $G$  with vertices correspond to each vertex of  $P_n$  as follows: for each  $i$ ,  $1 \leq i \leq n$  we define a set  $M_i = \{x_{i_1}, x_{i_2}, \dots, x_{i_{m_i}}\}$  and connect any vertex  $x_i$  to all vertices in  $M_i$ . The resulting graph is called a caterpillar denoted by  $G = Cat_{n,m_1,m_2,\dots,m_n}$ . To compute the Wiener polarity index of  $G$  we notice that there are three types of pair of vertices with distance three. At first, we count the number of vertices  $u \in M_i$ ,  $v \in M_{i+1}$  and  $d_G(u, v) = 3$ . The number of such pairs is  $\sum_{i=1}^n m_i \cdot m_{i+1}$ . Secondly, the number of vertices with  $u = x_i$ ,  $v \in M_{i+2}$  and  $d_G(u, v) = 3$  is  $[m_3 + m_4 + \dots + m_n] + [m_1 + m_2 + \dots + m_{n-2}]$ . Finally, if  $u, v \in \{x_1, x_2, \dots, x_n\}$  then the number of vertices with distance 3 is  $n - 3$ . Hence we have:

$$W_p(Cat_{n,m_1,m_2,\dots,m_n}) = \sum_{i=1}^n [m_i \cdot m_{i+1}] + 2 \times [m_3 + m_4 + \dots + m_{n-2}] + [m_1 + m_2 + m_{n-1} + m_n] + n - 3.$$

Let  $G$  and  $H$  be two graphs. We consider  $n$  copies of  $H$  and connect the  $i$ -th vertex of  $G$  to all vertices of  $i$ -th copy of  $H$ . This graph is called the corona product of  $G$  and  $H$  denoted by  $GoH$ .

### 2. Main results

In this section, the Wiener polarity index of some graph operations are computed. For further details the interested reader can be consulted [1, 16, 19, 20, 26, 31, 32]. First of all it is clear that for any two vertices  $u$  and  $v$  in disjunction graph  $G \vee H$  we have  $d_{G \vee H}(u, v) \leq 2$  and so the Wiener polarity index of  $G \vee H$  is equal to zero. We now consider the composition graph  $G[H]$ . We have:

**Theorem 2.1.** Let  $G_1, G_2, \dots, G_k$  be connected graphs then we have:

$$W_P(G_1[G_2[\dots[G_k]\dots]]) = W_p(G_1) \prod_{i=2}^k |V(G_i)|.$$

*Proof.* It is clear that,

$$d_{G_1[G_2]}((a, b), (c, d)) = \begin{cases} 0 & \text{if } a = c, b = d \\ 1 & \text{if } (a = c), bd \in E(G_2), \text{ or, } ac \in E(G_1) \\ 2 & \text{if } (a = c), bd \notin E(G_2) \\ d_{G_1}(a, c) & \text{if } (a \neq c) \end{cases}$$

The proof is by induction on  $k$ . If  $k = 2$  then we have:  $d_{G_1[G_2]}((a, b), (c, d)) = 3$  if and only if  $d_{G_1}(a, c) = 3$ . Therefore,  $W_P(G_1[G_2]) = W_P(G_1) \cdot |V(G_2)|^2$ . Now assume that the result holds for  $k$ . Then,

$$\begin{aligned} W_P(G_1[G_2[\dots[G_k[G_{k+1}]]\dots]]) &= W_P(G_1)[(\prod_{i=2}^k |V(G_i)|)|V(G_{k+1})|] \\ &= W_P(G_1) \prod_{i=2}^{k+1} |V(G_i)|. \end{aligned}$$

This completes the proof. □

There are many graph operations with vertex set  $V(G) \times V(H)$ . Let us consider the Cartesian product of graphs. We have:

**Lemma 2.2.** *Let  $G_1, G_2, \dots, G_k$  be connected graphs. Then*

$$\begin{aligned} (a) \quad & d_{\prod_{i=1}^k G_i}[(x_1, x_2, \dots, x_k), (y_1, y_2, \dots, y_k)] = \sum_{i=1}^k d_{G_i}(x_i, y_i) \\ (b) \quad & d(\prod_{i=1}^k G_i, 2) = [\sum_{i=1}^k d_i \prod_{j=1, j \neq i}^k v_j] + 2[\sum_{i, j \in A_k, i < j} e_i e_j \prod_{l \neq i, j} v_l] \\ (c) \quad & |E(\prod_{i=1}^k G_i)| = \sum_{i=1}^k (e_i \prod_{i=1, i \neq j}^k v_j), \end{aligned}$$

in which  $A_k = \{1, 2, \dots, k\}$ ,  $e_i = |E(G_i)|$ ,  $d_i = d(G_i, 2)$ , and  $v_i = |V(G_i)|$ .

*Proof.* We first notice that the following equality holds:

$$d_{G_1 \times G_2}[(a, b), (c, d)] = d_{G_1}(a, c) + d_{G_2}(b, d)$$

see [26] for details. We proceed by induction on  $k$ . The equality (a) is obvious and (c) holds by the definition of Cartesian product of graphs. To prove (b), we notice that  $d_{G_1 \times G_2}[(a, b), (c, d)] = 2$  if and only if

$$d_{G_1}(a, c) + d_{G_2}(b, d) = 2.$$

It implies that  $d(G_1 \times G_2, 2) = d_1 v_2 + d_2 v_1 + 2e_1 e_2$ .

Assume that the result holds for  $k$ . Then

$$\begin{aligned} d(\prod_{i=1}^{k+1} G_i, 2) &= d(\prod_{i=1}^k G_i, 2)v_{k+1} + d(G_{k+1}, 2)(\prod_{j=1}^k v_j) + 2e(\prod_{i=1}^k G_i)(e_{k+1}) \\ &= \sum_{i=1}^k [d_i \prod_{j=1, j \neq i}^k v_j]v_{k+1} + (d_{k+1})(\prod_{j=1}^k v_j) \\ &\quad + 2v_{k+1}[\sum_{i, j \in A_k, i < j} e_i e_j \prod_{l \neq i, j} v_l] + 2[\sum_{i=1}^k (e_i \prod_{i=1, i \neq j}^k v_j)](e_{k+1}) \\ &= [\sum_{i=1}^{k+1} d_i \prod_{j=1, j \neq i}^{k+1} v_j] + 2[\sum_{i, j \in A_{k+1}, i < j} e_i e_j \prod_{l \neq i, j} v_l], \end{aligned}$$

proving the lemma. □

**Theorem 2.3.** *Let  $G_1, G_2, \dots, G_k$  be connected graphs. Then we have:*

$$W_P\left(\prod_{i=1}^k G_i\right) = \sum_{i=1}^k (w_i \prod_{j=1, j \neq i}^k v_j) + 2 \sum_{i \neq j, i, j \in A_k} (e_i d_j \prod_{l \in A_k - \{i, j\}} v_l) + 4 \sum_{(i, j, l \in A_k), i < j < l} (e_i e_j e_l \prod_{p \in A_k - \{i, j, l\}} v_p)$$

in which  $A_k = \{1, 2, \dots, k\}$ ,  $e_i = |E(G_i)|$ ,  $d_i = d(G_i, 2)$ ,  $v_i = |V(G_i)|$  and  $w_i = W_P(G_i)$ .

*Proof.* By induction on  $k$ . If  $k = 2$  then  $d_{G_1 \times G_2}[(a, b), (c, d)] = 3$ . Therefore, one of the following holds:

- (1) Let  $[d_{G_1}(a, c) = 3, b = d]$ . In this case the number of pairs in  $G_1 \times G_2$  with distance 3 is equal to  $w_1.v_2$ .
- (2) Let  $[d_{G_2}(b, d) = 3, a = c]$ . In this case the number of pairs in  $G_1 \times H_2$  with distance 3 is equal to  $w_2.v_1$ .
- (3) Let  $[d_{G_1}(a, c) = 2, bd \in E(G_2)]$ . In this case the number of pairs in  $G_1 \times G_2$  at distance 3 is equal to  $2e_2.d_1$ .
- (4) Let  $[d_{G_2}(b, d) = 2, ac \in E(G_1)]$ . In this case the number of pairs in  $G_1 \times G_2$  at distance 3 is equal to  $2e_1.d_2$ .

Therefore,  $W_P(G_1 \times G_2) = w_2.v_1 + w_1.v_2 + 2e_2.d_1 + 2e_1.d_2$ . Assume that the result holds for  $k$ . Then the Lemma 2.2 implies that

$$\begin{aligned} W_P\left(\prod_{i=1}^{k+1} G_i\right) &= W_P(G_{k+1})[|V(\prod_{i=1}^k G_i)|] + [W_P(\prod_{i=1}^k G_i)]v_{k+1} + 2[e_{k+1}.d(\prod_{i=1}^k G_i, 2) + 2d_{k+1}|E(\prod_{i=1}^k G_i)|] \\ &= w_{k+1}\left(\prod_{i=1}^k v_i\right) + \left\{\sum_{i=1}^k (w_i \prod_{j=1, j \neq i}^k v_j) + 2 \sum_{i \neq j, i, j \in A_k} (e_i d_j \prod_{l \in A_k - \{i, j\}} v_l) + 4 \sum_{(i, j, l \in A_k), i < j < l} (e_i e_j e_l \prod_{p \in A_k - \{i, j, l\}} v_p)\right\}v_{k+1} + 2e_{k+1}\left\{\sum_{i=1}^k [d_i \prod_{j=1, j \neq i}^k v_j] + 2 \sum_{i, j \in A_k, i < j} [e_i e_j \prod_{l \neq i, j} v_l]\right\} + 2d_{k+1}\left\{\sum_{i=1}^k [e_i \prod_{i=1, i \neq j}^k v_j]\right\} \\ &= \{w_{k+1}\left(\prod_{i=1}^k v_i\right) + v_{k+1} \sum_{i=1}^k w_i[\prod_{j=1, j \neq i}^k v_j]\} + [2v_{k+1} \sum_{i \neq j, i, j \in A_k} (e_i d_j \prod_{l \in (A_k - \{i, j\})} v_l)] \\ &\quad + [2d_{k+1} \sum_{i=1}^k e_i \prod_{j=1, j \neq i}^k v_j] + \{4e_{k+1}[\sum_{i, j \in A_k, i < j} e_i e_j \prod_{l \neq i, j} v_l] + [2e_{k+1} \sum_{i=1}^k d_i \prod_{j=1, j \neq i}^k v_j] + 4v_{k+1}[\sum_{(i, j, l \in A_k), i < j < l} (e_i e_j e_l \prod_{p \in [(A_k) - i, j, l]} v_p)]\} \\ &= \sum_{i=1}^{k+1} (w_i \prod_{j=1, j \neq i}^{k+1} v_j) + 2 \sum_{i \neq j, i, j \in A_{k+1}} (e_i d_j \prod_{l \in A_{k+1} - \{i, j\}} v_l) + 4 \sum_{(i, j, l \in A_{k+1}), i < j < l} (e_i e_j e_l \prod_{p \in A_{k+1} - \{i, j, l\}} v_p). \end{aligned}$$

This completes the proof.  $\square$

Define  $Q_n$  to be the  $n$ -dimensional cube. Then  $Q_n$  is isomorphic to the Cartesian product of  $n$  copies of  $K_2$ . Apply Theorem 2.3, we have:

$$\begin{aligned} W_p(Q_n) &= W_p\left(\prod_{i=1}^n K_2\right) = 4 \sum_{(i,j,l \in A_n), i < j < l} (e_i e_j e_l \prod_{p \in A_n - \{i,j,l\}} v_p) \\ &= 4 \sum_{(i,j,l \in A_n), i < j < l} (2^{n-3}) = 4 \binom{n}{3} \times 2^{n-3} = \binom{n}{3} \times 2^{n-1}. \end{aligned}$$

We now define  $R = P_m \times C_n$  and  $S = C_m \times C_n$ . The graphs  $R$  and  $S$  are called  $C_4$ -nanotube and  $C_4$ -nanotorus.

**Corollary 2.4.**  $W_P(R) = nm + n(m-3) + 2(m-2)n + 2n(m-1) = 6mn - 9n$  and  $W_P(S) = 6mn - 3(m+n)$ .

**Theorem 2.5.** Let  $G$  and  $H$  be two connected graphs. Then

$$\begin{aligned} W_p(G \odot H) &= W_p(G) \cdot \left\{ |V(H)| + |E(H)| + \sum_{i=1}^{|H|} \binom{d_i}{2} \right\} \\ &+ W_p(H) \cdot \left\{ |V(G)| + |E(G)| + \sum_{i=1}^{|G|} \binom{d_i}{2} \right\} + W_p(G) \cdot W_p(H). \end{aligned}$$

*Proof.* We first notice that the following equality holds:

$$d_{G \odot H}((a, b), (c, d)) = \text{Max}[d_G(a, c), d_H(b, d)],$$

see [26] for details. Next we assume that  $d_{G \odot H}[(a, b), (c, d)] = 3$ . Therefore at least one of the following holds:

- (1) Let  $d_H(b, d) = 3, a = c$ . In this case the number of pairs in  $G \odot H$  by distance 3 is equal to  $W_p(H) \cdot |V(G)|$ .
- (2) Let  $d_H(b, d) = 3, ac \in E(G)$ . In this case the number of pairs in  $G \odot H$  with distance 3 is equal to  $W_p(H) \cdot |E(G)|$ .
- (3) Let  $d_H(b, d) = 3, d_G(a, c) = 2$ . In this case the number of pairs in  $G \odot H$  at distance 3 is equal to  $W_p(H) \cdot [\sum_{i=1}^{|G|} \binom{d_i}{2}]$ .
- (4) Let  $d_G(a, c) = 3, b = d$ . In this case the number of pairs in  $G \odot H$  at distance 3 is equal to  $W_p(G) \cdot |V(H)|$ .
- (5) Let  $d_G(a, c) = 3, bd \in E(H)$ . In this case the number of pairs in  $G \odot H$  at distance 3 is equal to  $W_p(G) \cdot |E(H)|$ .
- (6) Let  $d_H(b, d) = 2, d_G(a, c) = 3$ . In this case the number of pairs in  $G \odot H$  at distance 3 is equal to  $W_p(G) \cdot [\sum_{i=1}^{|H|} \binom{d_i}{2}]$ .
- (7) Let  $d_G(a, c) = 3, d_H(b, d) = 3$ . In this case the number of pairs in  $G \odot H$  at distance 3 is equal to  $W_p(G) \cdot W_p(H)$ .

Therefore,

$$\begin{aligned}
 W_p(G \odot H) &= W_p(G) \cdot \left\{ |V(H)| + |E(H)| + \sum_{i=1}^{|H|} \binom{d_i}{2} \right\} \\
 &+ W_p(H) \cdot \left\{ |V(G)| + |E(G)| + \sum_{i=1}^{|G|} \binom{d_i}{2} \right\} + W_p(G) \cdot W_p(H).
 \end{aligned}$$

This completes the proof. □

The graph  $H$  is called strongly triangular if for every pair  $u, v \in V(H)$  there exists a vertex  $w$  adjacent to both of them. The number of triangles in  $G$  is denoted by  $t_G$ .

**Theorem 2.6.** *Let  $G$  and  $H$  be simple connected graphs, where  $H$  is a strongly triangular graph. Then the Wiener polarity index of tensor product  $G \otimes H$  is equal to  $W_P(G) \cdot |V(H)|^2 + [(|E(G)| - 3t_G)(|V(H)^2 - |E(H)|)]$ .*

*Proof.* By [22, Theorem 2],  $d_{G \otimes H}((a, b), (c, d))$  is computed as follows:

$$d_{G \otimes H}((a, b), (c, d)) = \begin{cases} 2 & [(ac \in E(G)), (bd \notin E(H)), (ac \in Tri(G))] \\ & \text{or } [(ac \in E(G)), (b = d), (ac \in Tri(G))] \text{ or } [a = c] \\ 3 & [(ac \in E(G)), (bd \notin E(H)), (ac \notin Tri(G))] \\ & \text{or } [(ac \in E(G)), (b = d), (ac \notin Tri(G))] \\ d_G(a, c) & \text{Otherwise} \end{cases},$$

in which  $Tri(G)$  is the set of all edges in triangles in  $G$ . Our main proof will consider the following two cases:

*Case 1:* Suppose  $d_{G \otimes H}((a, b), (c, d)) = 3$ . Then  $[(ac \in E(G)), (bd \notin E(H)), (ac \notin Tri(G))]$  or  $[(ac \in E(G)), (b = d), (ac \notin Tri(G))]$ . Let  $t_G$  be the number of triangles in  $G$ . If  $ac \notin Tri(G)$  then the number of such edges are equal to  $3 \cdot t_G$ . This implies that the number of pairs  $a, c \in E(G)$  is equal to  $|E(G)| - 3t_G$ . Similarly, the number of vertices  $b$  and  $d$  such that  $bd \in E(H)$  is  $(|V(H)^2 - |E(H)|)$ . Therefore, the number of pairs  $(a, c), (b, d)$  with  $W_P(G \otimes H) = 3$  is  $[|E(G)| - 3t_G][(|V(H)^2 - |E(H)|)]$ .

*Case 2:* Suppose  $d_{G \otimes H}((a, b), (c, d)) = d_G(a, c) = 3$ . Then the number of pairs  $(a, c), (b, d)$  such that  $W_P(G \otimes H) = 3$  is  $W_P(G) \cdot |V(H)|^2$ . So,  $W_p(G \otimes H) = W_P(G) \cdot |V(H)|^2 + [(|E(G)| - 3t_G)(|V(H)^2 - |E(H)|)]$ , proving the theorem. □

We now consider the corona product of graphs.

**Theorem 2.7.** *Let  $G$  and  $H$  be graphs. Then the Wiener polarity index of  $GoH$  is equal to  $W_p(G) + \sum_{i=1}^{|G|} t_i + |E(G)| \cdot |V(G)|^2$  in which  $t_i = |(\bigcup_{b \in N(v_i)} [N(b) - N(v_i)])| - 1$ .*

*Proof.* We note that  $d_{GoH}(a, b)$  is computed as follows:

$$d_{GoH}(a, b) = \begin{cases} 0 & a = b \\ d_G(a, b) & (a \neq b), (a, b \in V(G)) \\ 2, \text{ or } 1 & (a \neq b), (a, b \in H_i) \\ d_G(a, v_i) + 1 & (a \in V(G)), (b \in H_i) \\ d_G(v_i, v_j) + 2 & (b \in V(H_j)), (a \in H_i) \end{cases}.$$

We now assume that  $d_{GoH}(a, b) = 3$ . Therefore at least one of the following hold:

- (1) Let  $(a \neq b), (a, b \in V(G))$ . In this case the number of pairs in  $GoH$  at distance 3 is equal to  $W_P(G)$ .
- (2) Let  $(a \in V(G)), (b \in H_i)$ . In this case the number of pairs in  $GoH$  with distance 3 is equal to  $\sum_{i=1}^{|G|} t_i$  in which  $t_i$  is the number of vertices in  $G$  by distance 3 from  $v_i$ , it is equal to  $t_i = |\bigcup_{b \in N(v_i)} [N(b) - N(v_i)]| - 1$ .
- (3) Let  $(b \in V(H_j)), (a \in H_i)$ . In this case the number of pairs in  $GoH$  at distance 3 is equal to  $|E(G)| \cdot |V(G)|^2$ .

Therefore,  $W_p(GoH) = W_p(G) + \sum_{i=1}^{|G|} t_i + |E(G)| \cdot |V(G)|^2$ .  $\square$

Let  $G$  and  $H$  be two connected graphs,  $u \in V(G)$  and  $v \in V(H)$ . The linked graph  $K$  is a graph with  $V(K) = [(V(G)) \cup (V(H))]$  and  $E(K) = (E(G)) \cup (E(H)) \cup \{uv\}$ , Figure 1. We end the paper by the following theorem:

**Theorem 2.8.**  $W_p(K) = W_p(G) + W_p(H) + deg_G(u)deg_H(v) + d_G(u, 2) + d_H(v, 2)$ .





FIGURE 1. The Link of the Graphs  $G$  and  $H$ .

The link is an important graph operation with some application in chemistry. The models of some complex molecules can be built from simpler building block by iterating combining the link operation, see [6]. Let  $G$  and  $H$  be two simple and connected graphs with disjoint vertex sets and  $a, b \in V(G)$  and  $c, d \in V(H)$ . A link of  $G$  and  $H$  by  $a$  and  $c$  is defined as the graph  $(G H)(a; c)$  obtained by joining the vertices  $a$  and  $c$  by an edge. Similarly, a double link of  $G$  and  $H$  by  $(a, c)$  and  $(b, d)$  is defined as the graph  $(G H)(a, b : c, d)$  obtained by joining  $a$  and  $c$  by an edge and  $b$  and  $d$  by another edge. A link and double link of two graphs are shown schematically in Figures 1 and 2.

**Theorem 2.9.** Suppose that  $G$  and  $H$  are connected graphs and  $a, b \in V(G)$  and  $c, d \in V(H)$ . Set  $L_1 = (G H)(a; c)$  and  $(G H)(a, b : c, d)$ . Then




 FIGURE 2. The Double Link of the Graphs  $G$  and  $H$ .

- $W_p(L_1) = W_p(G) + W_p(H) + d_G(a, 2) + d_H(b, 2) + \deg_G(a)\deg_H(b)$ .
- $W_p(L_2) = W_p(G) + W_p(H) + d_G(a, 2) + d_H(b, 2) + d_G(c, 2) + d_H(d, 2) + \deg_G(a)\deg_H(b) + \deg_G(c)\deg_H(d) - |N_G(a) \cap N_G(c)| \cdot |N_G(c) \cap N_H(d)|$ .

*Proof.* The first equality is a direct consequence of definition. To prove second, we consider three different cases as follows:

- *Two vertices are chosen from  $G$ .* The number of such pairs of distance 3 is equal to  $W_p(G)$ .
- *Two vertices are chosen from  $H$ .* The number of such pairs of distance 3 is equal to  $W_p(H)$ .
- *One vertex is chosen from  $G$  and another from  $H$ .* We have to count the number of pairs of vertices  $x, y$  of distance 3. To do this, we consider six subcases as follows:
  - $x = a$  and  $y \in H$ . The number of such pairs are equal to  $d_H(b, 2)$ .
  - $x \in G$  and  $y = b$ . The number of such pairs are equal to  $d_G(a, 2)$ .
  - $x = c$  and  $y \in H$ . The number of such pairs are equal to  $d_H(d, 2)$ .
  - $x \in G$  and  $y = d$ . The number of such pairs are equal to  $d_G(c, 2)$ .
  - $x \in N_G(a)$  and  $y \in N_H(b)$ . The number of such pairs are equal to  $\deg_G(a) \cdot \deg_H(b)$ .
  - $x \in N_G(c)$  and  $y \in N_H(d)$ . The number of such pairs are equal to  $\deg_G(c) \cdot \deg_H(d)$ .

Notice that in last two cases the vertices in  $N_G(a) \cap N_G(c)$  and  $N_G(b) \cap N_H(d)$  are counted twice. This completes our argument.  $\square$

Fullerenes are carbon cage molecules having 12 pentagonal and  $(n/2 - 10)$  hexagonal faces, where  $20 \leq n (\neq 22)$  is an even integer. The discovery of the fullerene  $C_{60}$  in 1985 by Kroto and Smalley revealed a new form of existence of carbon element other than graphite, diamond and amorphous carbon [23, 24]. In the end of this paper, we apply Theorem 2.9 to compute the Wiener polarity index of a polybuckyball, Figure 3. The molecular graph of a polybuckyball is instructed by operations link or double link on the same IPR fullerene graphs on 60 vertices.

**Corollary 2.10.** *The Wiener polarity index of the first and second type polybuckyballs, that is made by  $n$  copies of  $C_{60}$  fullerene by operations link or double link is equal to  $561n - 615$  and  $294n - 54$ , respectively.*




FIGURE 3. The Molecular Graph of a Polybuckyball a) of the first type; b) of the second type.

#### REFERENCES

1. A. R. Ashrafi, T. Došlić and A. Hamzeh, *Zagreb coindices of graph operations*, Discrete Appl. Math. **158** (2010), 1571-1578.
2. A. R. Ashrafi, A. Hamzeh and S. Hossein-Zadeh, *Calculation of some topological indices of splices and links of graphs*, J. Appl. Math. & Informatics, **29** (1) (2011), 327-335.
3. H. Deng, H. Xiao and F. Tang, *On the extremal Wiener polarity index of trees with a given diameter*, MATCH Commun. Math. Comput. **63** (2010), 257-264.
4. H. Deng, *On the extremal Wiener polarity index of chemical trees*, MATCH Commun. Math. Comput. Chem., in press.
5. M. V. Diudea, I. Gutman and L. Jantschi, *Molecular Topology*, Huntington, NY, 2001.
6. T. Došlić, *Splices, links, and their valence-weighted Wiener polynomials*, Graph Theory Notes NY **48** (2005) 47-55.
7. W. Du, X. Li and Y. Shi, *Algorithms and extremal problem on Wiener polarity index*, MATCH Commun. Math. Comput. Chem. **62** (2009), 235-244.
8. A. Graovac and T. Pisanski, *On the Wiener index of a graph*, J. Math. Chem. **8** (1991), 53-62.
9. I. Gutman, *A property of the Wiener number and its modifications*, Indian J. Chem. **36A** (1997), 128-132.
10. I. Gutman, A. A. Dobrynin, S. Klavžar and L. Pavlovic, *Wiener-type invariants of trees and their relation*, Bull. Inst. Combin. Appl. Math. **40** (2004), 23-30.
11. A. Hamzeh, S. Hossein-Zadeh and A. R. Ashrafi, *y-Wiener index of composite graphs*, Appl. Math. Lett., **24** (2011), 1099-1104.
12. H. Hosoya, *Mathematical and chemical analysis of Wiener's polarity number*, in: D. H. Rouvray, R. B. King(Eds.), *Topology in Chemistry Discrete Mathematics of Molecules*, Horwood, Chichester, 2002.
13. S. Hossein-Zadeh, A. Hamzeh and A. R. Ashrafi, *Wiener-type Invariants of some Graph Operations*, FILOMAT, **23** (2009), 103-113.
14. W. Imrich and S. Klavžar, *Product graphs; structure and recognition*, John Wiley & Sons, New York, USA, 2000.
15. M. H. Khalifeh, H. Yousefi-Azari and A. R. Ashrafi, *The first and second Zagreb indices of some graph operations*, Discrete Appl. Math. **57** (2009), 804-811.

16. M. H. Khalifeh, H. Yousefi-Azari, A. R. Ashrafi and S. G. Wagner, *Some new results on distance-based graph invariants*, European J. Comb. **30** (2009), 1149-1163.
17. M. H. Khalifeh, H. Yousefi-Azari and A. R. Ashrafi, *The hyper-Wiener index of graph operations*, Comput. Math. Appl. **56** (2008), 1402-1407.
18. M. H. Khalifeh, H. Yousefi-Azari, A. R. Ashrafi and I. Gutman, *The edge Szeged index of product graphs*, Croat. Chem. Acta. **81** (2008), 277-281.
19. M. H. Khalifeh, H. Yousefi-Azari and A. R. Ashrafi, *Another aspect of graph invariants depending on the path metric and an application in nanoscience*, Comput. Math. Appl. **60** (2010), 2460-2468.
20. S. Klavžar, A. Rajapakse and I. Gutman, *The Szeged and the Wiener index of graphs*, Appl. Math. Lett. **9** (1996), 45-49.
21. S. Klavzar, *On the PI index: PI-partitions and Cartesian product graphs*, MATCH Commun. Math. Comput. Chem. **57** (2007), 573-586.
22. H. Khodashenas and M. J. Nadjafi-Arani, *Distance-Based Topological Indices of Tensor Product of Graphs*, Submitted.
23. H. W. Kroto, J. R. Heath, S. C. O'Brien, R. F. Curl and R. E. Smalley, *C<sub>60</sub>: Buckminsterfullerene*, Nature **318** (1985), 162-163.
24. H. W. Kroto, J. E. Fichier and D. E. Cox, *The Fullerene*, Pergamon Press, New York, 1993.
25. I. Lukovits and W. Linert, *Polarity-numbers of cycle-containing structures*, J. Chem. Inf. Comput. Sci. **38** (1998), 715-719.
26. D. Stevanović, *Distance Regularity of Compositions of Graphs*, Appl. Math. Lett. **17** (2004), 337-343.
27. S. Tong and H. Deng, *The characterization of trees with the first three smallest Wiener polarity indices*, submitted.
28. N. Trinajstić, *Chemical Graph Theory*, CRC Press, Boca Raton, FL, 1992.
29. H. Wiener, *Structural determination of paraffin boiling points*, J. Amer. Chem. Soc. **69** (1947), 17-20.
30. H. Xiao and H. Deng, *The maximum Wiener polarity index of chemical trees with k pendants*, submitted.
31. Z. Yarahmadi, T. Došlić and A.R. Ashrafi, *The bipartite edge frustration of composite graphs*, Discrete Appl. Math. **158** (2010), 1551-1558.
32. Y. N. Yeh and I. Gutman, *On the sum of all distances in composite graphs*, Discrete Appl. Math. **135** (1994), 359-365.
33. H. Yousefi-Azari, B. Manoochehrian and A. R. Ashrafi, *The PI index of product graphs*, Appl. Math. Lett. **21** (2008), 624-627.

**Morteza Faghani** He is a PhD student of the University of Kashan working on the graph theoretical problems in mathematical chemistry under direction of professor Ali Reza Ashrafi.

Department of Mathematics, Faculty of Mathematics, Statistics and Computer Science, University of Kashan, Kashan 87317-51167, I. R. Iran.

**Ali Reza Ashrafi** received his M.Sc. from Shahid Beheshti University, and Ph.D. from the University of Tehran under direction of professor Mohammad reza darafsheh. He is currently a professor at the University of Kashan since 1994. His research interests are computational group theory, graph theory and mathematical chemistry.

Department of Mathematics, Faculty of Mathematics, Statistics and Computer Science, University of Kashan, Kashan 87317-51167, I. R. Iran.

e-mail: ashrafi@kashanu.ac.ir

**Ottorino Ori** was born in Parma, Italy in 1960. He reached the degree in physics at Parma University in 1986 with a theoretical thesis in solid state physics. He then spent the next 3 years in a postdoc position, sponsored by Eni (Italian oil company ) to develop computer chemistry applications in the heterogeneous catalysis sector. His interest for topological chemistry started in that period with studies to zeolites and fullerenes. The Wiener index of C60 was computed in 1991 and, since then, many other hexagonal systems have been investigated. From 2000 he joined Actinium as correspondent member, a small research company in Rome founded by Professor Franco Cataldo devoted to frontier research in chemistry. His cooperations with scientists like Ante Graovac, Mihai Putz, Ali Iranmanesh, Giorgio Benedek and Ali Reza Ashrafi focus on topological modelling methods and their application to schwarzites, graphene and other nanosystems.

Department of Mathematics, Faculty of Mathematics, Statistics and Computer Science, University of Kashan, Kashan 87317-51167, I. R. Iran.