Nuclear Engineering and Technology 55 (2023) 2107-2111

Contents lists available at ScienceDirect

Nuclear Engineering and Technology

journal homepage: www.elsevier.com/locate/net

Original Article

Organic and inorganic carbon-14 in discharges of JSC Institute of Nuclear Materials

E.I. Nazarov ^{a, b, *}, A.A. Ekidin ^a, A.V. Kruzhalov ^b, M.E. Vasyanovich ^a, A.I. Lysikov ^c, P.N. Kalinkin ^c, I.M. Russkikh ^d

^a Institute of Industrial Ecology UB RAS, Ekaterinburg, Russia

^b Ural Federal University, Ekaterinburg, Russia

^c Boreskov Institute of Catalysis, Novosibirsk, Russia

^d Institute of Nuclear Materials, Zarechniy, Russia

A R T I C L E I N F O

Article history: Received 11 January 2023 Received in revised form 27 February 2023 Accepted 17 March 2023 Available online 15 May 2023

Keywords: Carbon-14 Airborne releases Research nuclear reactor Catalyst effective dose

1. Introduction

Carbon-14 is a low-energy beta-emitting radionuclide that is produced both naturally and artificially. The natural way is based on the interaction of thermal neutrons and nitrogen-14 atoms in the upper layers of the troposphere and stratosphere: ${}^{14}N(n,p){}^{14}C$. About $1.4 \cdot 10^6$ GBq ${}^{14}C$ annually produces this way, while the total amount of ${}^{14}C$ in the atmosphere is estimated at $1.4 \cdot 10^8$ GBq [1].

Nowadays discharges from nuclear fuel cycle facilities are the main anthropogenic source of ¹⁴C entering the atmosphere [2]. During the operation of a nuclear reactor, ¹⁴C is formed mainly as a result of the interaction of thermal neutrons and ¹⁴N, ¹³C, ¹⁷O atoms present in fuel elements, structural materials, moderator and coolant, as well as due to uranium and plutonium ternary fission reactions in nuclear fuel [3].

Emissions of ¹⁴C into the atmosphere are mainly in the form of ¹⁴CO₂, except for pressurized water reactors [3]. The chemical forms of ¹⁴C in airborne releases from various types of reactors are presented in Table 1.

* Corresponding author.

E-mail address: e.nazarov1005@gmail.com (E.I. Nazarov).

ABSTRACT

The aim of the study is the activity concentration measurements of organic and inorganic ¹⁴C in the discharges of JSC "Institute of Nuclear Materials" (INM). In INM the research water-water reactor "IVV-2M" is operating. Collecting of ¹⁴C species was performed using a ¹⁴C sampler with a chromium oxide and platinum catalysts at different temperatures: 400, 550 and 700 °C. The measurements of ¹⁴C activity were performed using a liquid scintillation counter. The share of organic ¹⁴C in emissions ranged from 0.30 to 0.84 and depends on the temperature of the catalyst, core structure and reactor operating mode. © 2023 Korean Nuclear Society, Published by Elsevier Korea LLC. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Due to PWRs operate under reducing chemical conditions in the presence of excess hydrogen, a major part of the ¹⁴C present in the reactor coolant will be in the form of organic compounds. Consequently, the gaseous releases comprise mainly ¹⁴C-hydrocarbons such as methane [4].

If we analyze the discharges from nuclear power plants with light water reactors (Table 2) [5–7], it becomes obvious that the contribution of the organic fraction of ¹⁴C cannot be neglected. It can account for up to 97% of total ¹⁴C emissions. Besides, ¹⁴C makes a significant contribution to the effective dose of population from European NPPs discharges: from 14 to 94 %. ¹⁴C also accounts for 12–39% of all released activity [8].

The differences of ${}^{14}\text{CO}_2$ share in discharges of NPP with the same type of reactor can be caused by features of technological processes and conditions for the formation of emissions, as well as sampling method and it's frequency.

Radiocarbon in the discharges of Russian nuclear enterprises is a relatively new component of control, and there is not enough reliable data on the ^{14}C concentration. The object of this study is the composition of ^{14}C releases from the Institute of Nuclear Materials (INM). In INM the research pool-type water-water reactor IVV-2M is operating. Light water is used as a moderator and coolant. The

https://doi.org/10.1016/j.net.2023.03.019





NUCLEAR

^{1738-5733/© 2023} Korean Nuclear Society, Published by Elsevier Korea LLC. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/ licenses/by-nc-nd/4.0/).

E.I. Nazarov, A.A. Ekidin, A.V. Kruzhalov et al.

Table 1

Chemical forms (relative percentage of each species) of ¹⁴C in airborne releases from various types of reactors [3].

	¹⁴ CO ₂	¹⁴ CO	¹⁴ C hydrocarbons
PHWR (Bruce-7, Canada).	65.5-72.8	0.2–3.7	26.7-34.4
PHWR (Gentilly-2, Canada).	77.9–97.5	0.01-0.09	22.0-25.0
PWR (USA and Europe).	5.0-25.0	_	75.0–95.0 (CH ₄ and C ₂ H ₆)
BWR (USA and Europe).	80.0-95.0	-	5.0-20.0

Table 2

The share of $^{14}CO_2$ in European LWR discharges.

Site	Reactor type	Period	Reference	¹⁴ CO ₂ share		
				Average	Min	Max
Almaraz	PWR	2010-2020	[5].	0.32	0.12	0.84
Asco	PWR	2008-2020		0.31	0.07	0.59
Biblis B	PWR	1995-2011		0.17	0.07	0.44
Brokdorf	PWR	1995-2019		0.42	0.17	0.67
Emsland	PWR	1995-2019		0.61	0.39	1.00
Grafenrheinfeld	PWR	2003-2015		0.26	0.06	0.48
Grohnde	PWR	1998-2019		0.15	0.06	0.32
Isar 2	PWR	2000-2019		0.48	0.17	0.94
Neckarwestheim 1	PWR	1995-2011		0.06	0.02	0.24
Neckarwestheim 2	PWR	1995-2019		0.56	0.29	0.85
Obrigheim	PWR	1995-2005		0.33	0.12	0.98
Philippsburg 2	PWR	1995-2019		0.25	0.07	0.40
Stade	PWR	1995-2003		0.18	0.14	0.23
Unterweser	PWR	2005-2011		0.05	0.01	0.11
Trillo	PWR	2013-2020		0.19	0.09	0.42
Vandellos 2	PWR	2013-2020		0.50	0.19	0.66
Kozloduy	VVER	2010-2020		0.09	0.06	0.11
Krsko	VVER	1991-1996	[6].	0.43	0.43	0.43
Paks	VVER	2005-2020	[5].	0.05	0.03	0.08
		1988-1991	[7].	0.05	0.05	0.05
Bohunice	VVER	2004-2019	[5].	0.18	0.03	0.96
	V213 V230	1991-1996	[6].	0.05 0.20	0.05 0.20	0.05 0.20
Mochovce	VVER	2004-2019	[5].	0.17	0.05	0.94



Fig. 1. Scheme of ¹⁴C sampler.

nominal thermal power of the reactor is 15 MW. The reactor pool is located in a concrete mass, in a stainless-steel tank [9].

The IVV-2M reactor is operated for radioisotope production (¹⁴C, ¹³¹Cs, ¹⁷⁷Lu, ¹⁹²Ir) as well as research in the following fields [9]:

- solid-state physics and nuclear physics;
- neutron physics;
- structural materials and biological protection materials;
- effect of ionizing radiation on devices, sensors, semiconductor materials and equipment;

During operation of the IVV-2M reactor, the formation of various radionuclides is inevitable, including ¹⁴C, which subsequently enter the atmosphere and the environment with emissions from the high-altitude stack of INM. The sources of carbon-14 formation at INM are such as follow:

- interaction of thermal neutrons with nitrogen-14, present in the coolant and moderator, as well as structural materials: ¹⁴N (n,p)¹⁴C;
- interaction of thermal neutrons and oxygen-17 present in the coolant and moderator, as well as structural materials: ${}^{17}O$ (n, α) ${}^{14}C$;
- handling of ¹⁴C isotope resulting from neutrons interaction with aluminum nitride (AIN) for commercial production;
- spent nuclear fuel handling;
- triple fission of fuel nuclei.

The aim of this article is to determine the activity concentration of organic and inorganic ¹⁴C in the discharges of INM.

2. Material and methods

A ¹⁴C sampler (Fig. 1) was developed to determine the chemical forms of ¹⁴C in the airborne releases of nuclear installations. The sampler allows to simultaneously collect inorganic (¹⁴CO₂) and organic (¹⁴C hydrocarbons) radiocarbon.

The sampler was connected to the standard air ventilation control system at INM. An aerosol filter was installed at the entrance to avoid the contribution of other beta emitters. Air flow rate was 0.5–0.6 l/min. The first bubbler filled with 100 ml of distilled water collected HTO and two following bubblers with 2.5 M NaOH solution captured ¹⁴CO₂. The catalyst (Fig. 2) allowed to oxidize ¹⁴CO and ¹⁴C-hydrocarbons to ¹⁴CO₂. The following temperature conditions of the catalyst were studied: 400, 550 and 700 °C, for each temperature 2–3 samples were collected. Sampling of each ¹⁴C specimen took around one week.

The air mixture is fed through the central hole from the copper coil and enters the preheating layer, consisting of quartz sand (1-2 mm). Further, the already heated gas enters the industrial high-temperature Cr_2O_3/Al_2O_3 alumina catalyst (550–700 °C) [10], where the main part of the reagents is oxidized. Macroporous Al_2O_3 is added above the industrial catalyst layer for better heat transfer from the reactor walls to the gas. For additional oxidation of the reagents in the moderate temperature zone (250–400 °C), $Cr_2O_3/$ SiO₂ catalyst is placed following in the direction of the reagents. The gas then enters the macroporous acid catalyst Cr_2O_3/Al_2O_3 for the next afterburning stage. The final output layer consists of a Pt/Al₂O₃ catalyst for post-oxidation of trace amounts of CO and H₂ in the low-temperature region (100–250°C) [11]. From where, through the outlet displaced relative to the center (indicated by a blue arrow), the gas leaves the reactor to the copper heat exchange coil.

To regulate the heating of the reactor, two spiral heating zones are provided from a winding of insulated 0.5 mm nichrome wire. Each zone has 86-Ohm resistance and is rated at 300 W.

Temperature control is carried out automatically through a thermocouple installed in the areas of the highest temperatures of the reactor.

After the sampling 7 ml aliquot from each bubbler were added to 20 ml glass vial with 13 ml of Optiphase HiSafe 3 liquid scintillator. The ¹⁴C activity concentration of the prepared sample was then measured using a liquid scintillation counter Quantulus-1220 with measurement time of 60 min [12].

3. Results and discussion

Sampling of gaseous ¹⁴C was carried out from November 11, 2021, to March 11, 2022. A total amount of taken samples is 8: three with catalyst temperature 700 °C, three with 550 °C, and two with 400 °C. The results of measuring ¹⁴C concentration are presented in Fig. 3.

The concentration excess of organic ¹⁴C and ¹⁴CO over ¹⁴CO₂ is observed in 3 samples out of 8. In other samples, organic share also makes a significant contribution into the ¹⁴C concentration. The share of organic and inorganic ¹⁴C is combined in Table 3.

The average contribution of organic species to the ¹⁴C concentration depends on the catalyst temperature (mean \pm SE, SE means standard error): $36 \pm 6\%$ for 400 °C, $49 \pm 18\%$ for 550 °C and $66 \pm 16\%$ for 700 °C. There is a noticeable trend towards an increase in the proportion with increasing temperature. The difference in the



Fig. 2. Scheme of catalyst.



Fig. 3. ¹⁴C concentration in samples. Whiskers denote total error in concentration estimation.

Table 3 The share of ¹⁴C species in the discharges of INM JSC.

Sample N ^o	Sampling date	Catalyst temperature, °C	¹⁴ CO ₂ share	¹⁴ CO, ¹⁴ C _{org} share
1	25 Feb – 4 Mar 2022	400	0.59	0.41
2	4–11 Mar 2022	400	0.70	0.30
3	11–19 Nov 2021	550	0.69	0.31
4	22–29 Nov 2021	550	0.62	0.38
5	21–25 Jan 2022	550	0.21	0.79
6	2–9 Feb 2022	700	0.62	0.38
7	10-15 Feb 2022	700	0.16	0,.84
8	16–24 Feb 2022	700	0.40	0,.60

concentration of ¹⁴C during the same temperature of the catalyst can be associated with different modes of operation of the reactor (refueling, reactor shutdown, preventive maintenance), as well as different compositions of the reactor core.

The average concentration of ¹⁴C during sampling is 2.5 kBq m⁻³ which corresponds to 2.2 · 10¹² Bq a⁻¹. The effective annual dose was calculated according to IAEA methodology based on following assumptions [13]:

- (a) Ingestion of carbon originating from the atmosphere is the primary mode of exposure, and all other pathways of exposure will contribute less than 1% of the total dose;
- (b) The ¹⁴C released is associated with CO₂ molecules and is subsequently fixed within plant tissues during photosynthesis;
- (c) The organic molecules thus formed are transported along with stable ¹²C through food chains and into the human body.

In our calculations we conservatively assumed that radiocarbon entering the atmosphere is in the form of dioxide and then absorbed by plants during photosynthesis. Accounting for the chemical form of ¹⁴C is needed when assessing effective doses from inhalation: dose coefficients are $6.5 \cdot 10^{-12}$ Sv/Bq for CO₂ and $5.8 \cdot 10^{-10}$ Sv/ Bq for organic gases. However, since the contribution from this irradiation path is less than 1%, it can be neglected. Effective dose from ¹⁴C discharge by INM is about 6.3 µSv a⁻¹ while the effective dose from natural ¹⁴C is 10–15 µSv a⁻¹ [15].

Handling with isotope products is the main source of ¹⁴C release to atmosphere. This is confirmed by an analysis of the tree rings in the vicinity of INM [14]. A sharp increase of ¹⁴C concentration in 1994–1995 due to the start of commercial production of the isotope is observed.

We suppose that the method of active ¹⁴C sampling using NaOH absorbent in combination with a catalyst allows to appropriate assess the activity of ¹⁴C in emissions from nuclear reactors. Our investigations have demonstrated, that the organic ¹⁴C and ¹⁴CO make a significant contribution to the total discharge of radiocarbon from a light water research reactor. Since the majority of Russian NPPs operate VVER-type reactors, a significant part of ¹⁴C produced in the coolant to be in the form of organic compounds, due to reducing condition in the presence of excessive hydrogen. This is confirmed by the works of V.P. Rublevsky on the study of ¹⁴C discharges at the Novovoronezh, Kola, Balakovo and Kalinin NPPs, where the share of organic carbon varied from 15 to 65% [16]. Therefore, it is important to consider the organic fraction of ¹⁴C in discharges of light-water reactors.

4. Conclusions

In this study we investigated the composition and concentration of ¹⁴C discharges from the Institute of Nuclear Materials. The application of a chromium oxide and platinum catalysts at different temperatures (400, 550, 700 °C) allowed to sample the organic fraction of ¹⁴C. It makes a significant contribution to the activity of ¹⁴C airborne releases of research water reactor. The minimum share of organic ¹⁴C during the experiment was 0.30, maximum – 0.84. There is a noticeable trend between the catalyst temperature and ¹⁴C organic concentration. Likely, elevated temperature allows the more stable organic compounds to be oxidized. The obtained results are in good agreement with data on discharges of European NPPs of the PWR (VVER) type.

Declaration of competing interest

The authors declare that they have no known competing

financial interests or personal relationships that could have appeared to influence the work reported in this paper.

References

- [1] Carbon-14 and the Environment, IRSN Radionuclide Fact Sheet, Institut de Radioprotection et de Surete Nucleaire, France, 2010.
- [2] M.E. Vasyanovich, A.V. Vasilyev, A.A. Ekidin, I.A. Kapustin, A.I. Kryshev, Special monitoring results for determination of radionuclide composition of Russian NPP atmospheric releases, Nucl. Eng. Technol. 51 (2019) 1176–1179.
- [3] International Atomic Energy Agency, Management of waste containing tritium and carbon-14, IAEA, Technical Reports Series No 421 (2004). Vienna.
 [4] Å. Magnusson, ¹⁴C Produced by Nuclear Power Reactors, -Generation and
- [4] Å. Magnusson, ¹⁴C Produced by Nuclear Power Reactors, -Generation and Characterization of Gaseous, Liquid and Solid Waste, PhD Thesis, Lund University, 2007.
- [5] European Commission Radioactive Discharges Database for collecting, storing, exchanging and dissemination of information on radioactive discharges. https://europa.eu/radd/.
- [6] G. Uchrin, E. Hertelendi, G. Volent, O. Slavik, J. Morávek, I. Kobal, B. Vokal, ¹⁴C measurements at PWR-type nuclear power plants in three middle European countries, Radiocarbon 40 (1) (1997) 439–446.
- [7] G. Uchrin, E. Csaba, E. Hertelendi, P. Ormai, I. Barnabas, ¹⁴C release from a Soviet-designed pressurized water reactor nuclear power plant, Health Phys. 63 (6) (1992) 651–655.
- [8] A.A. Ekidin, M.V. Zhukovskii, M.E. Vasyanovich, Identification of the main

dose-forming radionuclides in NPP emissions, At. Energy 120 (2016) $134{-}137.$

- [9] I.M. Russkikh, IVV-2M nuclear research reactor, At. Energy 121 (2017) 235–239.
- [10] E.V. Parkhomchuk, K.V. Fedotov, A.I. Lysikov, A.V. Polykhin, E.E. Vorobyeva, I.A. Shamanaeva, N.N. San'kova, D.O. Shestakova, Yu.O. Chikunova, S.E. Kuznetsov, A.V. Kleymenov, V.N. Parmon, A technology for multifunctional hydroprocessing of oil residues (vacuum residue and atmospheric residue) on the catalysts with hierarchical porosity, Kataliz v promyshlennosti 21 (5) (2021) 331–360.
- [11] A.L. Nuzhdin, P.A. Simonov, G.A. Bukhtiyarova, I.V. Eltsov, V.I. Bukhtiyarov, Reductive amination of 5-acetoxymethylfurfural over Pt/Al₂O₃ catalyst in a flow reactor, Molecular Catalysis 499 (2021), 111297.
 [12] E.I. Nazarov, A.V. Kruzhalov, A.A. Ekidin, M.E. Vasyanovich, V.V. Parkhomchuk,
- [12] E.I. Nazarov, A.V. Kruzhalov, A.A. Ekidin, M.E. Vasyanovich, V.V. Parkhomchuk, S.A. Rastegeev, P.N. Kalinkin, E.V. Parkhomchuk, Instruments and methods for measuring ¹⁴C (a review), Instrum. Experim. Tech. 6 (64) (2021) 790–795.
- [13] Generic Models for Use in Assessing the Impact of Discharges of Radioactive Substances to the Environment. Saf. Rep. Ser. N^o vol. 19, Vienna, IAEA, 2001.
- [14] E.I. Nazarov, A.V. Kruzhalov, M.E. Vasyanovich, A.A. Ekidin, V.V. Kukarskikh, E.V. Parkhomchuk, A.V. Petrozhitskii, V.V. Parkhomchuk, ¹⁴C in tree rings in the vicinity of the nuclear facility deployment areas, Nuclear Energy and Technology 8 (3) (2022) 173–177.
- [15] S. Roussel-Debet, Evaluation of ¹⁴C doses since the end of the 1950s in metropolitan France, Radioprotection 42 (3) (2007) 297–313.
- [16] V.P. Rublevskii, V.N. Yatsenko, E.G. Chanyshev, Role of Carbon-14 for Technogenic Human Exposure, IzdAT, Moscow, 2004 (In Russian).