

Maximum Energy Dissipation Algorithm을 이용한 벤치마크 사장교의 제어

Vibration Control of a Benchmark Cable-Stayed Bridge using Maximum Eenergy Dissipation Algoritm

조상원* 정형조** 이종현*** 이인원****
Cho, Sang Won Jung, Hyung Jo Han, La San

국문요약

본 논문에서는 Maximum Energy Dissipation Algorithm(MEDA) 사장교의 MR댐퍼제어에 적용하고자 한다. MR댐퍼의 제어를 위해서 여러 제어 이론들이 제안되었으나, 각각의 특성에도 불구하고 성능면에서는 큰 차이가 없다. MEDA는 Lyapunove 직접법을 바탕으로 구성되는 제어이론으로써, 15년전에 제안되었음에도 실제 토목구조물에는 적용된 바 없어 그 성능 및 장점이 제대로 검증되지 않았다. 따라서 본 논문에서는 벤치마크 사장교 수치예제를 통해서, MEDA의 토목구조물에의 적용성을 성능(performance)과 강인성(robustness) 측면에서 분석하려한다. 수치예제에서 다양한 지진에 대한 층간변위, 가속도, 그리고 상대변위의 각 제어기법에 의한 감소량은 벤치마크 문제에 정의된 평가지수(evaluation criteria)를 사용하였다.

1. Introduction

Growing number of large-scale structures give rise to more research on the seismic protection of structures. Passive and active control systems are representative supplemental damping strategies for response reduction in civil engineering structures subjected to earthquakes and winds. On the other hand, semiactive control systems combine the advantages of both approaches. Magnetorheological (MR) dampers one of quite promising semiactive control devices, which use MR fluids to provide controllable damping forces. MR dampers are suitable to civil engineering applications, since they have many attractive features

* 학생회원 · 한국과학기술원 건설환경공학과 박사과정
** 정회원 · 세종대학교 토목환경공학과 조교수
*** 정회원 · 경일대학교 토목공학과, 교수
**** 정회원 · 한국과학기술원 건설환경공학과, 교수

such as small power requirements, reliability, and inexpensive to manufacture (Dyke and Spencer 1996). So that, a number of control algorithms have been adopted for semiactive control systems using MR dampers (Jansen and Dyke 2000).

In the mean time, benchmark problems have been recognized as a means to compare and contrast various structural control strategies. Benchmark structural control problems allow researchers to apply various algorithms, devices, and sensors to a specified problem and make direct comparisons of the results in terms of a specified set of performance objectives. Additionally, these problems may include control constraints and hardware models to more accurately portray the types of implementation issues and constraints one must consider in reality. Several benchmark studies were posed to help the realization and implementation of innovative control strategies for dynamic hazard mitigation.

In this paper, in an effort to improve applicability, MEDA is applied to benchmark cable-stayed bridge. Jansen and Dyke (2000) suggest MEDA as a variation of the decentralized bang-bang approach proposed by McClamroch and Gavin (1995). However, this approach has not yet been applied to real-size civil engineering structures. Also, their potential for civil engineering applications using semiactive control, especially for MR dampers, has not yet been fully exploited. Thus, we examine the applicability in point of performance and robustness of the MEDA-based semiactive control system using MR damper through a series of numerical simulations and compare the results with those of other control algorithms.

2. Benchmark Cable-Stayed Bridge

At the Second International Workshop on Structural Control (Dec. 18-20, 1996, Hong Kong), the Working Group on Bridge Control developed plans for a "first generation" benchmark study on bridges and they recently posed a first-generation benchmark structural control problem based upon the Cape Girardeau Bridge.

Figure 1 shows the three-dimensional (3D) view of the Cape Girardeau Bridge. A three-dimensional finite-element analysis of the bridge was completed, and an evaluation model having 419 degrees of freedom (DOF) was developed. The system matrices are provided at the benchmark web site: <http://wusceel.cive.wustl.edu/quake>

3. Control system

3.1 Control Devices

MR damper with capacity of 1000KN is considered as control devices. To accurately predict the behavior of controlled structure, an appropriate modeling of MR fluid dampers is essential. Several types of control-oriented dynamic models have been investigated for modeling MR fluid dampers. Herein, the Bouc-Wen model is considered. The Bouc-Wen model (Spencer et

al, 1997), which is numerically tractable and has been used extensively for modeling hysteretic system, is considered for describing the behavior of the MR damper(Figure 3). The force generated by the damper is given by

$$f = \alpha z + c_0 \dot{x} \quad (1)$$

where the evolutionary variable z is governed by

$$z = -\gamma |\dot{x}| z |z|^{n-1} - \beta \dot{x} |z|^n + A \dot{x} \quad (2)$$

By adjusting the parameters of the model γ , β , n and A , the degree of linearity in the unloading and the smoothness of the transition from the pre-yield to the post-yield region can be controlled.

Some of the model parameters depend on the command voltage u to the current driver as follows.

$$\alpha = \alpha_a + \alpha_b u \quad \text{and} \quad c_0 = c_{0a} + c_{0b} u \quad (3)$$

Parameters for the MR damper are listed in Table 1. Parameters are from Moon et al. (2003).

3.2 Controller Design

This control algorithm is presented as a variation of the decentralized bang-bang approach proposed by McClamroch and Gavin (1995). In the decentralized bang-bang approach, the Lyapunov function was chosen to represent the total vibratory energy in the system. Jansen and Dyke (2000) instead consider a Lyapunov function that represents the relative vibratory energy in the structure as in

$$V = \frac{1}{2} \mathbf{x}^T \mathbf{K} \mathbf{x} + \frac{1}{2} \mathbf{x}^T \mathbf{M} \mathbf{x} \quad (4)$$

where \mathbf{x} = vector of the relative displacements of the floors of the structure. The term that can be directly affected by changes in the control voltage is identified, and the following control law is obtained:

$$v_i = V_{\max} H(-\dot{x} A_i f_i) \quad (5)$$

where A_i = i th column of the A matrix; A = vector determined by the placement of the MR dampers in the structure; f_i = i th column of the f matrix; $f = [f_1, f_2, f_n]$ = vector of measured control forces, generated by the n MR dampers. Note that this equation is also a bang-bang control law. As in the decentralized bang-bang approach, only local measurements (i.e., the velocity and control force) are required to implement this control law. There is no weighting matrix to be decided in control law as in eq.(5). This is the important benefit of using MEDA for MR damper control. Therefore, it can be said that it is more convenient to use MEDA for structural control, especially for the large-size civil structures for which it is not easy to decide the weighting matrix because of the large DOFs.

4. Numerical Examples

We examine the applicability in point of performance and robustness of the MEDA-based semiactive control system using MR damper through a series of numerical simulations and compare the result with those of other control algorithms.

4.1 Control Performance

The control performance of MEAD-based control system using MR damper for the benchmark problem is demonstrated by numerical simulation. Evaluation of the control performance is carried out using the evaluation criteria provided in the each benchmark problem statement. Table 2 shows the values of the evaluation criteria for the benchmark cable-stayed bridge under various earthquakes. 24 MR dampers are employed between the deck and abutment and the deck and tower of the bridge, all oriented to apply forces longitudinally. Four devices are located between each of the following pairs of nodes on bent 1 and pier 3; and, two devices are located between each of the following pairs of nodes on piers 2 and 4. For comparison, other semiactive control systems, clipped optimal controller(CO; Yoshida and Dyke, 2002) and sliding mode controller(SMC; Moon et. al, 2003), are considered.

The numerical results show that MEDA can reduce the vibration of the seismically excited structure effectively. Though MEDA fails to achieve more reductions over other controllers, it has comparable performance without any controller-design process.

4.2 Controller Robustness

The dynamic characteristics of the real structure may not be identical to those of the evaluation model. Therefore, the controller robustness of the MEDA-based semiactive control system using MR damper was examined for the benchmark cable-stayed bridge. The stiffness matrix is perturbed by some factor, and the resulting bridge model was simulated using the controller for the nominal system. The perturbed stiffness was calculated as

$$\mathbf{K}_{pert} = \mathbf{K}(1 + \varepsilon) \quad (6)$$

where \mathbf{K} = nominal stiffness of the bridge, ε = perturbation parameter, and \mathbf{K}_{pert} = perturbed stiffness. Perturbations of 7% were considered. The configuration of MR dampers are followings; Four devices are located between each of the following pairs of nodes on bent 1 and pier 4; and, two devices are located between each of the following pairs of nodes on piers 2 and 3. Table 3 shows evaluation criteria for 7% stiffness perturbed system under El Centro earthquake. The robustness of MEDA is compared to that of SMC which is known as robust controller(Moon et al, 2003), and the nominal performance is listed for comparison with the perturbed performance. As you can see, MEDA is stable and performs well for 7% perturbed system.

5. Conclusions

The numerical results show that MEDA can reduce the vibration of the seismically excited structure effectively. Though MEDA fails to achieve more reductions over other controllers, it has comparable performance without any controller-design process. This is the important benefit of using the MEDA. Also, robustness of MEDA is investigated with respect to the uncertainties in stiffness. For 7% perturbed system, MEDA is stable and performs well.

The MR damper is an attractive control device for structural applications. With this study, we confirm the applicability in point of performance and robustness of the semiactive MR damper system using maximum energy dissipation algorithm for seismic response reduction in large-scale structures.




Figure 1. Finite Element Model of the Cape Girardeau Bridge

Table 1. Parameters for MR Damper Model

Parameter	Value	Parameter	Value
	For Cable-Stayed Bridge		For Cable-Stayed Bridge
α_a	500 N/m	γ	300 m ²
α_b	671.41 N/(mV)	β	300 m ²
c_{0a}	0.15 Ns/m	A	120
c_{0b}	1.43 Ns/(cmV)	n	1
η	300 s ⁻¹		

Table 2. Comparisons of Evaluation Criteria for Benchmark Cable-Stayed Bridge

Controller	J_1			J_2		
	El Centro	Mexico	Gebze	El Centro	Mexico	Gebze
CO	0.391	0.469	0.415	1.084	1.179	1.376
SMC	0.397	0.453	0.392	1.090	1.068	1.146
MEDA	0.331	0.593	0.453	1.108	1.315	1.447

Controller	J ₃			J ₄		
	El Centro	Mexico	Gebze	El Centro	Mexico	Gebze
CO	0.267	0.466	0.395	0.537	0.472	0.953
SMC	0.300	0.488	0.382	0.557	0.408	1.053
MEDA	0.255	0.558	0.355	0.464	0.381	0.779

Controller	J ₅			J ₆		
	El Centro	Mexico	Gebze	El Centro	Mexico	Gebze
CO	0.189	0.060	0.142	0.933	1.282	2.519
SMC	0.205	0.056	0.159	0.880	1.578	2.941
MEDA	0.185	0.079	0.143	0.709	0.694	1.266

Controller	J ₇			J ₈		
	El Centro	Mexico	Gebze	El Centro	Mexico	Gebze
CO	0.234	0.440	0.328	0.975	1.147	1.331
SMC	0.217	0.372	0.286	0.903	0.902	1.271
MEDA	0.234	0.464	0.318	0.883	1.064	1.128

Controller	J ₉			J ₁₀		
	El Centro	Mexico	Gebze	El Centro	Mexico	Gebze
CO	0.300	0.393	0.391	0.624	0.656	1.194
SMC	0.193	0.315	0.380	0.577	0.720	1.487
MEDA	0.233	0.453	0.348	0.552	0.552	1.123

Controller	J ₁₁		
	El Centro	Mexico	Gebze
CO	0.020	0.007	0.012
SMC	0.018	0.006	0.012
MEDA	0.020	0.011	0.010

Table 3. Evaluation Criteria for 7% Stiffness perturbed System under El Centro Earthquake

	SMC(Moon et al. 2003)		MEDA	
	$\varepsilon = 0$	$\varepsilon = \pm 7\%$	$\varepsilon = 0$	$\varepsilon = \pm 7\%$
J ₁	0.394	0.432	0.331	0.395
J ₂	1.130	1.323	1.108	1.347
J ₃	0.296	0.335	0.255	0.278
J ₄	0.560	0.540	0.464	0.443
J ₅	0.213	0.224	0.185	0.219
J ₆	0.870	0.862	0.709	0.692
J ₇	0.218	0.235	0.234	0.233
J ₈	0.887	0.901	0.883	0.891
J ₉	0.189	0.198	0.233	0.215
J ₁₀	0.551	0.556	0.552	0.547
J ₁₁	0.016	0.017	0.020	0.020

References

1. Dyke, S. J., and Spencer, B. F., Jr., "Seismic response control using multiple MR dampers," Proc., 2nd Int. Workshop on Struc. Control, Hong Kong University of Science and Technology Research Center, Hong, Kong, 1996, 163173.
2. Laura M. Jansen and Shirley J. Dyke, "Semiactive Control Strategies for MR Dampers: Comparative Study," Journal of Engineering Mechanics, ASCE, Vol. 126, No. 8, 2000, 795-803.

3. McClamroch, N. H., and Gavin, H. P., "Closed loop structural control using electrorheological dampers," Proc., Am. Control Conf., American Automatic Control Council, Washington, D.C., 1995, 41734177.
4. Moon, S. J., Bergman, L. A., and Voulgaris, P. G., "Sliding Mode Control of Cable-Stayed Bridge Subjected to Seismic Excitation," Journal of Engineering Mechanics, ASCE, Vol. 129, No. 1, 2003, 71-78.
5. Osamu Yoshida and Shirley J. Dyke, "Seismic Control of a Nonlinear Benchmark Building using Smart Dampers," Journal of Engineering Mechanics, ASCE, submitted, 2002.
(<http://wusceel.cive.wustl.edu/quake>)
6. Spencer, Jr., B. F., Dyke, S. J., Sain, M. K., and Carlson, J. D., "Phenomenological model of a magnetorheological damper," Journal of Engineering Mechanics, ASCE, Vol. 123, No. 3, 1997, 230-238.