## Expanding the Genetic Code: Synthesis of Unnatural Amino Acids and Misacylated Suppressor tRNA

Jin Ho Ahn<sup>1</sup>, Taek Jin Kang<sup>2</sup>, Kwan Hong Min<sup>2</sup>, Dal Ho Huh<sup>2</sup>, Tae Wan Kim<sup>2</sup>,

Nam Young Kim<sup>2</sup>, In Seok Oh<sup>2</sup>, Young Gyu Kim<sup>2</sup>, Yeo Joon Yoon<sup>3</sup>, Cha Yong Choi<sup>1, 2, \*</sup>

Interdisciplinary Program for Biochemical Engineering and Biotechnology

College of Engineering, Seoul National University <sup>1</sup>;

School of Chemical Engineering, College of Engineering, Seoul National University <sup>2</sup>;

School of Chemical Engineering and Bioengineering, University of Ulsan <sup>3</sup>;

TEL: 02-880-7528, FAX: 02-874-1206

We describe here synthetic advances in the preparation of chemically misacylated suppressor tRNA which can serve as the decoder of amber stop codon. A general and facile procedure for the synthesis of two unnatural amino acids, D,L-(2-nitrophenyl)glycine (NPG) and L-S-(2-nitrobenzyl)cysteine (NBC), and dinucleotide 5'-O-phosphoryl-2'-deoxycytidylyl-(3' $\rightarrow$ 5')adenosine (pdCpA) has been developed. Both NPG and NBC were protected at the N<sup>a</sup> site using 4-pentenoyl anhydride and were activated on carboxylate as cyanomethyl esters. These active esters were used to aminoacylate pdCpA. T4 ligase-mediated ligation of these pdCpA esters to tRNA lacking the 3'-end CA yieded full-length amber suppressor tRNA. Following the deprotection by iodine, the (2-nitrophenyl)glycyl tRNA and S-(2-nitrobenzyl)cysteinyl tRNA were shown to be competent in an *in vitro* protein translation system. These procedure greatly simplify the preparation of chemically misacylated tRNA in the synthesis of proteins containing unnatural amino acid.

## References

- 1. Lodder M, Golovine S, Hecht S. M. (1997), Chemical deprotection strategy for the elaboration of misacylated transfer RNA's , *J. ORG. CHEM.* **62**(4), 778-779.
- Taek Jin Kang, Ji Hyoung Woo, Hui Kyoung Song, Jin Ho Ahn, Jae Wook Kum, Jin Han, Cha Yong Choi, Hyun Joo (2002), A cell-free protein synthesis system as an investigational tool for the translation stop processes, *FEBS Lett.* 24, 517(1-3):211-4.