Development of Bioartificial Ligament using Tissue Engineering Technique

Young-Kwon Seo¹, Gung-Min Choi¹, Soon-Yong Kwon²,
Yong-Soon Park³, Kye-Yong Song⁴, Jung-Keug Park^{1*}
TEL: 82-2-2260-3365, FAX: 82-2-2271-3489

¹Department of Chemical and Biochemical Engineering,
Dongguk University6, Seoul

²Department of Orthopedic Surgery, St. Mary's Hospital, Catholic University, Seoul ³Department of Medical Information Enginnering, Kwangju Health Colleage,, Kwangju ⁴Department of Pathology, Chung-Ang University, Seoul

Abstract

Severe injured anterior cruciate ligament (ACL) do not heal well and it can cause knee instability, meniscal damage, and osteoarthritis. Patellar tendon autografts and allografts are widely used but are not suited for ACL reconstruction¹⁾. Problems associated with autograft include lengthy rehabilitation and persistent patellar pain. Allografts carry the risk of disease transmission, and their procurement is hard and costly. Permanent synthetic ACL prostheses may perform satisfactorily in the short term, but tend to break down and fail in the long term.²⁾

Recentely, tissue engineering strategy has been tried for ACL reconstruction³⁾. Several groups have reported on potential ACL scaffold using collagen, silk, and biodegradable polymers.

In this study, we designed a three-dimesional fibrous collagen scaffold reinforced with PGA/Silk fiber. And we made ACL fibroblast/MSC seeded bioartificial ligament using above scaffold. So, we could make bioartificial ligament having properties of adequate porosity, degradability, mechanical behavior and cellular response.

Reference

- 1. SKY Chang, DK Egami, AB Richardson *et al.*, Anterior cruciate ligament reconstruction: Allograft versus autograft(2003), *J. of Arthros. and Relaed Surg.*, **19**, 453.
- 2. ES Grood, FR Noyes, Cruciate ligament prosthesis: strength, creep, and fatigue properties, J. Bone. Joint Surg. Am.(1976). 58, 1083.
- 3. G Vunjak-Novakovic, G Altman, DL Kaplan et al., Tissue engineering of ligaments, *Annu. Rev. Biomed. Eng*(2004)., **6**, 131.