## Molecular cloning and heterologous expression of phospholipase D from *Streptomyces* sp. YU100

Ji-Seon Lee<sup>1</sup>, Sang Dal Kim<sup>1,2</sup>, and Doo-Hyun Nam<sup>1,3</sup>

<sup>1</sup>Institute of Biotechnology and <sup>2</sup>Department of Applied Microbiology, <sup>3</sup>Division of Pharmacy, Yeungnam University, Gyongsan 712-749, Korea

A phospholipase D (PLD) gene was cloned from the *Streptomyces* sp. YU100 genomic DNA library and heterologously expressed in *Escherichia coli*. Analysis of DNA sequence data revealed an open reading frame encoding a 540-amino acid protein that included 33-amino acid signal peptide. The deduced amino acid sequence of the cloned PLD was highly homologous to PLDs from *S. halstedii* and *S. septatus* with a homology of 77 and 75%, respectively, and showed the presence of highly conserved sequence motifs, namely the HKD motifs, which may be important in the catalytic function. The mature PLD gene was subcloned in a pET expression vector containing the pelB signal sequence to promote the secretion of the protein into the medium. The recombinant PLD was expressed in *E. coli* BL21(DE3)pLysS cells after induction with IPTG, detected in the culture supernatant by Western blot analysis, and purified by nickel affinity chromatography.

## Acknowledgement

This work was kindly supported by Korea Research Fund (#)

## References

- 1. Lim, S. K., J. W. Choi, E. T. Lee, Y. H. Khang, S. D. Kim, and D. H. Nam (2001) *J. Microbiol. Biotechnol.* **12**: 71-76.
- Lim, S. K., J. W. Choi, M. H. Chung, E. T. Lee, Y. H. Khang, S. D. Kim, and D. H. Nam (2001) J. Microbiol. Biotechnol. 12: 189-195.
- 3. Iwasaki, Y., Nakano, H, and Yamane, T. (1994) Appl. Microbiol. Biotechnol., 42: 290-299.

- 4. Hatanaka, T., Negidhi, T., Kubota-Akizawa, M., and Hagishita, T. (2002) *Enz. Microb. Technol.*, **31**: 233-241.
- 5. Yang, H. and Roberts, M. (2002) Prot. Sci., 11: 2958-2968.\
- 6. Ogino, C., Y. Negi, T. Matsumiya, K. Nakaoka, A. Kondo, S. Kuroda, S. Tokuyama, U. Kikkawa, T. Yamane, and H. Fukuda (1999) *J. Biochem.* **125**: 263-269.