

Magnetization Reversal For magnetic thin Films by Pulse Fields with Duration Shorter than Relaxation Time

Yoonsung Han, Sunghoon Kim, Jinwon Lee, Ahram Kim, Sangho Lee, and Jongill Hong*
 Materials Science and Engineering, Yonsei University, 134 Shinchon-Dong, Seodaemun Gu, Seoul 120-749, Korea

*Corresponding author: hong.jongill@yonsei.ac.kr, Phone: +82 2 2123 5846, Fax: +82 2 365 5882

An advantage of MRAM over other memories is the possibility of high speed operation. A pulse field less than ns can be used for magnetization switching. Schumacher et al. found that the field duration along the easy axis is critical to obtain stable magnetic switching when the duration is of the order of a precessional period. Applying pulse fields with duration shorter than relaxation time, we have studied magnetization reversal for magnetic thin films by micro-magnetic simulation using OOMMF (Objective Oriented Micro-Magnetic Frame). In particular, we applied magnetic pulse fields along the easy (x-axis) and the hard (y-axis) axes at the same time. The magnetic cell was 2 nm-thick, 800 nm \times 300 nm Ni₈₀Fe₂₀. The mesh we used for the simulation was 5 nm \times 5 nm. We have varied the pulse fields along the easy axis from 0 to 600 Oe, and along the hard axis from 0 to 200 Oe, and pulse duration from 100 to 500 ps by 100 ps.

Our map of the reversal switching reliability shows that the switching could be deviated much from the asteroid switching curve, depending on the pulse duration. On the increase of pulse duration, the shape of the switching map became similar to the asteroid curve. We found some unexpected area where magnetization was supposed to be reversed but it was not. Our results show that strong demagnetization along the z axis made the precession twisted, which makes possible the precessional switching not only by the perpendicular field but also by the horizontal field to the switching direction. In this presentation, we discuss the reversal switching behavior of the Ni₈₀Fe₂₀ thin film under cross pulse fields with duration of less than 1 ns.




Fig. 1. Magnetization reversal behaviors with a different H_x pulse field intensity at $H_x=120$ Oe with duration of 100 ps. While the reversal was completed at $H_x=100$ Oe (left), the reversal was not happened when $H_x=200$ Oe (right)

REFERENCES

- [1] H. W. Schumacher, C. Chappert, R. C. Sousa, P. P. Freitas, J. Millat, and J. Ferrer, *J. Appl. Phys.*, **93**, 7290 (2003).
- [2] M. J. Donahue and D. G. Porter, <http://math.nist.gov/oommf>.

Study of Spin-reorientation Transition and Magnetic Structure of Nanomaterials Using Spectro-microscopy and Spin-polarized Scanning Tunneling Microscopy

Minn-Tsong Lin*^{1,2}

¹ Department of Physics, National Taiwan University, 1 Sec. 4 Roosevelt Rd., Taipei 10617, Taiwan

² Institute of Atomic and Molecular Sciences, Academia Sinica, Taipei 10617, Taiwan

*Corresponding author: mtlin@phys.ntu.edu.tw, Phone: +886 2 3366 5173, Fax: +886 2 2363 9984

Various magnetic imaging approaches are presented to have the excellences of electronic structure and magnetic sensitivity in nanoscaled dimension. Examples will be given, including the techniques in application of Photoemission Electron Microscopy (PEEM) on magnetic ultrathin film, Scanning Electron Microscopy with Polarization Analysis (SEMPA) on magnetic nanoparticle assembly, and Spin Polarized Scanning Tunneling Microscopy (SP-STM) on ultrathin antiferromagnetic films.

A new kind of spin reorientation transition was found in ferromagnetic/antiferromagnetic bilayer system. With increasing Mn thickness, the magnetic easy axis of 6 ML Fe/Ni Mn/Cu/Au(100) was observed to switch from in-plane to perpendicular direction by magneto-optical Kerr effect (MOKE) and PEEM (Fig. 1). The magnetic domain of antiferromagnetic Mn layer was shown to be anti-parallel to the Fe domain. The perpendicular magnetization together with enhanced coercivity is supposed to be induced by exchange coupling from Fe/Mn interface. Furthermore, the magnetic layer structure of the Mn film on ferromagnetic substrate was also studied by SP-STM.

Self-aligned magnetic Co and Fe nanoparticle assembly, as the second example, presents an interesting magnetic domain structure. From SEMPA imagings, the domain size of nanoparticle assembly was found to be much smaller than that of ultrathin film with the same coverage. The reduced onset thickness of long-range magnetic ordering and the magnetic vortex structure indicate a dipole-dipole coupling under nano-particles.

This work was in collaboration with W. C. Lin (NTU/IAMS), B. Y. Wang (NTU/IGP), C. H. Chuang, N. Y. Jih, C. W. Peng, C. B. Wu, B. R. Xu, H. Y. Yan, S. S. Wong, Y. M. Chang (NTU), C. H. Chen, Y. L. Chan, Der Hsin Wei (NSRRC), Z. Gai (ORNL), L. Gao (ORNL), and supported by NSC, Taiwan National Nano Program, NSRRC, and USA CNMS ORNL (CNMS2005 048).

REFERENCES

- [1] S. Gwo, C.-P. Chou, C.-L. Wu, Y. J. Ye, W. C. Lin, and Minn-Tsong Lin, *Phys. Rev. Lett.* **90**, 185506 (2003)
- [2] W. C. Lin, C. C. Kuo, M. F. Ro, K. J. Song, and Minn-Tsong Lin, *Appl. Phys. Lett.* **86**, 043105 (2005)
- [3] W. C. Lin, P. C. Huang, K. J. Song, and Minn-Tsong Lin, *Appl. Phys. Lett.* **88**, 153117 (2006)
- [4] W. C. Lin, B. Y. Wang, T. Y. Chen, L. L. Lin, Y. W. Liao, W. Pan, N. Y. Jih, K. J. Song, and Minn-Tsong Lin, *Appl. Phys. Lett.* **90**, 052502 (2007)




Fig. 1. PEEM imaging for 6 ML Fe/Ni Mn/Cu/Au(100) with indication of magnetization orientation.