

韓國 記錄種 버섯 總目錄

李 泰 洙

山林廳 林業研究院 微生物化學研究室

The Full List of Recorded Mushrooms in Korea

Tai-Soo Lee

Microbiol Chemistry Lab., Forestry Research Institute,
Forestry Administration, Seoul 130-012, Korea

ABSTRACT: This list contains all the species of mushrooms recorded in Korea and the Korean name for the species. Since the Korean Society of Mycology reported the mushroom name list of 588 species from 190 genera in 1978 for a unification of Korean name for mushrooms many papers and illustrated books have added the name of recorded mushrooms to the list. However, we have been confused with the scientific name and the Korean name for the fungi due to an inappropriate arrangement and an incomplete classification system of Korean mushrooms. Therefore, I rearranged 885 species from 261 genera, which have been reported in Korea, based on the recently published documents such as Ainsworth *et al.* (1973), Singer (1986) and Imazeki and Hongo (1987 and 1988).

KEYWORDS: Korean Mushroom, 885 species

1978年 韓國菌學會에서 “韓國말 버섯 이름 統一案”을 發表한지도 10여년이 經過되었다. 그동안 우리나라에 自生하고 있는 많은 未記錄種의 버섯이 學會에 發表되기도 하였고, 文敎部의 “韓國 動植物圖鑑 第28卷 高等菌類編(버섯類)”, 農振廳의 “韓國産 버섯 原色圖鑑”, 李址烈의 “原色 韓國 버섯圖鑑” 등多數의 冊子が 發刊되기도 하여 우리나라의 記錄種 버섯은 많이 늘어나게 되었다. 1978年 當時 45科 190屬 588種에 不過하던 우리나라의 記錄種 버섯은 今般 再整理 結果 68科 261屬 885種으로 나타나 數量에 있어서도 엄청 늘어났음을 보이고 있다.

그러나 우리나라의 記錄種 버섯에 대하여는 그동안 體系의인 整理가 이뤄지지 못하여 分類 體系나 學名, 우리말 버섯 이름의 表記, 目錄의 과학 등에 있어서 많은 混亂과 어려움이 있었다.

本 內容은 지금까지 發表된 우리나라 記錄種 버섯의 總目錄을 再整理함으로써 一部 混同과 잘못되었던 것을 바로 잡고 今後 記錄種 버섯의 體系의 分類나 韓國말 이름의 使用 또는 未記錄種 버섯의

發見時 記錄 與否 確認에 多少라도 參考가 될 수 있도록 하였다.

아울러 本 目錄의 內容을 檢討하여 主신 李址烈 博士님께 깊은 感謝의 말씀을 드린다.

일러두기

1) 韓國말 버섯 이름은 1978年 韓國菌學會에서 發表한 “韓國말 버섯 이름 統一案”과 그 후 발표된 論文, 冊子の 것을 그대로 따랐다. 可能한한 最近에 改正된 名稱을 따랐으므로 일부는 예전의 이름과 다소 달라진 것이 있다.

2) 分類 體系는 主로 Ainsworth 等의 The Fungi IV A 및 IV B(1973)를 따랐고 그 이후에 바뀌어진 一部 內容은 Singer(The Agaricales in Modern Taxonomy; 1986) 및 Imazeki R. and T. Hongo(Coloured Illustrations of Mushrooms of Japan I; 1987 및 II; 1989)의 것을 準用하였다.

3) 命名者에 대한 表記는 第13次 國際植物學會議

命名分科委 最終決議(1981)에서 勸告 決定事項으로 命名자와 引用한 著者の 이름 사이에 콜론(:)을 表記하기로 한 것을 따랐다.

4) 새로운 分類 體系의 適用으로 新設 또는 變更된 目, 科, 屬 등의 名稱이나 또는 잘못 混用되었던 이름을 一部 바로 잡은 것은 ()内에 “신칭” 또는 “개칭”으로 表示하였다.

학명	이름
MYCOTA	균계
EUKARYOMYCOTA	진핵균아계
EUMYCOTA	진균문
BASIDIOMYCOTINA	담자균아문
EUBASIDIOMYCETES	진정담자균강
HYMENOMYCETIDAE	모균아강
AGARICALES	주름버섯목
PLEUROTACEAE	느타리과
<i>Pleurotus</i>	느타리속
<i>P. cornucopiae</i> (Paulet.) Rolland(誤)	
→ <i>P. cornucopiae</i> var. <i>citrinopileatus</i> (Sing.)	
Ohira	(노랑느타리)
<i>P. cornucopiae</i> var. <i>citrinopileatus</i> (Sing.) Ohira	노랑느타리
<i>P. florida</i> Eager	사철느타리
<i>P. ostreatus</i> (Jacq. : Fr.) Kummer	느타리
<i>P. pulmonarius</i> (Fr.) Quél.	산느타리
<i>P. spodoleucus</i> (Fr.) Quél.	느타리아재비
<i>Panus</i>	참버섯속
<i>P. rudis</i> Fr.	애참버섯
= <i>Lentinus strigosus</i> (Schw.) Fr.	
<i>P. tigrinus</i> (Bull. : Fr.) Fr.	털참버섯
= <i>Lentinus tigrinus</i> (Fr.) Fr.	
<i>Pleurocybella</i>	넓은잎버섯속
<i>P. porrigens</i> (Fr.) Sing.	넓은잎버섯
<i>Lentinus</i>	갓버섯속
<i>L. edodes</i> (Berk.) Sing.	표고
= <i>Lentinula edodes</i> (Berk.) Pegler	
<i>L. lepideus</i> (Fr. : Fr) Fr.	갓버섯

CREPIDOTACEAE	귀버섯과
<i>Crepidotus</i>	귀버섯속
<i>C. applanatus</i> (pers.) Kummer	평평귀버섯
<i>C. mollis</i> (Schaeff. : Fr.) Kummer	젤리귀버섯
<i>C. nephrodes</i> (Berk. et Curt.) Sacc.	콩팥노란귀버섯
<i>C. subsphaerosporus</i> (Lange) Kuhn. et Romagn.	주걱귀버섯
<i>C. sulphurinus</i> Imaz. et Toki.	노란귀버섯
<i>Simocybe</i>	요정버섯속
<i>S. centunculus</i> (Fr.) Sing	요정버섯
= <i>Naucoria centunculus</i> (Fr.) Quél.	
TRICHOLOMATACEAE	송이버섯과
<i>Hohenbuehelia</i>	꼬막버섯속(호헨부엘버섯속)
<i>H. reniformis</i> (G. Meyer : Fr.) Sing.	꼬막버섯
<i>H. serotinus</i> (Fr.) Sing.	(참부채버섯)
→ <i>Panellus serotinus</i> (Fr.) Kuhn.	
<i>Resupinatus</i>	꽃무늬애버섯속
<i>R. applicatus</i> (Batsch. : Fr) S.F. Gray	
	꽃무늬애버섯
<i>R. trichotis</i> (Pers.) Sing.	취털꽃무늬애버섯
<i>Lampteromyces</i>	화경버섯속
<i>L. japonicus</i> (Kawam.) Sing.	화경버섯(독성)
= <i>Pleurotus japonicus</i> Kawam.	
<i>Panellus</i>	부채버섯속
<i>P. stypticus</i> (Bull. : Fr.) Karst.	부채버섯
= <i>Panus stipticus</i> (Bull. : Fr.) Fr.	
<i>P. serotinus</i> (Fers. : Fr.) Kuhn	참부채버섯
	(늦은호엔부엘버섯)
= <i>Hohenbuehelia serotina</i> (Pers. : Fr) Sing.	
<i>Lyophyllum</i>	만가닥버섯속
<i>L. anthracophilum</i> (Lasch)	숫만가닥버섯
M. Lange et Sivertsen	
= <i>L. carbonarium</i> (Vel.) Moser in Gams	
<i>L. cinerascens</i> Konr. et Maubl.	만가닥버섯
<i>L. connatum</i> (Schum. : Fr.) Sing.	

- 흰주름만가닥버섯
 = *Clitocybe cerussa* (Fr.) Quél.
L. decastes (Fr. : Fr.) Sing. 잿빛만가닥버섯
 = *Tricholoma aggregatum* (Schaeff.) Cost.
 et Duf.
 = *Clitocybe decastes* (Fr. : Fr.) Kummer
L. fallax (Peck) Kuhn. et Romagn. 황토색만가닥버섯
L. fumosum (Pers. : Fr.) P.D. Otron 연기색만가닥버섯
 = *Clitocybe fumosa* (Pers. : Fr.) Kummer
L. shimeji (Kawam.) Hongo 땅찌만가닥버섯
 = *Tricholoma shimeji* Kawam. (땅찌버섯)
L. semitale (Fr.) Kuhn. 모래꽃만가닥버섯
 = *Tricholoma semitale* (Fr.) Ricken
L. sykosporum Hongo et Clemencon
 = *L. transforme* (Briz.) Sing. 반투명만가닥버섯

Hypsizigus 느티만가닥버섯속
H. marmoreus (Peck) Bigelow 느티만가닥버섯
 = *Pleurotus elongatipes* Peck
 = *Lyophyllum ulmarium* (Bull. : Fr.) Kuhn.

Calocybe 밤버섯속
C. gambosa (Fr.) Sing. 밤버섯(오월버섯)
 = *Tricholoma gambosum* Fr.

Asterophora 덧부치버섯속
A. lycoperdoides (Bull.) Ditm. : Fr. 덧부치버섯
 = *Nyctalis asterophora* Fr.

Cyptotrama 비너버섯속
C. asprata (Berk.) Redhead 등색가시비너버섯
 et Ginus
 = *Xerula chrysopepla* (Berk. et Curt.) Sing.

Laccaria 줄각버섯속
L. amethystea (Bull.) Murr. 자주줄각버섯
L. bicolor (Maire) P.D. Orton 큰줄각버섯
 = *L. proxima* (Boud.) Mair. (보라발줄각버섯)
L. galerinoides Sing. 모자꼴줄각버섯
L. laccata (Scop. : Fr.) Berk. & Br. 줄각버섯

L. nigra Hongo 검정줄각버섯
L. tortilis (Bolt.) S.F. Gray 밀줄각버섯
L. vinaceoavellanea Hongo 색시줄각버섯

Lepista 자주방망이버섯속
L. irina (Fr.) Bigelow 광능자주방망이버섯
 = *Tricholoma irinum* (Fr.) Kummer
L. nuda (Bull. : Fr.) Cooke 민자주방망이버섯
L. sordida (Schum. : Fr.) Sing.
 = *L. subnuda* Hongo 자주방망이버섯아재비

Tricholomopsis 솔버섯속
T. platyphylla (Fr.) Sing. 넓은솔버섯
 = *Oudemansiella platyphylla* (Fr.) Moser
T. rutilans (Schaeff. : Fr.) Sing. 솔버섯
 = *Tricholoma rutilans* (Fr.) Kummer

Clitocybe 갈대기버섯속
C. acromelalga Ichimura 독갈대기버섯
C. candicans (Pers. : Fr.) Kummer
 비단갈대기버섯
C. castaneifloccosa S Ito et Imai 꼬마갈대기버섯
C. cerussata (Fr.) Quél 흰주름갈대기버섯
C. clavipes (Pers. : Fr.) Kummer
 배불뚝이갈대기버섯
C. cyanophaea (Fr.) Sacc. 자주갈대기버섯
C. flaccida (Fr.) Kummer 끝말림갈대기버섯
C. fragrans (With. : Fr.) Kummer
 흰삿갓갈대기버섯
C. geotropa (Bull.) Quél. 굽다리갈대기버섯
C. geotropa var. *subinvoluta* Batsch.
 방망이갈대기버섯
C. gibba (Pers. : Fr.) Kummer 갈대기버섯
 = *C. infundibuliformis* (Schaeff.) Quél.
C. maxima (Fr.) Quél 흰갈대기버섯
C. odora (Bull. : Fr.) Kummer 하늘색갈대기버섯

Collybia 애기버섯속
C. butyracea (Bull. : Fr.) Quél. 버터애기버섯
C. confluens (Pers. : Fr.) Kummer
 밀애기버섯(밀버섯 개칭)
C. cookei (Bres.) J.D. Arnold 룡애기버섯

- C. dryophila* (Bull. : Fr) Kummer 애기버섯
(굵은애기무리버섯)
- C. erythropus* (Fr.) Kummer 선녀애기버섯
- C. maculata* (Alb. et Schw.) Qué1.점박이애기버섯
- C. matris* S. Ito et Imai 황갈색애기버섯
- C. peronata* (Bolt. : Fr.) Kummer 가랑잎애기버섯
- Clitocybula* 애기무리버섯속
- C. familia* (Peck) Sing. 애기무리버섯
- Crinipellis* 털가죽버섯속
- C. stipitaria* (Fr.) Pat. 털가죽버섯
- Melanoleuca* 배꼽버섯속
- M. arcuata* (Fr.) Sing. 검은물결배꼽버섯
- M. melaleuca* (Pers. : Fr.) Murr. 배꼽버섯
=*M. vulgaris* Pat.
- Macrocystidia* 큰낭상체버섯속
- M. cucumis* (Pers. : Fr.) Joss. 큰낭상체버섯
- Armillariella* 썩나무버섯속
- A. mellea* (Vahl. : Fr) Karst. 썩나무버섯
- A. tabescens* (Scop.) Sing. 썩나무버섯부지
- Tricholoma* 송이속
- T. albobrunneum* (Pers. : Fr.) Kummer
흰갈색송이
- T. album* (Fr.) Kummer 흰송이
- T. atrosquamosum* (Chev.) Sacc. 검은비늘송이
- T. colossus* (Fr.) Qué1. 어리송이
- T. flavovirens* (Pers. : Fr.) Lund. 금빛송이
(금버섯 개칭)
- T. matsutake* (S. Ito. et Imai) Sing. 송이
- T. muscarium* Kawam. ex Hongo 독송이
- T. pardinum* Qué1. 거북송이
- T. robustum* (Fr.) Ricken 송이야재비
- T. saponaceum* (Fr.) Kummer 할미송이
- T. sejunctum* (Sow. : Fr.) Qué1. 쓴송이
- T. squarulosum* Bres. 잿빛송이
- T. sulphureum* (Bull. : Fr.) Kummer 유황송이
- T. terreum* (Schaeff. : Fr.) Kummer 땅송이
- T. ustale* (Fr. : Fr.) Kummer 담갈색송이
- T. vaccinum* (Pers. : Fr.) Kummer 비늘송이
- Oudemansiella* 긴뿌리버섯속
- O. beuneomarginata* L. Vass 갈색날긴뿌리버섯
- O. longipes* (Bell.) Moser 털긴뿌리버섯
- O. mucida* (Schrad. : Fr.) Hohn
=*Collybia mucida* (Fr.) Qué1. 끈적긴뿌리버섯
- O. pudens* (Pers.) Peglern 털긴뿌리버섯
- O. radicata* (Relhen. : Fr.) Qué1. 민긴뿌리버섯
=*Collybia radicata* (Relhan : Fr.) (긴뿌리버섯)
Qué1.
- Leucopaxillus* 흰우단버섯속
- L. giganteus* (Sow. : Fr.) Sing. 흰우단버섯
=*Clitocybe gigantea* (Fr.) Qué1.
(대형흰우단버섯)
- Flammulina* 썩나무버섯속
- F. velutipes* (Curt. : Fr.) Sing. 썩나무버섯
(팽이버섯)
- Strobilurus* 맛솔방울버섯속
- S. stephanocystis* (Hora) Sing. 맛솔방울버섯
=*Pseudohiatula stephanocystis* Hora
- Marasmius* 낙엽버섯속
- M. androsaceus* (Fr.) Fr. 연잎낙엽버섯
- M. arasmiellus* (Bull. : Fr.) Sing. 마른가지낙엽버섯
- M. cohaerens* (Alb. et Schw. : Fr.) 우산낙엽버섯
Cooke et Qué1.
- M. erythropus* Pers (선녀애기버섯)
→*Collybia erythropus* (Fr.) Kummer
- M. graminum* (Lib.) Berk. 풀잎낙엽버섯
- M. maximus* Hongo 큰낙엽버섯
- M. oreades* (Bolt. : Fr.) Fr. 선녀낙엽버섯
- M. prasiomus* (Fr.) Fr. 흰낙엽버섯
- M. purpureostriatus* Hongo 자주색줄낙엽버섯
- M. siccus* (Schw.) Fr. 애기낙엽버섯
- Mycena* 애주름버섯속

- M. alcalina* (Fr.) Kummer 약취애주름버섯
- M. crocata* (Schrad. : Fr.) Kummer 노란애주름버섯
- M. epipterygia* (Scop. : Fr.) S.F. Gray 솔잎애주름버섯
- M. fibula* (Fr.) Quél. (이끼애주름버섯)
→*Gerronema fibula* (Bull. : Fr.) Sing.
- M. galericulata* (Scop. : Fr.) S.F. Gray. 콩나물애주름버섯
- M. haematopoda* (Pers. : Fr.) Kummer 적갈색애주름버섯
- M. lactea* (Fr.) Kummer 선녀애주름버섯
=*Marasmiellus lactea* (Fr.) Sing. (선녀버섯)
- M. osmundicola* J. Lange 흰애주름버섯
- M. pelianthina* (Fr.) Quél 즐각애주름버섯
- M. polygramma* (Bull. : Fr.) S.F. Gray 세로줄애주름버섯
- M. pura* (Pers. : Fr.) Kummer 맑은애주름버섯
- M. rorida* (Scop. : Fr.) Quél 절털애주름버섯
- M. roseomarginata* Hongo 도토리애주름버섯
- M. sanguinolenta* (Alb. : Fr.) Kummer 주홍애주름버섯
- M. stylobates* (Pers. : Fr.) Kummer 빨판애주름버섯
- Marasmiellus* 선녀버섯속
- M. candidus* (Bolt.) Sing. 하얀선녀버섯
(하얀낙엽버섯개칭)
- M. chamaecyparidis* (Hongo) Hongo 삼나무선녀버섯
- M. lactea* (Pers. : Fr.) Sing. (선녀애주름버섯 ;
→*Mycena lactea* (Fr.) Kummer 선녀버섯)
- M. nigripes* (Schw.) Sing. 검은대선녀버섯
(검은대낙엽버섯개칭)
=*Marasmius nigripes* (Schw.) Fr.
- M. ramealis* (Bull. : Fr.) Sing. 마른가지선녀버섯
(마른가지낙엽버섯개칭)
=*Marasmius ramealis* (Fr.) Fr.
- Xeromphalina* 이끼살이버섯속
- X. campanella* (Batsch : Fr.) Maire 이끼살이버섯
- X. causticinalis* (Fr.) Kuhn 가랑잎이끼살이버섯
- Gerronema* 애이끼버섯속 (신칭)
- G. fibula* (Bull. : Fr.) Sing 애이끼버섯
(이끼애주름버섯개칭)
=*Mycena fibula* (Bull. : Fr.) Kuhn.
- Baeospora* 솔방울버섯속
- B. myosura* (Fr. : Fr.) Sing. 갈색솔방울버섯
- Omphalina* 솔밭버섯속
- O. rustica* (Fr.) Quél. 색시솔밭버섯
=*Agaricus ericetorum* Pers.
- Catathelasma* 진나무버섯속
- C. ventricosum* (Peck) Sing. 진나무버섯
=*Armillaria ventricosa* (Peck) Peck
- Dictyolus* (= *Leptoglossum*) 털버섯속
- D. boninensis* S. Ito et Imai 오갈털버섯
- HYGROPHORACEAE 벗꽃버섯과
- Hygrophorus* 벗꽃버섯속
- H. camarophyllus* (Fr.) Dum. 노란구름벗꽃버섯
- H. chrysodon* (Batsch : Fr.) Fr. 노란갓벗꽃버섯
- H. lucorum* Kalchbr. 노란털벗꽃버섯
- H. nitratus* (Pers.) Fr. 질산벗꽃버섯
- H. olivaceoalbus* var. *olivaceoalbus* 젤리벗꽃버섯
Hesl. & H.H. Smith
- H. russula* (Schaeff. : Fr.) Quél 다색벗꽃버섯
=*Tricholoma russula* (Fr.) Gill. (벗꽃버섯)
- H. subcinnabarinus* Hongo 붉은벗꽃버섯
- H. wynniae* Berk. et Br. 초록갓벗꽃버섯
- Hygrocybe* 꽃버섯속(개칭)
- H. cantharellus* (Schw.) Murr. 화병꽃버섯
=*Hygrophorus cantharellus* (Schw.) Fr.
(화병벗꽃버섯)
- H. chlorophana* (Fr.) Wunsche 끈적노랑꽃버섯
=*Hygrophorus chloroapanus* Fr. (노란무명버섯)
- H. coccinea* (Schaeff. : Fr.) Kummer 진빨간꽃버섯
=*Hygrophorus coccineus* (Fr.) Fr.
(진빨간꽃버섯)
- H. conica* (Fr.) Kummer 붉은산꽃버섯

- =*Hygrophorus conicus* (붉은산벚꽃버섯)
 (Scoop. : Fr.) Fr.
- H. cuspidata* (Peck) Murril 고깔꽃버섯
 =*Hygrophorus cupidatus* Peck (고깔벚꽃버섯)
- H. eburneus* (Bull.) Fr. 상아꽃버섯
 (상아벚꽃버섯)
- H. flavescens* (Kauffm.) Sing. 노란대꽃버섯
 =*Hygrophorus flavescens* (노란대벚꽃버섯)
 (Kauffm.) A.H. Smith
- H. imazekii* (Hongo) Hongo 황적색꽃버섯
 =*Hygrophorus imazekii* Hongo
 (황적색벚꽃버섯)
- H. miniata* (Fr.) Kummer 붉은꽃버섯
 =*Hygrophorus miniatus* (Fr.) Fr.
 (붉은무명버섯)
- H. ovina* (Bull. : Fr.) Kuhn. 투구꽃버섯
 (투구벚꽃버섯)
- H. pantoleuca* (Hongo) Hongo 흰갓꽃버섯
 (흰갓벚꽃버섯)
- H. psittacina* (Schaeff. : Fr.) Wunsche 이끼꽃버섯
 =*Hygrophorus psittacinus* (이끼벚꽃버섯)
 (Schaeff. : Fr.) Fr.
- H. punicea* (Fr.) Kummer 팔배꽃버섯
 (팔배벚꽃버섯)
- H. subvitellina* (Imai) S. Ito 등황색꽃버섯
 =*Hygrophorus subvitellinus* Imai
 (노란벚꽃버섯)
- H. suzukaensis* (Hongo) Hongo 주홍꽃버섯
 (주홍벚꽃버섯)
- H. turunda* (Fr. : Fr.) Karst. 애비늘꽃버섯
 (애비늘벚꽃버섯)
 =*Hygrophorus turundus* (Fr. : Fr.) Fr.
- Camarophyllus* 처녀버섯속
- C. niveus* (Scop.) Wunsche 눈빛처녀버섯
 (눈빛벚꽃버섯)
- C. pratensis* (Pers. : Fr.) Kummer 살색처녀버섯
 (살색벚꽃버섯)
- C. subviolaceus* (Peck) Sing. 보라처녀버섯
 =*Hygrophorus subviolaceus* Peck
 (보라빛벚꽃버섯)
- C. virgineus* (Wulf. : Fr.) Kummer 처녀버섯
- AMANITACEAE 광대버섯과
Amanita 광대버섯속
- A. agglutinata* (Berk. et Curt.) 큰주머니광대버섯
 Lloyd
- A. aspera* Pers. 누더기광대버섯
- A. caesarea* (Fr.) Pers.(誤)
 →*A. hemibapha* (Berk. et Br.) Sacc. (달걀버섯)
- A. ceciliae* (Berk. et Br.) Bas 점박이광대버섯
 =*A. inaurata* Secr.
- A. cinerea* Bresad 턱반이광대버섯
- A. citrina* (Schaeff.) Pers. var. *citrina*
 애광대버섯(독)
- =*A. mappa* (Batsch) Quéf.
- A. echinocephala* (Vitt.) Quéf. 흰돌기광대버섯
- A. farinosa* Schw. 애우산광대버섯
- A. flavipes* Imai 노란대광대버섯
- A. griseofarinosa* Hongo 잿빛가루광대버섯
- A. hemibapha* (Berk. et Br.) Sacc. 달걀버섯
 =*A. caesarea* (Fr.) Pers.(誤)
- A. longistriata* Imai 긴코광대버섯아재비
- A. lutescens* Hongo 회색가시광대버섯
- A. melleiceps* Hongo 파리버섯(독)
- A. muscaria* (L. : Fr.) Hooker. 광대버섯(독)
- A. pantherina* (DC. : Fr.) Krombh.
- 마귀광대버섯(독)
- A. phalloides* (Fr.) Link 알광대버섯(독)
- A. porphyria* (Alb. et Schw. : Fr) Secr.
- 암회색광대버섯
- A. pseudoporphyria* Hongo 암회색광대버섯아재비
- A. rubescens* (Pers.) Fr. 붉은점박이광대버섯
- A. rubrovolvata* Imai 붉은주머니광대버섯
- A. spissacea* Imai 뱀집질광대버섯
- A. spreta* (Peck) Sacc. 턱반이광대버섯
- A. strobiliformis* (Vitt.) Bert. 뿌리광대버섯
- A. vaginata* (Bull. : Fr.) Vitt. var. *vaginata*
 우산버섯
- A. vaginata* var. *alba* Gill. 흰우산버섯
 =*A. nivalis* Grev.
- A. vaginata* var. *crocera* (Quéf.) Sing.
 황색주머니우산버섯
- A. vaginata* var. *fulva* (Schaeff.) Gill.
 =*A. fulva* (Schaeff.) Secr. 고통색우산버섯

- A. vaginata* var. *punctata* 큰우산버섯
(Cleland et Cheel) Gilb.
- A. verna* (Bull : Fr.) Roques. 흰알광대버섯(독)
- A. virgineoides* Bas 흰가시광대버섯
- A. virosa* (Fr.) Bertillon 독우산광대버섯

PLUTEACEAE(=VOLVARIACEAE) 난버섯과

- Volvariella* 털버섯속(비단털버섯속개칭)
- V. bombycina* (Schaeff. : Fr.) Sing. 흰비단털버섯
- V. pusilla* (Pers. : Fr.) Sing 요정털버섯
(요정풀버섯개칭)
- V. volvacea* (Bull. : Fr.) Sing 주머니털버섯
(풀버섯개칭)

Pluteus 난버섯속(그늘치마버섯속)

- P. atricapillus* (Batsch) Fayod 난버섯
- P. atrofuscus* Hongo 흑갈색난버섯
(흑갈색그늘치마버섯)
- P. aurantiorugosus* (Trog.) Sacc. 빨간난버섯
- P. leoninus* (schaeff. : Fr.) Kummer 노랑난버섯
- P. unbrosus* (Pers. : Fr.) Kummer 그물난버섯
(그물치마버섯)

LEPIOTACEAE 갓버섯과(신칭)

- Chlorophyllum* 흰갈대버섯속
- C. molybdites* (Meyer. : Fr.) Massee
흰갈대버섯(독)

Macrolepiota 큰갓버섯속(개칭)

- M. alborubescens* (Hongo) Hongo 두엄큰갓버섯
=*Lepiota alborubescens* Hongo (두엄갓버섯)
- M. procera* (Scop. : Fr.) Sing. 큰갓버섯(갓버섯)
=*Lepiota procera* (Fr.) S.F. Gray
- M. rhacodes* (Vitt.) Sing. 큰갓버섯아재비
=*Lepiota rhacodes* (Vitt.) Quél (갓버섯아재비)

Lepiota 갓버섯속

- L. aspera* (Fr.) Quél 가시갓버섯
=*L. friesii* (Fr.) Quél
- L. atrosquamulosa* Hongo 비늘갓버섯
- L. aurantioflava* Hongo 노랑갓버섯
- L. castanea* Quél. 밤색갓버섯

- L. clypeolaria* (Bull. : Fr.) Kummer 술방패갓버섯
- L. clypeolaria* (Fr.) Quél. 술갓버섯(방패갓버섯)
- L. cristata* (Bolt. : Fr.) Kumer 갈색고리갓버섯
- L. cygnea* J. Lange 흰주름갓버섯(백조갓버섯)
- L. hetieri* Boud. 대나무갓버섯
- L. micropholis* (Berk. et Br.) Sacc.
애기여우갓버섯(여우버섯)

- L. praetervisa* Hongo 애기갓버섯
- L. pseudogranulosa* (Berk. et Br.) Sacc.

- L. rebrotincta* Pk. 주홍갓버섯
- L. subcitrifhylla* Hongo 노란주름갓버섯

Cystoderma 낭피버섯속

- C. amianthinum* (Scop. : Fr.) Fayod 참낭피버섯
- C. carcharias* (Pers. : Secr.) Fayod
흰분말낭피버섯
- C. granulorum* (Fr.) Fayod 가루낭피버섯
- C. fallax* A.H. Smith et Sing 끝낭피버섯
- C. terreii* (Berk. et Br.) Harmaja 황갈색낭피버섯
=*C. cinnabarinum* (Alb. & Schw.) Fayod

Leucocoprinus 각시버섯속

- L. birnbaumii* (Corda) Sing. 노란각시갓버섯
=*Lepiota licmophora* Berk. et Br.
=*Lepiota lutea* Godfrin
- L. cepaestipes* (Sow. : Fr.) Pat. 노란날개각시버섯
=*Lepiota cepaestipes* (Sow. : Fr.) Kummer
- L. fragilissimus* (Rav.) Pat. 여우꽃각시버섯
=*Lepiota licmophora* (Berk. et Br.) Sacc
- L. bresadolae* (Schulz.) S. Wasser 과일갓버섯
=*Lepiota bresadolae* Schulz. (과립갓버섯개칭)
- L. otsuensis* Hongo 우산각시버섯
- L. rubrotinctus* (Peck) Sing. (여우갓버섯)
=*Lepiota japonica* Kawam. ex Hongo
→*Leucoagaricus rubrotinctus* (Peck) Sing.

Leucoagaricus 여우갓버섯속(신칭)

- L. rubrotinctus* (Peck) Sing. 여우갓버섯
=*Leucocoprinus rubrotinctus* (Peck) Sing.
=*Lepiota japonica* Kawam. : Hongo

Phaeolepiota 턱받이금버섯속

P. aurea (Matt. : Fr.) Maire 덕밭이금버섯
= *P. vahlii* (Schum. : Fr.) J. Lange

Melanophyllum 흑주름버섯속

M. echinatum (Fr.) Sing. 잔피막흑주름버섯

AGARICACEAE 주름버섯과

agaricus (= *psalliota*) 주름버섯속

A. arvensis (Schaeff.) Fr. 흰주름버섯

A. arvensis var. *fulvus* (Kawam.) S. Ito. 황갈색주름버섯

A. augustus Fr. 실비듬주름버섯

A. bisporus (J. Lange) Imbach 양송이

= *Psalliota hortensis* (Cke.) J. Lange

A. campestris (L.) Fr. 주름버섯

A. diminutuus Peck 꼬마주름버섯

A. placomyces Peck 주름버섯아재비

A. silvicola (Vitt.) Sacc. 담황색주름버섯

A. silvaticus Fr. 숲주름버섯

A. subrufescens Peck 붉은갓주름버섯

A. subrutilescens (Kauffm.) Hots. et Stun. 진갈색주름버섯

COPRINACEAE 먹물버섯과

Coprinus 먹물버섯속

C. atramentarius (Bull. : Fr.) Fr. 두엄먹물버섯

C. boninensis S. Ito et Imai 벗짚먹물버섯

C. cinereus (Fr.) S.F. Gray 재먹물버섯

= *C. macrorrhizus* (Schaeff. : Fr.) Rea

C. comatus (Muller. : Fr.) Pers. 먹물버섯

C. cortinatus J. Lange 갈색점박이먹물버섯

C. disseminatus (Pers. : Fr.) S.F. Gray 꼬깔먹물버섯

C. friesii Quél 꼬마먹물버섯

C. lagopus (Fr.) Fr. (誤) (소녀먹물버섯)

→ *C. neolagopus* Hongo & Sagora 소녀먹물버섯

C. lagopides karst 숨털먹물버섯부치

C. neolagopus Hongo & Sagora 소녀먹물버섯

= *C. lagopus* (Fr.) Fr. (誤)

C. micaceus (Bull. : Fr.) Fr. 갈색먹물버섯

C. patouillardii Quél 소똥먹물버섯

C. plicatilis (Curt. : Fr.) Fr. 줌밀먹물버섯

C. radians (Desm. : Fr.) Fr. 노랑먹물버섯

C. rhizophorus (Kawam) Hongo et Yokoy. 애먹물버섯

C. tuberosus Quél 흰가루먹물버섯

= *C. stercorarius* (Bull.) Fr. s. J. Lange

Panaeolus 말뚱버섯속

P. fimicola (Fr.) Gill. 말뚱버섯아재비

P. papilionaceus (Bull. : Fr.) Quél 목장말뚱버섯

P. retirugis (Fr.) Quél 퇴비버섯

P. sphinctrinus (Fr.) Quél 줌말뚱버섯

= *P. campanulatus* (Bull. : Fr.) Quél.

s. Ricken, non Fr.

P. subbalteatus (Berk. et Br.) Sacc.

P. subbalteatus (Berk. et Br.) Sacc. 검은머말뚱버섯

Anellaria 계란모자버섯속

A. semiovata (Sow. : Fr.) Pears. et Dennis

= *A. separata* (L.) Karst. 계란모자버섯

Psathyrella (= *Hypholoma*) 눈물버섯속

P. candoliana (Fr. : Fr.) Maire 족제비눈물버섯

P. gracilis (Fr.) Quél 가는대눈물버섯

P. piluliformis (Bull. : Fr.) P.D. Orton 다람쥐눈물버섯

= *P. hydrophila* (Bull.) Maire

P. velutina (Pers.) Sing. 큰눈물버섯

BOLBITIACEAE 소똥버섯과

Conocybe 종버섯속

C. lactea (J. Lange) Métrod 노란종버섯

C. subovalis (Kuhn.) Kuhn. et Watl. 알뜰장다리종버섯

= *C. tenera* var. *subovalis* Kuhn.

C. tenera (Schaeff. : Fr.) Fayod 종버섯

(장다리종버섯)

Agrocybe 벗짚버섯속

A. arvalis (Fr.) Sing. 애기벗짚버섯

= *A. tuberosa* (P. Henn.) Sing.

A. cylindracea (DC. : Fr.) Maire 버들벗짚버섯

= *A. aegerita* (Brig.) Fayod (버들송이)

- A. erebia* (Fr.) Kuhn. 보리벚짚버섯
A. paludosa (Lange) Kuhn. : Romagn. 이끼벚짚버섯
A. praecox (Pers. : Fr.) Fayod 벚짚버섯
 = *Pholiota praecox* (Fr.) Kummer
A. semiorbicularis (Bull.) Fayod 황토벚짚버섯
 = *A. pediades* (Fr.) Fayod
- Bolbitius* 소똥버섯속
B. varicolor Atkinson 그믐소똥버섯
B. vitellinus (Pers. : Fr.) Fr. 노란소똥버섯
- STROPHARIAACEAE 독청버섯과
Stropharia 독청버섯속
S. aeruginosa (Curt. : Fr.) Quél 독청버섯(독)
S. rogozoannulata Farlow in Murr. 독청버섯아재비
 = *S. ferrii* Bresadola
 = *Naematoloma rugosoannulata* S. Ito.
- Naematoloma* 개암버섯속
N. fasciculare (Hudson : Fr.) Karst. 노란다발(독)
 = *Hypholoma fasciculare* (Huds.) Kummer
N. sublateritium (Fr.) Karst. 개암버섯
 = *Hypholoma sublateritium* (Fr.) Quél.
- Pholiota* 비늘버섯속
P. adiposa (Fr.) Kummer 검은비늘버섯
P. highlandensis (Peck) A.H. Smith et Hesler
 = *P. carbonaria* (Fr.) Sing. 재비늘버섯
P. nameko (T. Ito) S. Ito et Imai 나도팽나무버섯
 = *P. glutinosa* Kawam. (맛버섯)
P. spumosa (Fr.) Sing. 노란갓비늘버섯
P. squarrosa (Mull. : Fr.) Kummer. 비늘버섯
P. squarrosa var. *verruculosa* (Lash) Fr. 비늘버섯부치
P. squarrosoides (Peck) Sacc. 칩비늘버섯
P. terrestris Overholts 땅비늘버섯(참비늘버섯)
P. vermiflua Peck 천사비늘버섯
Psilocybe 환각버섯속
P. coprophila (Bull. : Fr.) Kummer 좁환각버섯
- P. merdaria* (Fr.) Ricken 분색환각버섯
Kuehneromyces 무리우산버섯속
K. mutabilis (Fr.) Sing. & 무리우산버섯
 A.H. Smith
 = *Pholiota mutabilis* (Fr.) Kummer
- CORTINARIACEAE 끈적버섯과
Inocybe 땀버섯속
I. albidisca Peck 백색꼭지땀버섯
I. asterospora Quél 샷갓땀버섯
I. bresadolae Mass 두메땀버섯
I. caesariata (Fr.) Karst. 털실땀버섯
I. calamistrata (Fr.) Quél 큰비늘땀버섯
I. calospora Quél. 바늘땀버섯
I. cincinnata (Fr. : Fr) Quél 곱슬머리땀버섯
I. cookei Bres. 단발머리땀버섯
I. fastigiata (Schaeff.) Quél 솔땀버섯
I. geophylla var. *lilicina* Karst. 보라땀버섯
I. kobayashii Hongo 원추땀버섯
 = *I. rimosa* f. *squarrosa* Kobay.
I. lacera (Fr. : Fr.) Kummer 비듬땀버섯
I. lutea Kobay. et Hongo 노란땀버섯
I. maculata Boud. 털땀버섯
I. montana Kobay. 산땀버섯
I. multicoronata A. H. Smith 노란꼭지땀버섯
I. niigatensis Hongo 모래땀버섯
I. practervisa Quél 땀버섯아재비
I. rimosa (Fr.) Kummer 땀버섯(독)
I. sphaerospora Kobay. 둥근포자땀버섯
I. sororia Kauff. 팽이땀버섯
I. skuamulosa Kobay. 비늘땀버섯
I. umbratica Quél 흰땀버섯
- Rozites* 노란띠버섯속
R. caperata (Pers. : Fr.) Karst. 노란띠버섯
 = *Pholiota caperata* (Pers. : Fr.) Kummer
- Cortinarius* 끈적버섯속
C. amoenolens Henry : Ortron 붉은띠끈적버섯
C. armillatus (Fr.) Fr. 차양끈적버섯
C. bovinus Fr. 황소끈적버섯

- C. collinitus* (Sow. : Fr.) Fr. 진흙끈적버섯
C. cyanites Fr. 검은피끈적버섯
C. elatior Fr. 키다리끈적버섯
C. elatior f. *microporus* Kawam. 애끈적버섯
C. hemitrichus (Pers. : Fr.) Fr. 실끈적버섯
C. largus Fr. 가지색끈적버섯
C. melliolens Schaeff. 적갈색끈적버섯
 = *C. allutus* Fr.
C. mucifluus (Fr.) Fr. 유리끈적버섯
C. multiformis Fr. 노란끈적버섯
C. nigrosquamosus Hongo 검은털끈적버섯
C. pholideus (Fr. : Fr.) Fr. 해진풍선끈적버섯
C. pseudopurpurascens Hongo 자주색끈적버섯아재비
C. pseudosalor J. Lange 가지색끈적버섯
C. purpurascens (Fr.) Fr. 풍선끈적버섯
C. rubincundulus (Rea) Pearson 크림끈적버섯
C. salor Fr. 푸른끈적버섯
C. subalboviolaceus Hongo 달갈끈적버섯
C. subturbinatus Henry 원뿔끈적버섯아재비
C. torvus (Fr. : Fr.) Fr. 고목끈적버섯
C. varicolor (Pers. : Fr.) Fr. 다색끈적버섯
C. venenosus Kawam. 독끈적버섯
C. vibratilis (Fr.) Fr. 쓴맛끈적버섯

Dermocybe 전나무끈적버섯속
D. cinamomea (L. : Fr.) Wunsche 황갈색전나무끈적버섯
D. sanguinea (Wulf. : Fr.) Wunsche 전나무끈적버섯
 = *Cortinarius sanguineus* (Fr.) Fr.

Hebeloma 차갈버섯속
H. crustuliniforme (Bull.) Quél. 무우차갈버섯
H. mesophaeum (Fr.) Quél 숨털차갈버섯
H. radicosum (Bull. : Fr.) Ricken 뿌리차갈버섯

Descolea 돌버섯속
D. flavoannulata (L. vass.) Horak 노란턱돌버섯

Gymnopilus 미치광이버섯속
G. aeruginosus (Peck) Sing. 녹색미치광이버섯

- G. liquiritiae* (Pers. : Fr.) Karst 솔미치광이버섯
G. spectabilis (Fr.) Sing. 갈황색미치광이버섯(독)
 = *Pholiota spectabilis* (Fr.) Kummer

RHODOPHYLLACEAE

(=ENTOLOMATACEAE)

- Clitopilus* 외대버섯과
 그늘버섯속
C. lignyotus Hongo 좀그늘버섯
C. prunulus (Scop. : Fr.) Kummer 그늘버섯

Rhodophyllus (= *Entoloma*) 외대버섯속
R. ater Hongo 검은외대버섯
R. coelestinus var. *violaceus* A.H. Smith 균청색외대버섯
R. crassipes (Imaz. et Toki) Imaz. et Hongo 외대덧버섯
R. cyanoniger (Hongo) Hongo 가지외대버섯
R. clypeatus (L.) Quél 방패외대버섯
R. lazulinus (Fr.) Quél 흑청색외대버섯
R. murrayi (Berk. et Curt.) Sing. 노란꼭지외대버섯
R. murrayi f. *albus* (Hiroe) Hongo 흰꼭지버섯
R. mycenoides Hongo 젓꼭지외대버섯
R. omiensis Hongo 민꼭지버섯
R. pulchellus Hongo 예쁜이외대버섯
R. quadratus (Berk. et Curt.) Hongo = *R. salmonaeus* (Peck) Sing. 붉은꼭지버섯
R. rhodopolius (Fr.) Quél. 샷갓외대버섯
R. serrulatus (Fr.) Quél. 툇니외대버섯
R. sinuatus (Bull. : Fr.) Sing. 굽은외대버섯
R. violaceus (Murr.) Sing. 보라꽃외대버섯
R. virescens (Berk. et Curt.) Hongo = *R. aeruginosus* (Hiroe) Hongo 하늘꼭지버섯

PAXILLACEAE

- Paxillus* 우단버섯과
 우단버섯속
P. atrotomentosus (Batsch : Fr.) Fr. 좀우단버섯
P. atrotomentosus var. *bambusinus* Baker et Dale 대나무우단버섯
P. involutus (Batsch : Fr.) Fr. 주름우단버섯
P. panuoides (Fr. : Fr.) Fr. 은행잎우단버섯

- Hygrophoropsis* 꾀꼬리큰버섯속
H. aurantiaca (Wulf. : Fr.) Maire 꾀꼬리큰버섯
 = *Cantharellus auranticus* Fr.
 = *Clitocybe aurantica* (Fr.) Studer
- GOMPHIDIACEAE 못버섯과
Chroogomphus 못버섯속
C. rutilus (Schaeff. : Fr.) O.K. Miller 못버섯
 = *Gomphidius rutilus* (Fr.) Lund. et Nannf.
C. tomentosus (Murr.) O.K. Miller
 = *Gomphidius tomentosus* Murr.
 솜털갈매못버섯
- Gomphidius* 마개버섯속
G. glutinosus (Fr.) Fr. 끈적마개버섯
G. maculatus (Scop.) Fr. 점마개버섯
 = *G. gracilis* Berk. et Br.
G. roseus (Fr.) Karst. 큰마개버섯
G. subroseus Kauffm. 장미마개버섯
- RUSSULACEAE 무당버섯과
Russula 무당버섯속
R. adusta (Fr.) Fr. 흙갈색무당버섯
R. aeruginea Lindbl. apud Fr. 구릿빛무당버섯
R. albonigra (Kormb.) Fr. 검은무당버섯
R. alutacea (Pers.) Fr. (혈색줄기무당버섯)
 → *R. olivacea* (Schaeff.) Fr.
R. amoena Quél 가지무당버섯
 = *R. punctata* Krombh.
R. atropurpurea (Krombh.) Britz. 참무당버섯
R. aurata (With.) Fr. 금무당버섯
R. bella Hongo (수원무당버섯)
 → *R. mariae* Peck.
R. castanopsidis Hongo 좀흰무당버섯
R. chamaelontina Fr. 변덕장이무당버섯
R. compacta Frost et Peck 담갈색무당버섯
R. crustosa Peck 기외무당버섯
R. cutescra Cooke 청버섯
R. cyanoxantha (Schaeff.) Fr. 청머루무당버섯
R. cyanoxantha f. *peltereau* Sing. 푸른무당버섯
R. delica Fr. 푸른주름무당버섯
R. delica var. *glaucophylla* Quél 흰무당버섯
- R. densifolia* (Secr.) Gill. 애기무당버섯
R. emetica (Schaeff. : Fr.) S.F. Gray
 냄새무당버섯(무당버섯)
R. emetica var. *crussi* Fr. 큰냄새무당버섯
R. farinipes Romell 황색갈대기무당버섯
R. flavida Frost et Peck 노랑무당버섯
R. foetens (Pers.) Fr. 갈대기무당버섯
R. fragilis (Pers.) Fr. 홍색애기무당버섯
R. fragilis var. *nivea* (Cooke) Schaeff.
 * 흰애기무당버섯
R. furcata Pers. 청무당버섯
R. garinipes Romell 선황색갈대기무당버섯
R. integra (L.) Fr. 붉은무당버섯
R. japonica Hongo 흰무당버섯(아재비)
 = *R. pseudodelica* Lange sensu Hongo
R. laurocerasi Melzer 밀질색무당버섯
R. lepida Fr. (장미무당버섯 ; 줄각무당버섯)
 → *R. rosacea* (Pers.) S.F. Gray
R. lilacea Quél. 연보라무당버섯
R. mariae Peck 수원무당버섯
 = *R. bella* Hongo
R. metachroa Hongo 색갈이무당버섯
R. nigricans (Bull.) Fr. 절구버섯
R. ochroleuca (Pers.) Fr. 조개무당버섯
R. olivacea (Schaeff.) Fr. 혈색줄기무당버섯
 = *R. aleutea* (Pers. : Fr.) (가죽겹절무당버섯)
 Fr. s. Konr. & Maubl.
R. pectinata (Bull.) Fr. 달팽이무당버섯
R. pseudodelica Lange sensu Hongo
 (흰무당버섯(아재비))
 → *R. japonica* Hongo
R. rosacea (Pers.) S.F. Gray 장미무당버섯
 = *R. lepida* Fr. (줄각무당버섯)
R. rubra (Krombh.) Bres 주홍색무당버섯
R. sanguinea (Bull.) Fr. 혈색무당버섯
R. senecis Imai 흙무당버섯
R. sororia (Fr.) Romell 회갈색무당버섯
R. subnigricans Hongo 절구버섯(아재비)
R. vesca Fr. 조각무당버섯
R. violeipes Quél 자주빛무당버섯
R. virescens (Schaeff.) Fr. 기와버섯
R. xerampelina (Schaeff.) Fr. 포도무당버섯

- | | | |
|---|----------------|--|
| <i>Lactarius</i> | 젓버섯속 | 푸른주름응단젓버섯 |
| <i>L. akahatsu</i> Tanaka | 피젓버섯 | <i>L. violascens</i> (Otto : Fr.) Fr. 젓빛젓버섯 |
| <i>L. argillaceifolius</i> var. | 흑갈색주름젓버섯 | <i>L. volemus</i> (Fr.) Fr. 배젓버섯(젓버섯) |
| <i>argillaceifolius</i> Hesler et Smith | | |
| <i>L. camphoratus</i> (Bull. : Fr.) Fr. | 민맛젓버섯 | BOLETACEAE 그믐버섯과 |
| <i>L. chloroides</i> (Krombh.) Kawam. | 흰젓버섯 | <i>Phylloporus</i> 민그믐버섯속 |
| <i>L. chrysorrheus</i> Fr. | 노란젓버섯 | <i>P. bellus</i> (Mass.) Corner 노란길민그믐버섯 |
| <i>L. cyathula</i> f. <i>japonicus</i> Hongo | 애기낙엽젓버섯 | = <i>P. rhodoxanthus</i> (Schw.) Bres. (誤) |
| <i>L. flavidulus</i> Imai | 누룩젓버섯 | (민그믐버섯) |
| <i>L. gerardii</i> Peck | 애기젓버섯 | <i>P. bellus</i> var. <i>cyanescens</i> Corner |
| <i>L. glaucescens</i> Crossland | 푸른유액젓버섯 | 회갈색민그믐버섯 |
| = <i>L. piperatus</i> var. <i>glaucescens</i> (녹색젓갈털이) | | = <i>P. rhodoxanthus</i> ssp. <i>foliiporus</i> s. Hongo |
| (Crossl.) Hesl. et Sm. | | |
| <i>L. gracilis</i> Hongo | 애기털젓버섯 | <i>Pulveroboletus</i> 분말그믐버섯속(갓그믐버섯속) |
| <i>L. hatsudake</i> Tanaka | 젓버섯아재비 | <i>P. auriflammeus</i> (Berk. et Curt.) Sing. |
| <i>L. hygrophoroides</i> Berk. & Curt. | | 주홍분말그믐버섯 |
| | 넓은갓젓버섯(흰주름젓버섯) | <i>P. ravenelii</i> (Berk. et Curt.) Murr. |
| <i>L. laeticolorus</i> (Imai) Imaz. | 붉은젓버섯 | 노랑분말그믐버섯(갓그믐버섯) |
| = <i>L. deliciosus</i> var. <i>japonicus</i> Kawam. | | <i>P. retipes</i> (Berk. et Curt.) Sing. (誤) |
| <i>L. lignyotus</i> Fr. | 갓빛햇대젓버섯 | → <i>Boletus ornatipes</i> Peck (밤색갓그믐버섯) |
| <i>L. lignyotus</i> var. <i>marginatus</i> | 보라갓빛햇대젓버섯 | |
| Hesl. et Sm. | | |
| <i>L. luteolus</i> Peck. | 갈색끈적젓버섯 | <i>Suillus</i> 비단그믐버섯속 |
| <i>L. mutabilis</i> Pk. | 진갈색무늬젓버섯 | <i>S. aeruginascens</i> (Secr.) Snell. (녹슬은그믐버섯) |
| <i>L. piperatus</i> (Scop. : Fr.) S. F. Gray | 굴털이 | → <i>S. laricinus</i> (Berk.) O. Kuntze |
| <i>L. pyrogalus</i> (Fr.) Fr. | 제브라젓버섯 | <i>S. bovinus</i> (L. : Fr.) O. Kuntze 황소비단그믐버섯 |
| <i>L. repraesentaneus</i> Britz. | 보랏빛주름젓버섯 | <i>S. granulatus</i> (L. : Fr.) O. Kuntze |
| <i>L. sakamotoi</i> Imai | 애기젓버섯아재비 | 젓비단그믐버섯 |
| <i>L. scrobiculatus</i> (Scope. : Fr.) Fr. | 흙집남빛젓버섯 | <i>S. grevillei</i> (Klotz.) Sing. 큰비단그믐버섯 |
| <i>L. subdulcis</i> (Fr.) S. F. Gray | 광능젓버섯 | <i>S. laricinus</i> (Berk.) O. Kuntze |
| <i>L. subpiperatus</i> Hongo | 굴털리아재비 | 녹슬은비단그믐버섯(녹슬은그믐버섯) |
| <i>L. subplinthogalus</i> Coker | 얇은갓젓버섯 | <i>S. luteus</i> (L. : Fr.) S. F. Gray 비단그믐버섯 |
| <i>L. subvellerus</i> Peck | 털젓버섯아재비 | <i>S. pictus</i> (Peck) Smith et Thiers |
| <i>L. suvellerus</i> var. <i>subdistans</i> Hesler et Smith | | 붉은비단그믐버섯 |
| | 노란주름응단젓버섯 | = <i>Boletinus pictus</i> (Peck) Peck |
| <i>L. subzonarius</i> Hongo | 당귀젓버섯 | (좀황금그믐버섯) |
| <i>L. sumstinei</i> Pk. | 우산주름젓버섯 | <i>S. piperatus</i> (Fr.) O. Kuntze (매운비단그믐버섯) |
| <i>L. thejogalus</i> (Fr.) S. F. Gray | 갈황색젓버섯 | → <i>Chalciporus piperatus</i> (Fr.) Bataille |
| <i>L. torminosus</i> (Schaeff. : Fr.) S. F. Gray | | <i>S. placidus</i> (Bon.) Sing. 평원비단그믐버섯 |
| | 큰붉은젓버섯(독) | = <i>Boletus placidus</i> Bonorden |
| <i>L. vellereus</i> (Fr.) Fr. | 새털젓버섯 | = <i>B. albus</i> Peck (誤) |
| <i>L. vellereus</i> var. <i>virescens</i> Hesler et Smith | | <i>Boletinus</i> 황금그믐버섯속 |

- B. cavipes* (Opat.) Kalchbr. 황금그물버섯
B. pictus Peck (붉은비단그물버섯)
 →*Suillus pictus* (Peck) Smith et Thier
- Chalciporus* 매운그물버섯속(신칭)
C. piperatus (Bull. : Fr.) Bataille 매운그물버섯
 (매운비단그물버섯)
 =*Suillus piperatus* (Bull. : Fr.) O. kuntze
- Xerocomus* 산그물버섯속
X. astraeicola Imaz. 먼지산그물버섯
X. chrysenteron (Bull.) Quéil 마른산그물버섯
X. subtomentosus (L) : Fr.) Quéil 산그물버섯
- Boletus* 그물버섯속
B. aereus Fr. 구릿빛그물버섯
B. appendiculatus Schaeff ex Fr. 부속그물버섯
B. auripes Peck 수원그물버섯
B. badius Fr. 갈색산그물버섯
 =*Xerocomus badius* (Fr.) Kuhn.
B. bicolor Peck 황갈색그물버섯
B. edulis Fr. (誤) (그물버섯)
 →*B. reticulatus* Schaeff.
B. erythropus (Fr.) Secr. 붉은대그물버섯
 =*B. miniatorporus* Secr.
B. fraternus Peck 붉은그물버섯
 =*B. rubellus* Krombh.(誤)
 =*B. sanguineus* With (誤)
B. griseus Frost 점정그물버섯
B. impolitus Fr.(誤)
 →*L. extremiorientale* (L. Vass.) Sing.
 (겉겉이그물버섯; 왕그물버섯)
B. laetissimus Hongo 피꼬리그물버섯
B. luridus Fr. 독그물버섯(독)
B. ornatipes Peck 밤색갓그물버섯
 =*Pulveroboletus retipes* (Berk. et Curt.)
 Sing.(誤)
B. pinicola Vitt. 솔송그물버섯
B. pruinatus Fr. : Hok 서리그물버섯
B. pseudocalopus Hongo 산속그물버섯아재비
B. pulverulentus Opat. 밤꽃그물버섯
 =*B. badius* Fr. sensu Kawam.
- B. queletii* Schulz. 감그물버섯
B. quercinus Hongo 참나무발그물버섯
B. regius Krombh.(誤)
 →*B. speciosus* Frost (큰그물버섯)
B. reticulatus Schaeff. 그물버섯아재비
 =*B. edulis* Fr.(誤) (그물버섯개칭)
B. rubellus Krombh(誤)
 =*B. sanguineus* With(誤)
 →*B. fraternus* Peck (붉은그물버섯)
B. speciosus Frost 큰그물버섯
 =*B. regius* Krombh.(誤)
B. subglabripes Peck. 한라그물버섯
B. violaceofuscus Chiu 흑자색그물버섯
- Tylophilus* 쓴맛그물버섯속
T. alboater (Peck) Sing. 용단쓴맛그물버섯
T. chromapes (Frost) A. H. Smith et Thiers
 노란대겉겉이그물버섯
 =*Leccinum chromapes* (Frost) Sing.
T. eximius (Peck) Sing. 은빛쓴맛그물버섯
T. fumosipes (Peck) A. H. Smith et Thiers
 미친쓴맛그물버섯(미친그물버섯개칭)
 =*Porphyrellus pseudoscaber* sp.
cyanescinctus Sing.
T. felleus (Bull. : Fr.) Karst. 무리쓴맛그물버섯
 =*T. plumbeoviolaceus* (Senell et Dick) Sing(誤)
T. neofelleus Hongo 제주쓴맛그물버섯
T. virens (Chiu) Hongo 녹색쓴맛그물버섯
- Leccinum* 겉겉이그물버섯속
L. aurantiacum (St. Amans) S.F. Gray(誤)
 (등색겉겉이그물버섯)
 =*L. versipelles* (Fr.) Snell(誤)
 →*L. rufum* (Schaeff.) Kreisel
L. chromapes (Frost) Sing.
 (노란대겉겉이그물버섯)
 →*Tylophilus chromapes* (Frost) A.H. Smith et
 Thiers
L. extremiorintale (L. Vass) Sing. 겉겉이그물버섯
 =*L. rugosiceps* (Peck) Sing.(誤)
 =*Boletus impolitus* Fr.(誤)
L. hortonii (Smith et Thiers) 홀트겉겉이그물버섯

Hongo et Nagasawa

- L. rugosiceps* (Peck) Sing.(誤) (겉겉이그물버섯)
- L. extremiorientale* (L. Vass) Sing.
- L. rufum* (Schaeff.) Kreisel 등색겉겉이그물버섯
- =*L. auraticum* (Bull.) S.F. Gray(誤)
- =*L. versipelle* (Fr.) Snell(誤)
- L. scabrum* (Bull. : Fr.) S.F. Gray
- 거친겉겉이그물버섯

Gyroporus

- 둘레그물버섯속
- G. castaneus* (Bull. : Fr.) Quél. 흰둘레그물버섯
- G. cyanescens* (Bull. : Fr.) Quél 남빛둘레그물버섯
- G. prupurinus* (Snell) Sing. 지주둘레그물버섯

Porphyrellus

- (미친그물버섯속)
- P. pseudoscaber* ssp. *cyaneocinctus* Sing.
- (미친그물버섯)
- Tylophilus fumosipes* (Peck) A.H. Smith
- et Thiers

STROBILOMYCETACEAE 귀신그물버섯과

Strobilomyces

- 귀신그물버섯속
- S. confusus* Sing. 솔방울귀신그물버섯
- S. strobilaceus* (Scop. : Fr.) Berk. 귀신그물버섯
- =*S. floccopus* (Vahl : Fr.) Karst.

Boletellus

- 밤그물버섯속
- B. emodensis* (Berk.) Sing. 가죽밤그물버섯
- =*B. floriformis* Imaz.
- B. obscurecoccineus* (V. Hohn) Sing.
- 좀노란그물버섯
- B. russellii* (Frost) Gilb. 털밤그물버섯

Austroboletus

- 남방그물버섯속
- A. fusisporus* (Kawam.) Wolfe 방추남방그물버섯
- =*Strobilomyces fusisporus* Kawam

Helimiella

- 연지그물버섯속
- H. japonica* Hongo 일본연지그물버섯

APHYLLOPHORELES

민주름버섯목

CANTHARELLACEAE

피꼬리버섯과

Cantharellus

- 피꼬리버섯속
- C. cibarius* Fr. 피꼬리버섯
- C. cinereus* (Pers.) Fr. 회색나팔피꼬리버섯
- (회색빨나팔버섯개칭)
- C. cinnabarinus* Schw. 붉은피꼬리버섯
- C. friesii* Quél 호박피꼬리버섯
- C. lutescens* Fr. 갈색털피꼬리버섯
- C. luteocomus* Bigelow 황금나팔피꼬리버섯
- (황금빨나팔버섯개칭)
- =*Craterellus aureus* Berk. et Curt.(誤)
- C. infundibuliformis* (Scop.) Fr. 깔대기피꼬리버섯
- C. minor* Peck 애기피꼬리버섯
- C. pallidus* Yasuda (흰피꼬리버섯)
- Gomphus pallidus* (Yasuda) Corner

Gomphus

- 나팔버섯속
- G. floccosus* Schw. 나팔버섯
- =*Cantharellus floccosus* Schw.
- G. pallidus* (Yasuda) Corner 흰나팔버섯
- (흰피꼬리버섯개칭)
- =*Cantharellus pallidus* Yasuda

Craterellus

- 빨나팔버섯속
- C. aureus* Berk. et Curt.(誤) (황금빨나팔버섯)
- Cantharellus luteocomus* Bigelow
- C. cantharellus* (Schw.) Fr. 흰빨나팔버섯
- C. cinereus* Pers. : Fr. (회색빨나팔버섯)
- Cantharellus cinereus* (Pers.) Fr.
- C. cornucopioides* (L. : Fr.) Pers. 빨나팔버섯

SCHIZOPHYLLACEAE

Schizophyllum

- 치마버섯과
- 치마버섯속
- S. commune* Fr. 치마버섯

CORTICIACEAE

Corticium

- 고약버섯과
- 고약버섯속
- C. chrysocreas* Berk. et Curt. 황금고약버섯
- C. decolorans* (Berk. et Curt.) Welden
- 꽃비늘고약버섯

Mycoacia (= *Sarcodontia*)

- 송곳버섯속
- M. copelandii* (Pat.) Aosh. et Furu. 진송곳버섯

- Gloeoporus* 푸른구멍장이버섯속
G. adustus (Fr.) Pilát (줄버섯; 그을음푸른) 검은살팽이버섯(검덩이버섯)
 →*Bjerkandera adusta* (Fr.) Karst. 구멍장이버섯
G. dichrous (Fr.) Bres 겹푸른구멍장이버섯
- Pulcherricium* 모피버섯속
P. caeruleum (St. Amans) Parmasto 청자색모피버섯
- MERULIACEAE 아교버섯과
Phlebia (= *Ricnophora*) 가는주름버섯속
P. strigoso-zonatus (Schw.) Lloyd 털가는주름버섯
- Merulius* 아교버섯속
M. tremellosus Fr. 아교버섯
- Serpula* 버짐버섯속
S. lacrymans (Fr.) Schroet 버짐버섯
- PODOSCYPHACEAE 배꽃버섯과
Podoscypha 배꽃버섯속
P. albida Lloyd 흰배꽃버섯
- Cladoderris* (= *Cymatoderma*) (갈때기비늘버섯속)
C. caperata (Berk. et Mont.) Pat. (주름갈때기비늘버섯)
 →*Stereum caperatum* Berk. et Mont.
- SPARASSIDACEAE 꽃송이버섯과
Sparassis 꽃송이버섯속
S. crispa Fr. 꽃송이버섯
- THELEPHORACEAE 굴뚝버섯과
Thelephora 사마귀버섯속
T. multipartita Fr. 많은가지사마귀버섯
T. palmata (Scop.) Fr. 단풍사마귀버섯
T. terrestris Fr. 사마귀버섯
- HYDNACEAE 턱수염버섯과
Phellodon 살팽이버섯속
P. melaleucus (Fr. : Fr.) Karst. 살팽이버섯
- P. niger* (Fr. : Fr.) Karst. 검은살팽이버섯(검덩이버섯)
- Hydnellum* 갈색깔대기버섯속
H. aurantiacum (Batsch : Fr.) Karst. 황갈색깔때기버섯
 = *Calodon auranticus* (Batsch : Fr.) Karst.
H. conrescens (Per.) Banker 고리갈색깔대기버섯
 = *Calodon zonatus* (Fr.) Karst.
H. ferrugineum (Fr.) Karst. 향기갈색깔때기버섯
- Polyozellus* 까치버섯속
P. multiplex (Underw.) Murr. 까치버섯
- Boetopsis* 굴뚝버섯속
B. leucomelas (Pers. : Fr.) Fayod 흰굴뚝버섯
- Odontia* 톱밥버섯속
O. crustula Miller 아교톱밥버섯
O. livida Bres 큰톱밥버섯
- Auriscalpium* 솔방울털버섯속
A. vulgare S.F. Gray 솔방울털버섯
- Steccherinum* 바늘버섯속
S. laeticolor (Berk. et Curt.) Banker 털바늘버섯
S. ochraceum (Per.) S.F. Gray 바늘버섯
S. rhois (Schw.) Banker 솔바늘버섯
S. septentrionale (Fr.) Banker (수염바늘버섯)
 = *Hydnum septentrionale* Fr.
 →*Climacodon septentrionalis* (Fr.) Karst.
- Basidioradulum* 이빨버섯속
B. molare (Fr.) Furu 이빨버섯
 = *Radulum molare* Fr.
- Hericium* 산호침버섯속
H. coralloides (Fr.) S.F. Gray 산호침버섯
H. erinaceum (Fr.) Pers. 노루궁뎅이
H. ramosum (Merat) Latellier 수실노루궁뎅이
 (산호침버섯아재비)
 = *H. laciniatum* (Leers) Banker(誤)

- H. caput-medusae* (Fr.) Pers. 노루머리
- Hydnum* 턱수염버섯속 (비늘꽃구름버섯개칭)
- H. repandum* (L.) Fr. 턱수염버섯
- H. repandum* var *album* Quél. 흰턱수염버섯 (단풍꽃구름버섯개칭)
- Sarcodon* 노루털버섯속
- S. aspratus* (Berk.) S. Ito 능이(항버섯)
- S. imbricatus* (L. : Fr.) Karst. 노루털버섯
- S. murrillii* Banker 노루털버섯아재비
- S. scabrosus* (Fr.) Karst. 무늬노루털버섯
- CLIMACODONTACEAE 수염버섯과(신칭)
- Climacodon* 수염버섯속(신칭)
- C. septentrionalis* (Fr.) Karst. 수염버섯 (수염바늘버섯개칭)
- = *Steccherium septentionale* (Fr.) Banker
- STEREACEAE 꽃구름버섯과(신칭)
- Stereum* 꽃구름버섯속
- S. annosum* Berk. et Br. (큰꽃구름버섯)
- *Xylobolus annosus* (Berk. et Br.) Boidin
- S. caperatum* Berk. et Mont. 갈매기꽃구름버섯
- = *Cladoderris caperata* (Berk. et Mont.) Pat.
- S. frustulosum* Fr. (거북꽃구름버섯)
- *Xylobolus frustulatus* (Fr.) Boidin
- S. hirsutum* (Willd. : Fr.) S.F. Gray 꽃구름버섯
- S. hiugense* Imaz. 털각지꽃구름버섯
- S. ostrea* (Bl. et Nees) Fr. 갈색꽃구름버섯
- S. princeps* Jungh. (비늘꽃구름버섯)
- *Xylobolus princeps* (Jungh.) Boidin
- S. spectabile* Klotz. (단풍꽃구름버섯)
- *Xylobolus spectabilis* (Klotz.) Boidin
- S. umbrinum* Berk. et Curt. 종이꽃구름버섯
- Xylobolus* 거북버섯속(신칭)
- X. annosus* (Berk. et Br.) Boidin 큰거북버섯
- = *Stereum annosum* Berk. et Br. (큰꽃구름버섯개칭)
- X. frustulatus* (Pers. : Fr.) Boidin 거북버섯
- = *Stereum frustulosum* Fr. (거북꽃구름버섯개칭)
- X. princeps* (Jungh.) Boidin 테거북버섯
- = *Stereum princeps* Jungh.
- X. spectabilis* (Klotz.) Boidin 너털거북버섯
- = *Stereum spectabile* Klotz. (단풍꽃구름버섯개칭)
- Lopharia* 꺾질버섯속
- L. mirabilis* (Berk. et Br.) Pat. 큰꺾질버섯
- FISTULINACEAE 소혀버섯과
- Fistulina* 소혀버섯속
- F. hepatica* (Schaeff.) Fr. 소혀버섯
- HYMENOCHAETACEAE 소나무비늘버섯과
- Fuscoportia* 녹슨구멍버섯속
- F. ferruginosa* (Fr.) Murr. 녹슨구멍버섯
- = *Phellinus ferruginosus* (Fr.) Pat.
- Phellinus* 진흙버섯속
- P. gilvus* (Schw. : Fr.) Pat. 마른진흙버섯
- P. igniarius* (L. : Fr.) Quél. 말뚝진흙버섯
- = *Fomes igniarius* (L. : Fr.) Kickx.
- P. linteus* (Berk. et Curt.) Teng 목질진흙버섯
- = *P. yucatensis* (Murr.) Imaz.
- P. robustus* (Karst.) Bond. et Sing. 찰진흙버섯
- = *Fomes robustus* Karst.
- Porodaedalea* (= *Cryptoderma*) 층버섯속
- P. cercidiphyllum* (Imaz.) Imaz. 층층버섯
- = *Cryptoderma cercidiphyllum* Imaz.
- P. pini* (Fr.) Murr. 낙엽송층버섯
- = *Phellinus pini* (Fr.) Quél.
- = *Cryptoderma yamanoi* Imaz.
- Hymenochaete* 소나무비늘버섯속
- H. intricata* Lloyd 기와소나무비늘버섯
- H. rubiginosa* (Dicks. : Fr.) Lév. 암갈색소나무비늘버섯
- H. yasudai* Imaz. 무늬소나무비늘버섯
- Cyclomyces* 고리버섯속

- C. fuscus* (Kunkze.) Fr. 고리버섯 = *Favolus arcularius* (Fr.) Ames
C. tabacinus (Mont.) Pat. 비단고리버섯
 (비단시루뻐버섯개칭)
 = *Inonotus tabacinus* (Mont.) Karst.
- Inonotus* 시루뻐버섯속
I. kanchirae (Yasuda) Imaz. 유리시루뻐버섯
I. mikadoi (Lloyd) Imaz. 황갈색시루뻐버섯
 = *I. cuticularis* (Fr.) Karst. (誤)
I. tabacinus Karst. (비단시루뻐버섯)
 → *Cyclomyces tabacinus* (Mont.) Pat.
I. nodulosus (Fr.) Pilat. 흑시루뻐버섯
I. zeranticus (Berk.) Imaz. et Aosh. 금빛시루뻐버섯(기와층버섯개칭)
 = *Cryptoderma citrinum* Imaz.
- Phaeolus* 해면버섯속
P. schweinitzii (Fr.) Pat. 해면버섯
- Onnia* 대구멍버섯속
O. scaura (Lloyd) Imaz. 범부채대구멍버섯
 = *O. cuningii* (Ber.) Imaz.
O. vallata (Berk.) Aoshi. 대구멍버섯
 = *O. orientalis* (Lloyd) Imaz.
O. tomentosa (Fr.) Karst. 황갈색털대구멍버섯
 (귀구멍장이버섯개칭)
 = *Polyporus tomentosa* Fr.
- Coltricia* 겨우살이버섯속
C. cinnamomea (Pers.) Murr. 톱니겨우살이버섯
C. dependens (Berk. : Curt.) Imaz. 별집겨우살이버섯
C. montagnei var. *greenii* (Berk.) Imaz. 계단겨우살이버섯
C. perennis (L. : Fr.) Murr. 겨우살이버섯
- POLYPORACEAE 구멍장이버섯과
Polyporus (= *Favolus*) 별집버섯속
 (구멍장이버섯속)
P. alveolarius (DC. : Fr.) Bond. et Sing. = *Favolus alveolarius* (Fr.) Quéf. 별집버섯
P. arcularius Fr. 좀벌집버섯
- P. caeruleoporus* Peck (초록구멍장이버섯)
 → *Albatrellus caeruleoporus* (Peck) Pouz
P. confluens Fr. (다발구멍장이버섯)
 → *Albatrellus confluens* (Fr.) Kolt. et Pouz.
P. dispansus Lloyd (꽃구멍장이버섯)
 → *Albatrellus* (Lloyd.) Culf. et Gilbn
P. squamosus Fr. 흑덕다리별집버섯
 (구멍장이버섯개칭)
P. tomentosus var. *orientalis* (Lloyd) Kawam.
 → *Onnia tomentosa* (Fr.) Karst. (귀구멍장이버섯)
- Perenniporus* 흰구멍버섯속
P. medulla-panis (Fr.) Donk. 흰구멍버섯
- Porodisculus* (= *Ungulina*) 그물코버섯속
P. pendulus (Schw.) Murr. 그물코버섯
- Poria* 구멍버섯속
P. cocos (Fr.) Wolf. 북령
 = *Wolfiporia cocos* (Schw.) Kyu. et Gilbn
P. eupora (Karst.) Cooke 살색구멍버섯
 = *Junghnia nitida* (Pers. : Fr.) Ryv.
P. medullapanis (Fr.) Cooke 흰구멍버섯
P. subacida (Peck) Sacc. 금빛구멍버섯
P. vaporaria Pers. 좀털구멍버섯
P. versipora (Pers.) Romell 좀구멍버섯
 = *Schizopora paradoxa* (Fr.) Donk
- Antrodia* (= *Coriolellus*) 구멍주름버섯속
A. mollis (Sommerf.) Karst. 구멍주름버섯
- Hapalopilus* 반달버섯속
H. rutilans (Pers. : Fr.) Karst. 노란반달버섯
- Trametes* (= *Earliella*) 송편버섯속
T. acuta (Berk.) Imaz. 흰송편버섯
T. albida (Fr.) Bond. et Galz. 흰그물송편버섯
T. cinnabarina (Jacq.) Fr. (주걱송편버섯)
 → *Pycnoporus cinabarius* (Fr.) Karst.
T. coccinea Fr. (간버섯)
 → *Pycnoporus coccineus* (Fr.) Bond. et Sing

- T. dickinsii* Berk. : Cke. (등갈색송편버섯) (웃솔구름버섯개칭)
 →*Daedalea dickinsii* (Berk. : Cke.) Yasuda
T. gibbosa (Pers. Fr.) Fr. 대합송편버섯
T. heteromorphus (Fr.) Lloyd 그물송편버섯
T. hispida Bagl. 큰송편버섯
T. kusanoana Imaz. 벌레송편버섯
T. multicolor (Schaeff.) Tul. 밤색송편버섯
 =*T. zonata* (Fr.) Pil.
T. orientalis (Yasuda) Imaz. 시루송편버섯
 =*Polystictus orientalis* Yasuda
T. palisoti (Fr.) Imaz. 살송편버섯
 =*Lenzites repanda* (Pers.) Fr.
T. sanguinea (L. : Fr.) Lloyd (간버섯 : 誤)
 =*Pycnoporus coccineus* (Fr.) Aoshima
T. suaveolens (L.) Fr. 송편버섯
T. trogii Berk. 토기털송편버섯
- Pycnoporus* 간버섯속(신칭)
P. cinnabarinus (Fr.) Karst. 주걱간버섯
 (주걱송편버섯)
P. coccineus (Fr.) Bond. et Sing. 간버섯
- Gloeophyllum* (= *Lenzites*) 조개버섯속
G. abietinum (Dicks. : Fr.) Karst. 전나무조개버섯
G. saepiarium (Wulf. : Fr.) Karst. 조개버섯
G. subferrugineum (Berk.) Bond. et Sing. 밤갈색조개버섯
- Irpex* 기계충버섯속
I. lacteus Fr. 기계충버섯
- Hirschioporus* (= *Trichaptum*) (웃솔버섯속)
H. abietinus (Fr.) Donk (웃솔버섯)
 →*Trichaptum abietinum* (Fr.) Ryv.
H. fuscoviolaceus (Fr.) Donk (웃솔구름버섯)
 →*Trichaptum fuscoviolaceum* (Fr.) Ryv.
- Trichaptum* 웃솔버섯속
T. abietum (Fr.) Ryv. 웃솔버섯
 =*Hirschioporus abietinus* (Fr.) Donk
T. biforme (Fr.) Ryv. 태웃솔버섯
 =*Coriolus pargamenus* (Fr.) Pat.
- T. fuscoviolaceum* (Fr.) Ryv. 기와웃솔버섯
 =*Hirschioporus fuscoviolaceus* (Fr.) Donk
- Daedalea* (= *Phaeodaedalea*) 미로버섯속
D. biennis (Bull.) Fr. (유관버섯)
 →*Abortiporus biennis* (Fr.) Sing.
D. dickinsii (Berk. ex Cooke) Yasuda
 등갈색미로버섯(등갈색송편버섯개칭)
 =*Trametes dickinsii* Berk. ex Cke.
D. quercina Fr. 미로버섯
- Lenzites* (= *Cellularia*) 조개껍질버섯속
L. betulina (L. : Fr.) Fr. 조개껍질버섯
L. acuta Berk. 큰조개껍질버섯
- Daedaleopsis* 도장버섯속
D. conchiformis Imaz. 그물도장버섯
D. confragosa (Fr.) Schroet. 도장버섯
D. purpurea (Cooke) Imaz et Aoshima
 일본도장버섯
D. tenuis (Fr.) Imaz. 가는도장버섯
D. tricolor (Bull. : Fr.) Bond. et Sing. 삼색도장버섯
D. styracina (P. Henn. et Shirai) Imaz. 매죽도장버섯
 =*Daedalea styracina* P. Henn. et Shirai
- Piptoporus* 자작나무버섯속
P. betulinus (Bull. : Fr.) Karst. 자작나무버섯
- Coriolus* (= *Hansenia*) 구름버섯속
C. brevis (Berk.) Aoshima 송곳니구름버섯
 =*C. consors* (Berk.) Imaz.
C. elongatus (Berk.) Pat. 흰이구름버섯
C. hirsutus (Wulf. : Fr.) Quél. 흰구름버섯
C. pargamenus (Fr.) Pat. (웃솔구름버섯)
 →*Trichaptum biforme* (Fr.) Ryv.
C. polyzonus (pers.) Imaz. 갈색구름버섯
C. pubescens (Fr.) Quél. 흰용털구름버섯
 =*Trametes pubescens* (Fr.) Pil.
C. versicolor (L. : Fr.) Quél. 구름버섯

- C. zonatus* (Nees. : Fr) Quél 밤색구름버섯
= *Polystictus zonatus* (Nees) Fr.
- C. pinsitus* (Fr.) Pat. 회색구름버섯
- C. unicolor* (Fr.) Murr. (단색구름버섯)
→ *Cerrena unicolor* (Fr.) Murr.
- Abortiporus* 유관버섯속(신칭)
- A. biennis* (Bull. : Fr.) Sing. 유관버섯
= *Daedalea biennis* (Bull.) Fr.
- Cerrena* 털구름버섯속(신칭)
- C. unicolor* (Fr.) Murr. 단색털구름버섯
= *Coriolus unicolor* (Fr.) Pat.
(단색구름버섯개칭)
- Datronia* (= *Antrodia*) 구멍주름버섯속
- D. mollis* (Sommerf. : Fr.) Donk 구멍주름버섯
= *Antrodia mollis* (Sommerf.) Karst.
- Laetiporus* 덕다리버섯속
- L. sulphureus* (Fr.) Murr. 덕다리버섯
- L. sulphureus* var. *miniatus* (Jung.) Imaz.
붉은덕다리버섯
- Tyromyces* 개떡버섯속
- T. borealis* (Fr.) Imaz. 물렁개떡버섯
= *Climacocystis borealis* (Fr.) Kotl. et Pouz.
- T. caesius* (Fr.) Murr. (푸른개떡버섯)
→ *Oligoporus caesius* (Fr.) Gilbn. et Ryv.
- T. incarnatus* Imaz. 주황개떡버섯
- T. lacteus* Fr. (적색개떡버섯)
→ *Oligoporus tephroleucus* (Fr.) Gilb. et Ryv.
- T. sambuceus* (Lloyd) Imaz. 명아주개떡버섯
- Oligoporus* 손등버섯속(신칭)
- O. caesius* (Schrad. : Fr.) Gilbn. et Ryv.
푸른손등버섯
= *Tyromyces caesius* (Schrad. : Fr.) Murr.
(푸른개떡버섯개칭)
- O. tephromycus* (Fr.) Gilbn. et Ryv. 적색손등버섯
(적색개떡버섯개칭)
= *Tyromyces lacteus* (Fr.) Murr.
- Bjerkandera* (= *Myriadoporus*) 줄버섯속
- B. adusta* (Willd. : Fr.) Karst. 줄버섯
= *Gloeoporus adusta* (Fr.) Pilát.
- Fomes* (= *Placodes*) 말굽버섯속
- F. fomentarius* (L. : Fr.) Fr. 말굽버섯
- Fomitopsis* 잔나비버섯속
- F. castanea* Imaz. (검은잔나비버섯)
→ *F. nigra* (Berk.) Imaz.
- F. cytisina* (Berk.) Bond. et Sing. (흑잔나비버섯)
→ *Fomitella fraxinea* (Fr.) Imaz.
- F. insularis* (Murr.) Imaz. (벽돌빛잔나비버섯)
→ *Heterobasidion insularis* (Murr.) Ryv.
- F. latissima* (Bres.) Imaz. (떡갈나무잔나비버섯)
→ *Fomitella latissima* (Bres.) Aosh.
- F. nigra* (Berk) Imaz. 검은잔나비버섯
= *F. castanea* Imaz.
- F. vinosa* (Berk.) Imaz. 포도색잔나비버섯
- F. officinalis* (Fr.) Kotl. et Pouz. (말굽잔나비버섯)
→ *Laricifomes officinalis* (Vill. : Fr.)
Kotl. et Pouz
- F. pinicola* (Swartz. : Fr.) Karst. 소나무잔나비버섯
- F. rhodophaeus* (Lev.) Imaz. 넓적잔나비버섯
- F. rosea* (A. et S. : Fr.) Karst. 장미잔나비버섯
- Heterobasidion* 뿌리버섯속(신칭)
- H. insularis* (Murr.) Ryv. 벽돌빛뿌리버섯
= *Fomitopsis insularis* (Murr.) Imaz.
(벽돌빛잔나비버섯개칭)
- Laricifomes* 말굽잔나비버섯속(신칭)
- L. officinalis* (Fr.) Kotl. et Pouz. 말굽잔나비버섯
= *Fomitopsis officinalis* (Fr.) Kotl. et Pouz.
- Fomitella* 재목버섯속(신칭)
- F. fraxinea* (Fr.) Imaz. 아까시재목버섯
(흑잔나비버섯개칭)
= *Fomitopsis cytisina* (Berk.) Bond. et Sing.
- F. latissima* (Bres.) Aoshi. 거북껍질재목버섯

(떡갈나무잔나비버섯개칭)
=*Fomitopsis latissima* (Bres.) Imaz.

Microporus (= *Lignosus*) 메꽃버섯속
M. flabelliformis (Fr.) O. Kuntze 부채메꽃버섯
M. luteus (Blume et Nees) Kuntze 황갈색메꽃버섯
M. vernicipes (Berk.) O. Kuntze 메꽃버섯부치
=*M. affinis* sensu Imaz.

Grifola (= *Polypillus*) 잎새버섯속
G. albicans Imaz. 다막잎새버섯
G. frondosa (Dicks. : Fr.) S.F. Gray 잎새버섯
G. gigantea (Fr.) Pilát. 왕잎새버섯
=*Meripilus giganteus* (Pers. : Fr.) Karst.
G. umbellata (Fr.) Pilát. (저령)
→*Dendropolyporus umbellatus* (Fr.) Jul.

Dendropolyporus 저령속(신칭)
D. umbellatus (Fr.) Jul. 저령
=*Grifola umbellatus* (Fr.) Pilát.

Truncospora (= *Ungulina*) 코르크버섯속
T. truncatospora (Lloyd) S. Ito 코르크버섯

Polyporellus (= *Lentus*) 겨울우산버섯속
P. badius (Pers.) Imaz. 검정대겨울우산버섯
=*P. picipes* (Fr.) Karst.
P. brumalis (Fr.) Karst. 겨울우산버섯
P. squamosus (Fr.) Karst. 개덕다리겨울우산버섯
=*Polyporus squamosus* Fr.
P. varius (Pers. : Fr.) Karst. 노란대겨울우산버섯
=*P. elegans* (Fr.) Karst.

Favolus (= *Hexagonia*) (별집버섯속)
→*Polyporus* (구멍장이버섯속)
F. alveolarius (Fr.) Quél (별집버섯)
→*Polyporus alveolarius* (Fr.) Bond et Sing.
F. arcularius (Fr.) Ames (좀별집버섯)
→*Polyporus arcularius* Fr.

Cryptoporus 한입버섯속
C. volvatus (Peck) Shear 한입버섯
=*Polyporus volvatus* Peck

SCUTIGERACEAE 방패버섯과(신칭)
Albatrellus 방패버섯속(신칭)
A. caeruleoporus (Peck.) Pouz 초록방패버섯
(초록구멍장이버섯개칭)
A. confluens (Fr.) Kolt. et Pouz. 다발방패버섯
(다발구멍장이버섯개칭)
A. dispansus (Lloyd.) Canf. et Gilbn. 꽃방패버섯
(꽃구멍장이버섯개칭)

GANODERMATACEAE 불로초과
Ganoderma 불로초속
G. lucidum (Leyss. : Fr.) Karst. 불로초(영지버섯)
G. neo-japonicum Imaz. 자홍색불로초
(일본불로초)
G. tsugae Murr. 쓰가불로초

Elfvingia 잔나비걸상속
E. applanata (Pers.) Karst. 잔나비걸상

RAMARIACEAE 찌리버섯과
Ramaria 찌리버섯속
R. apiculata (Fr.) Donk 바늘찌리버섯
R. aurea (Schaeff. : Fr.) Quél. 황금찌리버섯
R. botrytis (Pers. : Fr.) Ricken 찌리버섯
R. campestris (Yokoy. et Sag.) Petersen
흰끝찌리버섯(황토찌리버섯)
=*R. zippelii* var. *campestris* Yokoy. et Sag.

R. flaccida (Fr.) Ricken 다막찌리버섯
R. flava (Schaeff. : Fr.) Quél 노랑찌리버섯
R. formosa (Pers. : Fr.) Quél 붉은찌리버섯
R. grandis (Peck) Corner 흰끝찌리버섯
R. nigrescens (Brinkm.) Donk 검정찌리버섯
R. obtusissima (Peck) Corner 도가머리찌리버섯
R. sanguinea (Pers.) Quél 자주색찌리버섯
R. sinapicolor Corner 은행찌리버섯
R. subbotrytis (Coker) Corner 산호찌리버섯

Lentaria (뱅어버섯속)
L. mucida (Fr.) Corner (끈적뱅어버섯)
 →*Multiclavula mucida* (Fr.) Petersen

Multiclavula 더듬이버섯속(신칭)
M. mucida (Pers. : Fr.) Petersen 더듬이버섯
 (끈적뱅어버섯개칭)
 =*Lentaria mucida* (Pers. : Fr.) Corner

PTERULACEAE 깃싸리버섯과
Pterula 깃싸리버섯속
P. subulata Fr. 바늘깃싸리버섯

CLAVARIADELPHACEAE 방망이싸리버섯과(신칭)
Clavariadelphus 방망이싸리버섯속
C. ligula (Schaeff. : Fr.) Donk

붉은방망이싸리버섯
C. pistillaris (L.) Donk 방망이싸리버섯

CLAVULINACEAE 창싸리버섯과
Clavulinopsis 창싸리버섯속
C. fusiformis (Sow. : Fr.) Corner 노란창싸리버섯
C. helvola (Pers. : Fr.) Corner 좀노란창싸리버섯
C. miyabeana S. Ito 붉은창싸리버섯
C. pulchra (Peck) Corner 주걱창싸리버섯

Clavulina 벚싸리버섯속
C. amedhystina (Fr.) Donk 자수성벚사리버섯
C. cristata (Holmsk. : Fr.) Schroet 벚싸리버섯

CLAVARIACEAE 국수버섯과
Clavicornona 나무싸리버섯속
C. pyxidata (Pers. : Fr.) Doty 좀나무싸리버섯
C. turgida (Lév.) Corner 넉가래나무싸리버섯

Clavaria 국수버섯속
C. purpurea Fr. 자주국수버섯
C. vermicularis Fr. 국수버섯
C. zollingerii Lév. 자주싸리국수버섯

Ramariopsis 쇠뜨기버섯속

R. kuntzei (Fr.) Donk 쇠뜨기버섯

PROTOHYMENOMYCETIDAE

원생모균아강
 DACRYMYCETALES 붉은목이목
 DACRYMYCETACEAE 붉은목이과
Guepinia 허버섯속
G. fissa Berk 가는허버섯
G. spathularia Fr. 허버섯

Calocera 아교뿔버섯속
C. cornea (Batsch : Fr.) Fr. 아교뿔버섯
C. viscosa (Pers. : Fr.) Fr. 등황색끈적싸리버섯

Dacrymyces 붉은목이속
D. palmatus (Schw.) Brut. 손바닥붉은목이

EXOBASIDIALES 떡병균목
 EXOBASIDIALEAE 떡병균과
Exobasidium 떡병균속
E. japonicum Shirai 진달래나무떡병균
E. reticulatum Ito et Sawada 차그믐떡병균

TULASNELLALES 가지잘록병균목
 CERATOBASIDIACEAE 가지잘록병균과(신칭)
Pellicularia (= *Ceratobasidium*) 가지잘록병균속
P. filamentosa (Pat.) Rogers 가지잘록병균
P. rolfsii (Sacc.) West. 외따위흰비단병균
P. sasakii (Shirai) S. Ito 버잎집무늬마름병균

PHARAGMOBASIDIOMYCETIDAE

격실달자균아강
 AURICULARIALES 목이목
 AURICULARIACEAE 목이과
Auricularia 목이속
A. auricula (Hook.) Underw. 목이
 =*A. auricula-judae* (Fr.) Schrot.
A. hispida Iwade 그믐목이
A. mesenterica (Dick.) Pers. 주름목이
A. polytricha (Mont.) Sacc. 털목이

Helicobasidium 날개무늬병균속

<i>H. mompa</i> Tanaka	자주빛날개무늬병	<i>Kobayasia</i>	흰빵버섯속
		<i>K. nipponica</i> (Kobay.) Imai et Kawam.	흰전빵버섯
SEPTOBASIDIALES	고약병균목	TULOSTOMATALES	연지버섯목
SEPTOBASIDIACEAE	고약병균과	CALOSTOMATACEAE	연지버섯과
<i>Septobasidium</i>	고약병균속	<i>Calostoma</i>	연지버섯속
<i>S. bogoriense</i> Pát.	젓빛고약병균	<i>C. ravenellii</i> (Berk.) Mass.	연지버섯부치
<i>S. tanakae</i> (Miyabe) Boed. et Steinm.	갈색고약병균	<i>C. japonicum</i> P. Henn.	연지버섯
= <i>Helicobasidium tanakae</i> Miyabe			
TREMELLALES	흰목이목	ASTRAEACEAE	먼지버섯과(신칭)
TREMELLACEAE	흰목이과	<i>Astraeus</i>	먼지버섯속
<i>Exidia</i>	좁목이속	<i>A. hygrometricus</i> (Pers.) Morgan	먼지버섯
<i>E. glandulosa</i> Fr.	좁목이		
<i>E. uvapassa</i> Lloyd	아교좁목이	NIDULARIALES	찾잔버섯목
		NIDULARIACEAE	찾잔버섯과
<i>Tremella</i>	흰목이속	<i>Crucibulum</i>	찾잔버섯속
<i>T. foliacea</i> Fr.	꽃흰목이	<i>C. vulgare</i> Tul.	찾잔버섯
<i>T. fuciformis</i> Berk.	흰목이		
<i>T. globospora</i> Reid	방울흰목이	<i>Cyathus</i>	주름찾잔버섯속
		<i>C. stercoreus</i> (Schw.) De Toni	줄름찾잔버섯
GASTEROMYCETES	복균강	<i>C. striatus</i> Willd. : Pers.	줄름찾잔버섯
HYMENOGASTALES	알버섯목		
RHIZOPOGONACEAE	알버섯과	GEASTRACEAE	방귀버섯과
<i>Rhizopogon</i>	알버섯속	<i>Geastrum</i>	방귀버섯속
<i>R. rubescense</i> Tul.	알버섯	<i>G. mirabile</i> (Mont.) Fisch.	애기방귀버섯
		<i>G. namum</i> Pers.	꿀두기방귀버섯(개칭) (애기방귀버섯)
SCLERODERMATALES	어리알버섯목	<i>G. sessile</i> (Sow.) Pouz.	테두리방귀버섯
SCLERODERMATACEAE	어리알버섯과	= <i>G. fimbriatum</i> (Fr.) Fisch.	
<i>Scleroderma</i>	어리알버섯속	<i>G. triplex</i> (Jungh.) Fisch.	목도리방귀버섯
<i>S. areolatum</i> Ehrenb.	점박이어리알버섯		
= <i>S. lycoperdoides</i> Schw.		SPHAEROBOLACEAE	공버섯과
<i>S. bovista</i> Fr.	갯어리알버섯	<i>Sphaerobolus</i>	공버섯속
<i>S. cepa</i> Pers.	양파어리알버섯	<i>S. stellatus</i> (Tode) Pers.	공버섯
<i>S. citrinum</i> Pers.	황토색어리알버섯		
= <i>S. aurantium</i> (L.) Pers.		LYCOPERDALES	말불버섯목
<i>S. flavidum</i> Ell. et Ev.	벗짚어리알버섯	LYCOPERDACEAE	말불버섯과
<i>S. verrucosum</i> Pers.	어리알버섯	<i>Calvatia</i>	말징버섯속
		<i>C. craniiformis</i> (Schw.) Fr.	말징버섯
<i>Pisolithus</i>	모래발버섯속	<i>C. cyathiformis</i> (Bosc.) Morg.	큰말징버섯
<i>P. tinctorius</i> (Pers.) Coker et Couch	모래발버섯		

<i>C. gardeneri</i> (Berk.) Lloyd	팽이말장버섯	<i>Linderia</i>	밭뜯버섯속
		<i>L. bicolumnata</i> (Lloyd) Cunn.	계밭뜯버섯
<i>Lasiosphaera</i>	댕구알버섯속		
<i>L. nipponica</i> (Kawam.) Kobay	댕구알버섯	<i>Lysurus</i>	새주둥이버섯속
		<i>L. mokusin</i> (L. : Pers.) Fr.	새주둥이버섯
<i>Lycoperdon</i>	말볼버섯속		
<i>L. colossum</i> Kawam.	큰말볼버섯	<i>Pseudocolus</i>	세발버섯속
<i>L. foetidum</i> Bonord	악취말볼버섯	<i>P. schellenbergiae</i> (Sumst.) Johnson	세발버섯
<i>L. mammderforme</i> Pers.	비늘말볼버섯		
<i>L. muscorum</i> Morgan	이끼말볼버섯	TELIOMYCETES	감부기병균강(신칭)
<i>L. pedicellatum</i> Peck	긴꼬리말볼버섯	USTILAGINALES	감부기병균목(신칭)
<i>L. perlatum</i> Pers	말볼버섯	USTILAGINACEAE	감부기병균과
= <i>L. gemmatum</i> Batsch		<i>Ustilago</i>	감부기병균속
<i>L. pusillum</i> Batsch	애기말볼버섯	<i>U. maydis</i> (DC.) Corda	옥수수감부기병균
<i>L. pyriforme</i> Schaeff. : Pers.	좀말볼버섯		
<i>L. umbrinum</i> Pers.	너도말볼버섯	ASCOMYCOTINA	자낭균아문
		DISCOMYCETES	반균강
<i>Bovistella</i>	경단버섯속	PEZIZALES	주발버섯목
<i>B. radicata</i> (Dur. et Mont.) Pat.	경단버섯	PYROMENATACEAE(=HUMARIACEAE)	
			접시버섯과
PHALLALES	말뚝버섯목	<i>Scutellinia</i>	접시버섯속
PHALLACEAE	말뚝버섯과	<i>S. scutellata</i> (L.) Lambotte	접시버섯
<i>Phallus</i>	말뚝버섯속		
<i>P. costatus</i> (Penz.) Lloyd	노란말뚝버섯	<i>Aleuria</i>	들주발버섯속
<i>P. impudicus</i> Pers.	말뚝버섯	<i>A. aurantia</i> (Fr.) Fuckel	들주발버섯
<i>P. rugulosus</i> (Fisch.) O. Kuntze	붉은말뚝버섯		
		<i>Tarzetta</i>	땅주발버섯속
<i>Dictyophora</i>	망태버섯속	<i>T. catinus</i> (Fr.) Korf. et Rogers	갈색망주발버섯
<i>D. indusiata</i> (Vent. : Pers.) Fisch.	망태버섯	<i>T. cupularis</i> (Fr.) Lamb.	오목망주발버섯
<i>D. indusiata</i> f. <i>lutea</i> Kobayasi	분홍망태버섯		
		<i>Humaria</i>	사발버섯속
<i>Mutinus</i>	뱀버섯속	<i>H. hemisphaerica</i> (Wigg. : Fr.) Fuckel	갈색사발버섯
<i>M. bambusinus</i> (Zoll.) Fisch.	끝검은뱀버섯		
<i>M. caninus</i> (Pers.) Fr.	뱀버섯	<i>Trichophaea</i>	털종지버섯속
		<i>T. gregaria</i> (Rechem.) Boud.	무리털종지버섯
<i>Jansia</i>	머리말뚝버섯속		
<i>J. boninensis</i> (Fisch.) Lloyd	황갈색머리말뚝버섯	<i>Otidea</i>	짜진귀버섯속
		<i>O. alutacea</i> (Pers.) Masee	주머니짜진귀버섯
CLATHRACEAE	바구니버섯과	PEZIZACEAE	주발버섯과
<i>Clathrus</i>	바구니버섯속		
<i>C. ruber</i> (Micheli) Pers.	붉은바구니버섯		

<i>Peziza</i>	주발버섯속	SARCOSCYPHACEAE	술잔버섯과
<i>P. badia</i> Pers. : Fr.	자주주발버섯	<i>Wynnea</i>	다발귀버섯속
<i>P. badio-confusa</i> Korf.	고리주발버섯	<i>W. gigantea</i> Berk. et Curt.	다발귀버섯
<i>P. celtica</i> (Boud.) Moser	자갈색주발버섯	<i>Sarcoscypha</i>	술잔버섯속
<i>P. repanda</i> Pers.	넓은주발버섯	<i>S. coccinea</i> (S.F. Gray) Lamb.	술잔버섯
<i>P. vesiculosa</i> Bull.	주발버섯	= <i>Plectania coccinea</i> (Scop.) Fuckel	
<i>P. vesticulosula</i> Bull.	요강주발버섯		

<i>Pachyella</i>	쟁반버섯속	<i>Microstoma</i>	작은잎술잔버섯속
<i>P. clypeata</i> (Schew.) Le Gal	방패꼴쟁반버섯	<i>M. floccosa</i> (Schw.) Rait.	털작은잎술잔버섯

HELVELLACEAE

<i>Gyromitra</i>	안장버섯과	마귀곰보버섯속
<i>G. esculenta</i> (Pers.) Fr.	마귀곰보버섯	
<i>Helvella</i>	안장버섯속	
<i>H. crispa</i> (Scop.) Fr.	주름안장버섯	
<i>H. ephippioides</i> Imai	굵은대안장버섯	
<i>H. lacunosa</i> Fr.	안장버섯	
<i>H. pezizoides</i> Fr.	황회색안장버섯	
<i>H. sulcata</i> Fr.	검은안장버섯	

SARCOSOMATACEAE

<i>Galiella</i>	털고무버섯속
<i>G. celebica</i> (P. Henn.) Nannf.	갈색털고무버섯
<i>Urnula</i>	말미잘버섯속
<i>U. craterium</i> (Schw.) Fr.	말미잘버섯
<i>Sarcosoma</i>	고무술잔버섯속
<i>S. globosum</i> Casp.	고무술잔버섯

Leptopodia

<i>L. elastica</i> (St. Amans) Boud.	긴대안장버섯속	긴대안장버섯
--------------------------------------	---------	--------

Discina

<i>D. verosa</i> (Pers.) Fr.	게딱지버섯속	게딱지버섯
------------------------------	--------	-------

Macroscyphus (=Macropodia)

<i>M. macropus</i> Pers. : S.F. Gray	긴대주발버섯속	긴대주발버섯
--------------------------------------	---------	--------

Cyathipodia (=Macrocyphus)

	대주발버섯속(신칭)	
<i>C. cupuliformis</i> (Diss.) Breit.	노란대주발버섯	(노란긴대주발버섯개칭)
<i>C. villosa</i> (Hedwig) Boud	솜털대주발버섯	(솜털대긴주발버섯개칭)

Rhizina

<i>R. undulata</i> Fr.	땅해파리속	파상땅해파리
= <i>R. inflata</i> (Schaeff.) Karst.		

MORCHELLACEAE

<i>Morchella</i>	곰보버섯과	곰보버섯속
<i>M. esculenta</i> (L. : Fr.) Pers.	곰보버섯	
<i>M. crassipes</i> (Vent.) Pers.	굵은대곰보버섯	

HELOTIALES

GEOGLOSSACEAE

<i>Geglossum</i>	곰나물고무버섯속	곰나물고무버섯
<i>G. glabrum</i> Pers.		민콩나물버섯
<i>G. hirsutum</i> var. <i>capitatum</i> Gill.		검은콩나물버섯

<i>Cudonia</i>	투구버섯속
<i>C. circinans</i> (Pers.) Fr.	투구버섯
<i>C. confusa</i> Bresadola	갈색투구버섯
<i>C. japonica</i> Yasuda	노랑투구버섯

<i>Leotia</i>	두건버섯속
<i>L. chlorocephala</i> Schw.	연두두건버섯
<i>L. lubrica</i> (Scop. : Fr.) Pers.	콩두건버섯

<i>Spathularia</i>	넓적콩나물버섯속	<i>R. petiolorum</i> (Rob.) White	작은잎맥접시버섯
<i>S. clavata</i> Fr.	넓적콩나물버섯	<i>Ascocoryne</i>	짧은대꽃잎버섯속
<i>S. flavida</i> Per.	황금넓적콩나물버섯	<i>A. cylichnium</i> (Tul.) Korf.	짧은대꽃잎버섯
<i>Trichoglossum</i>	마귀술갈버섯속	<i>Hymenoscyphus</i>	술잔고무버섯속
<i>T. hirsutum</i> (Pers. : Fr.) Boud.	마귀술갈버섯	<i>H. fructigenus</i> (Bull.) S.F. Gray	상수리술잔고무버섯
<i>T. walteri</i> (Berk.) Dur.	왈트마귀술갈버섯	<i>H. pileatus</i> (Karst.) O. Kuntze	노란상수리술잔고무버섯
<i>Microglossum</i>	좁콩나물버섯속	<i>H. scutula</i> (Fr.) Phil.	긴자루술잔고무버섯
<i>M. rufum</i> Underw.	노란좁콩나물버섯	<i>Cyathicula</i>	자루술잔버섯속
<i>M. viride</i> (Pers. : Fr.) Gill.	녹색좁콩나물버섯	<i>C. aquilina</i> (Rehm.) Sacc.	이자루술잔버섯
HYALOSCYPHACEAE	거미줄종지버섯과	<i>C. cyathoidea</i> (Fr.) de Thuemen	황색자루술잔버섯
<i>Arachnopeziza</i>	거미줄종지버섯속		
<i>A. aurelia</i> (Pers.) Fuckel	거미줄종지버섯		
DERMATEACEAE	살갓버섯과	<i>Bisporella</i>	황고무버섯속
<i>Chlorosplenium</i>	녹청균속	<i>B. citrina</i> (Fr.) Korf. et Carpenter	황색고무버섯
<i>C. aeruginosum</i> (Gray) de Not.	녹청균	<i>B. sulfurina</i> (Qué.) Carp.	진황고무버섯
<i>C. chlora</i> (Fr.) Curt.	황녹청균		
<i>C. versiforme</i> (Fr.) de Not.	주걱녹청균	PYRENOMYCETES	핵균강
<i>Chlorociboria</i>	술잔녹청균속	CLAVICIPITALES	맥각균목
<i>C. aeruginascens</i> (Nyl.) Kanow. ex Raman.	변형술잔녹청균	CLAVICIPITACEAE	동충하초과
<i>Mollisia</i>	연한살갓버섯속	<i>Cordyceps</i>	동충하초속
<i>M. ventosa</i> Karst.	연한살갓버섯	<i>C. alboperitheciata</i> Kobay. et Shimi.	벌유충동충하초
SCLEROTINIACEAE	균핵버섯과	<i>C. discoideocapitata</i> Kobay. et Shimi.	파리동충하초
<i>Bulgaria</i>	고무버섯속	<i>C. intermedia</i> Imai	균핵동충하초
<i>B. polymorpha</i> (Oeder) Wettst.	고무버섯	<i>C. militaris</i> (Vuill.) Fr.	동충하초
= <i>B. inquinans</i> Fr.		<i>C. nigrella</i> (Kobay. et Shimi.) Kobay. et Shimi.	검은동충하초
<i>Helotium</i>	압정버섯속	<i>C. nutans</i> Pat.	노린재동충하초
<i>H. sulphurinum</i> Qué.	황고무압정버섯 (황고무버섯개칭)	<i>C. roseostromata</i> Kobay. et Shimi.	붉은동충하초
<i>Rustroemia</i>	자루접시버섯속	<i>C. scarabaeicola</i> Kobay.	딱정벌레동충하초
<i>R. americana</i> (Dur.) White	밤송이자루접시버섯	<i>C. sobolifera</i> (Hill) Berk. et Br.	매미동충하초
<i>R. macrospora</i> f. <i>gigaspora</i> Korf.	갈색자루접시버섯	<i>C. sphecocephala</i> (Klotz.) Sacc.	벌동충하초
		<i>C. tricorni</i> Yasuda	강충이동충하초
		<i>C. tuberculata</i> (Leb.) Maire	나방이동충하초
		<i>Claviceps</i>	맥각균속

<i>C. purpurea</i> Tul.	맥각균
SPHAERIALES	
XYLARIACEAE	
<i>Daldinia</i>	콩버섯목
<i>D. concentrica</i> (Bolt : Fr.) Ces. et de Not.	콩꼬투리버섯과
	콩버섯속
<i>D. vernicosa</i> (Schw.) Ces. et de Not.	콩버섯
	망콩버섯
<i>Xylaria</i>	콩꼬투리버섯속
<i>X. carpophila</i> (Pers.) Fr.	젓가락콩꼬투리버섯
<i>X. hypoxylon</i> (L.) Grev.	콩꼬투리버섯
<i>X. polymorpha</i> (Pers.) Grev.	다형콩꼬투리버섯
DIATRYPACEAE	
<i>Eutypa</i>	마른버짐버섯과
<i>E. acharii</i> Tul.	마른버짐버섯속
	단풍마른버짐버섯
HYPOCREACEAE	
<i>Hypocrea</i>	육좌균과
<i>H. pachybasioides</i> Doi.	검버섯속
<i>H. rufa</i> (Pers.) Fr.	백갈색검버섯
	검버섯
<i>Nectria</i>	알보리수버섯속
<i>N. cinnabarina</i> (Tode. : Fr.) Fr.	알보리수버섯

参考文献

Ainsworth, G.C., Sparrow, F.K. and Sussman, A.S. (1973): The Fungi IVA, A taxonomic review with keys: Ascomycetes and fungi imperfecti, Academic Press: 621pp.

Ainsworth, G.C., Sparrow, F.K. and Sussman, A. S. (1973): The Fungi IVB, A taxonomic review with keys: Basidiomycetes and Lower Fungi, Academic Press, 504pp.

Bok, J.D. and Shin, G.C. (1985): Taxonomic studies on the genus *Russula* of Korea, *Kor. J. Mycol.* 3(14): 237-246.

Breitenbach, J. and Kranzlin, F. (1984): Fungi of Switzerland Vol. 1, Ascomycetes, *Verlag Mykologia*, Switzerland, 310pp.

Breitenbach, J. and Kranzlin, F. (1986): Fungi of Switzerland Vol. 2, Nongilled fungi, *Verlag*

Mykologia, Switzerland, 411pp.

Cho, D.H. and Lee, J.Y. (1979): Higher fungi in the northern area of Kyungsang-bukdo, *Kor. J. Mycol.* 7(1): 1-7.

Cho, D.H. and Lee, J.Y. (1980): The flora of higher fungi in Mt. Mudeung area (I), *Kor. J. Mycol.* 8(2): 95-99.

Cho, D.H. and Lee, J.Y. (1981): The flora of higher fungi in Mt. Mudeung-area (II), *Kor. J. Mycol.* 9(2): 73-76.

Chung, Y.H. (1986): Commentary on the international code of botanical nomenclature, Academy Sojok, Seoul, 584pp.

Go, S.J., Cha, D.Y. and Park, Y.H. (1981): Intra-and intermatings among Strains of *Pleurotus ostreatus* and *P. Florida*, *Kor. J. Mycol.* 9(1): 13-18.

Hong, S.W. and Jang, Y.S. (1987): Notes on unrecorded flesh Ascomycetes in Korea, *Kor. J. Mycol.* 15(2): 76-79.

Imazeki, R. and Hongo, T. (1957): Coloured illustrations of fungi of Japan, Vol. I, Hoiskusha Pub. Co., Japan, 181pp.

Imazeki, R. and Hongo, T. (1965): Coloured illustrations of fungi of Japan, Vol. II, Hoikusha, Pub. Co., Japan, 238pp.

Imazeki, R. and Hongo, T. (1987): Coloured illustrations of mushrooms of Japan, Vol. I, Hoikusha Pub. Co., Japan, 325pp.

Jang, Y.S. and Hong, S.W. (1986): Notes on unrecorded flesh fungi of *Cordyceps* in Korea, *Kor. J. Mycol.* 14(1): 85-88.

Kawamura, S. (1955): Icones of Japanese fungi Vol. 1-8, Kamzashob, Kyoto, 863pp.

Korean Society of Mycol. (1987): Proposition for the unification of Korean name of mushrooms, *Kor. J. Mycol.* 2(1): 43-55.

Kim, Y.S., Park, Y.H. Shin, K.C. and Hongo, T. (1978): Notes on Korean Agaricales (II), *Kor. J. Mycol.* 6(2): 37-42.

Kim, Y.S., Cha, D.Y. and Park, Y.H. (1982): Notes on Korean Agricales, *Kor. J. Mycol.* 10(4): 207-212.

La, Y.J. and Shin, H.D. (1982): Wood-rotting Fungi collected In Suweon campus of Seoul National University (I), *Kor. J. Mycol.* 10(4): 203-206.

Lee, Y.N. and Cho, D.H. (1976): Basidiomycetes on Mt. Sobaek and Andong Areas with some addition to the Korean flora, *Kor. J. Mycobiol.* 14: 57-64.

- Lee, J.Y. and Cho, D.H. (1977): Notes on Korean higher fungi (II), *Kor. J. Mycol.* 5(2): 17-20.
- Lee, J.Y. and Cho, D.H. (1978): Notes on Korean higher fungi (IV), *Kor. J. Mycol.* 6(1): 43-52.
- Lee, J.Y. (1981): Taxonomical studies on Korean higher fungi for the publication of coloured illustrations, *Kor. J. Mycol.* 9(2): 77-91.
- Lee, J.Y. (1985): Proposed changed in common name of Korean higher fungi, *Kor. J. Mycol.* 13(1): 57-58.
- Lee, J.Y. and Hong, S.M. (1988): Illustrated flora & fauna of Korea (Vol. 28) Mushrooms, Ministry of Education of Korea, 962pp.
- Lee, J.Y. (1988): Coloured Korean mushrooms, Academy Co., Seoul, 356pp.
- Lee, J.Y. and Cho, D.H. (1989): The mycoflora of higher fungi in Mt. Wolchul, *Rep. of KACN* 27: 213-219.
- Lee, K.J., Koor, C.C. and Kim, Y.S. (1982): Four new species of mushrooms collected from *Pinus rigida* stand in Suweon, *Kor. J. Mycol.* 10(3): 125-129.
- Lee, K.J. and Kim, Y.S. (1983): A Comparative study on the composition of ectomycorrhizal fungi in pine and poplar stands, *Kor. J. Mycol.* 11(1): 9-13.
- Lee, Y.B. and Lee, J.Y. (1982): Taxonomical studies on Korean fungi of Ascomycetes for the publication of coloured illustrations, *Kor. J. Mycol.* 10(3): 101-110.
- Lincoff, G.H. et al. (1981): The audubon society field guide to north American mushrooms, Alfred A. Knopf, New York. 926pp.
- Miller, O.K. Jr. (1972): Mushrooms of north America, E.P. Dutton, New York. 368pp.
- Park, P.J., Lee, J.Y. and Otani, Y. (1985): Taxonomical studies on Discomycetes in Korea (I), *Kor. J. Mycol.* 13(1): 27-40.
- Park, S.S., Cho, D.H. and Lee, J.Y. (1986): The flora of higher fungi in Mt. Jiri areas (I), *Kor. J. Mycol.* 14(4): 247-252.
- Park, S.S., Cho, D.H. and Lee, J.Y. (1987): The flora of higher fungi in Mt. Muhack area (III), *Kor. J. Mycol.* 15(2): 71-75.
- Park, W.H., Min, K.H., Kim, Y.S., Park, Y.H. and Kim, B.K. (1988): Taxonomic investigations on Korean higher fungi (IV), *Kor. J. Mycol.* 16(4): 226-229.
- Phillips, R. (1981): Mushrooms and other fungi of Great Britain & Europe, Pan Books, London, 288pp.
- Singer, R. (1986): The Agaricales in modern taxonomy. 4th ed. Koeltz Scientific Books, Germany, 981pp. with 88 plates.
- Yang, S.C., Oh, D.C. and Lee, J.Y. (1977): The mycoflora of Aphyllophorales in Cheju island, *Kor. J. Mycol.* 15(3): 131-134.
- 金三純, 李址烈, 趙德炫 1978. 韓國產高等菌類記 (III), 서울女大論文集 7 : 333-345
- 金三純, 金養燮. 1990. 韓國產버섯圖鑑, 裕豊出版. 서울. 391 pp.
- 朴聖植, 趙德炫 1985. 舞鶴山一帶의 高等菌類 II. 忠州保健專門論文集 10.
- 朴重秀 外 5人, 1987 : 韓國產 버섯類 原色圖鑑. 農業技術研究所 : 304 pp.
- 林業試驗場, 1940 : 實用 鮮滿林業便覽. 林業試驗場 : 1058 pp.
- 李龍雨, 李德象 1958 : 韓國產菌類目錄 I, 林業試驗場 調查報告 : 48 pp.

Accepted for Publication 15, December, 1990