A Study of the Magnetic Filler for Suppositories by Mössbauer Spectroscopy

Tae Sung Do, Hyo Duk Nam, Se Gon Choi, Eng Chan Kim*

Department of Electronics, Yeungnam University, Kyongsan 712-749, Korea *Department of Physics, Yeungnam University, Kyongsan 712-749, Korea

Mössbauer spectroscopy methods are discussed when applied to test the properties of magnetic suppositories used in medicine.

The experiments were carried out on magnetic rectal suppositories containing parmadine and fine-dispersed ferrite powder ($BaO \cdot nFe_2O_3$) as a magnetic filler. According to the data on the value of effective magnetic field on ⁵⁷Fe nuclei in ferrite magnetic sublattices, the stoichiometric n-number equals approximately 5.5; this value corresponds to the composition range of optimal magnetic properties.

Introduction

Until recently Mössbauer spectroscopy has not been widely applied to medical problems, such as searching for new approaches to improve the efficiency of drugs. This method, however, appears to be unique for testing the medicinal composites since it allows to receive simultaneously information about both the local peculiarities of the substance being studied and its macroscopic properties. 1)

It is also important that, depending on the specific aims of Mössbauer phase analysis (MPA), the methods to extract information from Mössbauer spectra are to be varied widely.²⁾ The goal of this investigation was a study of phase composition of magnetic filler.

연락처 : 김 웅찬

영남대학교 이과대학 물리학과 Tel 053-810-2343, Fax 053-813-4465 e-mail eckim@ynucc.yeungnam.ac.kr

Experiment

We have investigated the magnetic rectal suppositories (MRS) containing parmidine (bis-N-methylcarbamine ester 2,6-bis oxymethyl pyridine).

The suppositories were prepared on the base of cacao-seed oil, vitepsol, alloy of 95% salomas and 5% emulgator No 1, and polyethyleneglycol (5% PEG-400 and 95% PEG-1500). Fine-dispersed powder of barium ferrite BaO·nFe₂O₃ (the size of particles~1µm) was used as a filler for MRS; its inclusion allowed controlling the rate of the drug release.

Mössbauer absorption spectra were measured means a conventional Mössbauer spectrometer with a 30mCi ⁵⁷Co/Cr source at room Range of investigated doppler temperature. velocities is up to 12mm/sec.3) Spectrometer was absorber calibrated using standard and nitroprusside Na₂Fe(CN)₅NO·2H₂O.

		1 1		
Type of	Magnetic	Isomer	Mgnetic	Quadrupole
Fe^{3+}	moment	shift δ ^a	field H _n	displacement ∈
-sites	orientation	(mm/s)	(kOe)	(mm/s)
12k	↑	0.62_{1}	4141	0.431
4f1	1	0.52_{1}	488_{1}	0.111
4f2	\downarrow	0.672	5162	0.18_{1}
2a	1	0.59_{2}	5073	0.03_{2}
2b		$_{-}$ 0.53 $_{2}$	403_{1}	2.51_{2}

Table 1. Model fitting results for the spectrum of the particles $BaO \cdot nFe_2O_3$ in the magnetic suppositorium

Results and Discussion

To obtain the optimal combination of suppository constituents it was necessary to elucidate whether the barium ferrite particles maintain their magnetic properties being introduced in suppository content.

For this purpose we used the data on magnetic hyperfine structure of the Mössbauer line of 57Fe nuclei in the particles of barium ferrite (see Table In accordance with the peculiarities of the 1). Ba-ferrite structure, Fe atoms occupy five nonequivalent, both crystallographically and magnetically, types of sites and, as a result, for a fine enough sample (the absorber thickness $d \le$ 0.2mg ⁵⁷Fe/cm²) the spectrum of magnetically ordered ferrite particles is a superposition of five partial Zeeman sextets with various intensities (see Fig. 1).4-7) The most intensive among them (it has half of the whole spectrum area) is the most sensitive to the n-number in the structural fomula BaO·nFe₂O₃^[2]. It should be noted that the value of the effective magnetic field $H_{\rm n}$ on $^{57}{\rm Fe}$ nuclei for the sites of the type mentioned (12k in standard notation) decreases due to the break of superexcahnge bonds with appearance of vacancies in the structure at decreasing n. Comparative analysis of model fitting data for magnetic suppository spectra and those for the initial component (BaO nFe₂O₃) shows high stability of

magnetic properties of the ferrite particles in suppository. The values of partial spectra parameters are in agreement with those known for the barium ferrite^[3] in both cases.

According to the value of H_n for the most intensive partial sextet⁸⁾, the composition of ferrite particles in suppositories appears to be optimal to maintain stoichiometric n-number of approximately 5.5. This n-value, as reported in 9), corresponds to the composition range of barium ferrites with optimal magnetic properties and, consequently, high efficiency of the suppository magnetic component.




Fig. 1. Mössbauer spectrum ⁵⁷Fe in the magnetic suppositorium at 300K and the result of its model fitting(the magnetic component-BaO·nFe₂O₃).

^a Relative to Na₂[Fe(CN)₅No] · 2H₂O.

Acknowledgements

We thanks to Professor V. I. Nikolaev and Doctor A. V. Bykov at general physics department of Moscow State University for assisting Mössbauer experiment with a 30mCi ⁵⁷Co/Cr Y-ray source.

This research was supported by the Yeungnam University Research Grants in 1997.

References

- 1 Bykov. A.V., Nikolaev V.I., Rusakov V.S.: Mosc. Univ. Bull. **42:**116 (1987).
- 2. Ok H.N.: *Mössbauer Spectroscopy*. Mineumsa, Seoul, p. 7, (1983)
- 3. Ok H.N., Lee S.W., Cho Y.C.: New Physics 12: 142 (1972)

- 4. Culity B.D., *Introduction to Magnetic Materials*. Addison-Wesley, Massachusetts, p. 198, (1972)
- Smit J., Wijn H.P.J.: Ferrites. Wiley, New York,
 p. 369, (1959)
- 6. Wieringen J.S., Grensen J.G.: Angew. Phys. 21:69 (1966)
- 7. Wieringen J.S.: Philips Tech. Rev. 28:33 (1967)
- 8. Baek K.S., Hahn E.J., Ok H.N.: Phys. Rev. B **36**: 763 (1987)
- 9. Zhurakovskiy E.A., Kirichok P.P.: *Electron Statesin Ferri-Magnets*. Naukova Dumka, Kiev, p. 114, (1985)
- 10. Evans B.J., Grandjean F., Lilot A.P., Vogel R.H., Gerard A.: J. Magn. and Magn. Mater. **67**:123 (1983)
- 11. Zhuravljov G.I.: Chemistry and Thechnology of Ferrites. Khimija, Leningrad, p. 99, (1970)

좌약제조를 위해 사용되는 자기물질 충전재에 대한 연구

영남대학교 공과대학 전기·전자공학부, 경북 경산 712-749 *영남대학교 이과대학 물리학과. 경북 경산 712-749

도 태 성, 남 효 덕, 최 세 곤, 김 응 찬*

뫼스바우어 분광법을 사용해서 의학에서 사용되는 자기물질을 포함하는 좌약들의 자기적 성질을 시험했다. 이번 실험들은 파르마딘(parmadine)과 자기물질 충전재로서 미세한 입자상태로 분포되어 있는 바륨 페라이트 분말 BaO·nFe₂O₃을 포함하고 있는 직장 내에 투여되는 좌약들에 대해 실시되었다.

바륨페라이트에 포함된 57 Fe 동위철 핵으로 인한 유효 자기장값에 따르면 바륨 페라이트 $\mathrm{BaO}\cdot n\mathrm{Fe}_2\mathrm{O}_3$ 의 구조공식 n 값은 대략 5.5였다.

이 값은 최적의 자기적 성질을 나타내는 좌약구성 성분비와 일치한다.