



Original Article

Perceptions of Emergency Contraceptive Pills among Young Korean Women*

Kang, Hee Sun¹⁾

1) Department of Nursing, College of Medicine, Chung-Ang University

*

1)

1)

Abstract

Purpose: The purpose of this study was to examine the perceptions regarding the use of Emergency Contraceptive Pills (ECPs) among young Korean women. **Method:** The study included 14 unmarried women aged 19 to 34 years (mean, 25 years). Data was collected by focus group interviews and an in-depth interview from July to November, 2005. Content analysis was conducted. **Result:** The four major themes that emerged were control of accessibility, safety concern, lack of knowledge and information, and ambivalence. Control of accessibility: Most of the participants stated a prescription is necessary although they might feel ashamed if they had to ask for an ECP. Safety concerns: Participants thought that taking an ECP would be harmful to their body. Lack of knowledge and information: Most of the participants felt that they did not know enough about ECPs and were willing to learn more. Ambivalence: The participants stated that they would take an ECP when needed and would recommend it to a friend although they were concerned about the

risks of ECPs. **Conclusion:** The results from this study suggest the need for an educational and awareness program to empower women to be able to make informed decisions on ECPs when needed.

Key words : Contraception, Perception, Women

가

Han, 2002).

가

(Lee, 2002; Park & 가

* 2005 : 2006. 2. 21 1 : 2006. 3. 30 2 : 2006. 5. 18 3 : 2006. 6. 5 : 2006. 6. 9

• Address reprint requests to : Kang, Hee Sun

Department of Nursing, College of Medicine, Chung-Ang University
221 Heuksukdong Dongjakku, Seoul 156-756, Korea
Tel: 82-2-820-5699 Fax: 82-2-824-7961 E-mail: goodcare@cau.ac.kr

2.

(Lee, 2002).

가 ,

(Kim, Kim, Lee, & Lee, 2000).

가 () 1998 11 2000 10

가 가

가 (Chuang & Freund, 2005; Kettyle & Klima, 2002).

가 ,

2000)가 (Planned Parenthood Federation of Korea,

2005 7 12 14
(4 , 3 , 6 1

2006), (Lee, Park, & Lee,

, 1 2

3.

가

. 1)

, 2)

, 3)

, 4)

?’

1.

4.

Kruger(1997)가

같이 가자고해서 자기라는 말은 못하고 우리 엄마가 원한다고 하니까 의사 처방이 있어야 된다고 하더라고요. 그런데 그게 의힘호 낱간에 부딪히니까 포기하게 되더라고요.’

‘의사진단을 받으러 가기도 귀찮고 부끄러우니까 잘 안 쓰게 된다고 하더라고요. 손쉽게 가게 되지는 않거든요.’

3)

가가

가

가

가

가

가

가

TV

가

가 가

가

< >

‘처방전은 당연히 받아야 한다고 생각해요... 요즘엔 감기 약도 종합 감기약 같은 게 아니면 병원을 가야 되잖아요.’
‘의사선생님과 상담을 하고 나서 그 약을 구입해서 먹는 거랑, 그냥 내가 생각 없이 막연한 생각으로 약국 가서 사먹는 것과는 많이 다를 거라고 생각해요. 어느 정도 부작용에 대해서도 그 사람에게 어느 정도의 설명을 해줄 수 있는 거잖아요.’

< >

‘내가 성관계를 가졌다는 사실이 남에게 알려지는 게 우리나라는 아직까지 그렇게 개방되어 있는 게 아니라서 남들이 날 어떻게 볼까하는 그런 시선들이 많이 신경 쓰일 것 같아요.’
‘자신의 신상에 대해 기록한다는 것, 데이터로 남겨진다는 것 자체가.... 난 그냥 남겨지지 않고 그냥 약만 원하는데 그런 것들도 다 적어야 되고, 그래도 어느 정도 프라이빗 한 건데, 약을 샀다는 것은 성관계를 했다는 것이고, 그런 거에 대해서 남에게 노출된다는 게 좋을 리는 없잖아요 꺼려지고’

< >

‘저는 그냥 약국에 가면 그냥 줄 줄 알았어요. 제 친구가

< >

‘응급피임약이 지금 약국에서 그냥 살 수 있는 피임약보다 어떻게 더 많이 위험한 건지, 아니면 약국에서 지금 사용하는 피임약처럼 그렇게 사용을 해도 되는 건지 그런 걸 사람들이 잘 모르는 것 같아요 저도 지금 그런 것에 대해서 잘 모르겠거든요. 응급 피임약이 어느 정도로 많이 사용하면 얼마나 위험한거고, 그게 부작용이 나타나서 나중에 어떠한 영향이 있는지 모르니까 그런 걸 많이 알려야 할 것 같아요.’

‘48시간인지 72시간인지 잘 모르겠는데’ ‘저는 솔직히 처방전이 있어야 사는 건지 몰랐어요.’ ‘한번 쓸 때는 약혼가 랜찮은데 많이 쓰면 약혼가 떨어진다고 들었거든요’

< >

‘중·고등학교 때부터 교육을 시작하는 게 가장 좋을 것 같거든요. 다른 매체를 통해서구나 이런 매체를 통해서 교육을 한다는 거 자체가 조금은 어려운 거 같아요. 어쨌든

이거에 대한 광고로 받아들여지기 때문에 별로 홍보할 것 같지도 않고, 일단 학교나 이런 매체에서 보건교사가 교육을 시키는 게 좋을 거 같아요.’

< >
‘응급피임약에 대해 여성들이 많이 접하지 못하고 정보가 없고’ ‘아직 홍보가 덜 된 것 같으므로. 좀 더 많은 홍보를 해야 될 필요가 있다.’

‘드라마에서도 피임에 대해서 말하는 게 자연스러워졌잖아요. 그런 것도 해줬으면 좋겠고, 지금 드라마를 보면 거의 큰돈 아니면 낙태, 거의 두 가지가 나오니까 그런 걸 다른 곳에서도 쉽게 접할 수 있었으면 좋겠어요.’

4) 가

가

가

< >
‘내 뭉에 좋지 않은 것이라는 생각이 많을 것 같아요. .. 두려울 것 같아요. 정직한 사람들은 그걸 다 감수하면서 사 용하겠죠... 응급피임약은 12시간 간격으로 두 번씩 먹으면 되는데 낙태는 수술을 해야 되는 거잖아요... 약을 임신은 원 하지 않는다면 권해줄 것 같아요’

< >
‘여성들이면 누구나 다 알고 있어야 될 거 같고요... 특히 청소년들이 알게 되면 무분별하게 사용할 것 같아요.’

가

가

가

가

(FDA)

(WHO)

(Cardy, 1995;

Trussell, Ellertson, Stewart, Raymond, & Shochet, 2004)

가

57%

가

(Harper & Ellertson, 1995),

(Ikeme, Ezegwui, & Uzodimma, 2005).

가

Free, Lee Ogden(2002)

가

가

100%

가

1.1%,

3.2% (TFPMFR, 1998).

가

()

(Harper & Ellertson, 1995; Ikeme et al., 2005),

(Kettyl & Klima, 2002)

- nurse-midwives. *J Midwifery Womens Health*, 47(2), 68-73.
- Kim, S. J., Kim, H. J., Lee, K. J., & Lee, S. O. (2000). Focus group as research method. Seoul: Hyunmoonsa.
- Kruger, R. A. (1997). *Analyzing & reporting focus group results*. Group Kit 6, Sage Publication.
- Lee, I. S., Park, E. H., & Lee, J. J. (2006). A survey of attitude toward sex of unmarried women in South Korea. *Korean J Obstetrics and Gynecology*, 49(1), 1-11.
- Lee, S. H. (2002). Emergency contraception. *J Korean Acad Fam Med*, 23(6), 706-714.
- Marston, C., Meltzer, H., & Majeed, A. (2005). Impact on contraceptive practice of making emergency hormonal contraception available over the counter in Great Britain: Repeated cross sectional surveys. *BMJ*, 331(7511), 1-5.
- Olsen, C., Santarsiero, E., & Spatz, D. (2002). Qualitative analysis of African-American adolescent females' beliefs about emergency contraceptive pills. *J Pediatr Adolesc Gynecol*, 15, 285-292.
- Park, S. H., & Han, J. H. (2002). Effectiveness and side effects of emergency contraceptive pills. *J Korean Public Health Assoc*, 28(2), 121-126.
- Planned Parenthood Federation of Korea (2000, December). *Evaluation report on emergency contraception use*. Seoul: Planned Parenthood Federation of Korea.
- Raine, T. R., Harper, C. C., Rocca, C. H., Fischer, R., Padian, N., Klausner, J., & Darney, P. (2005). Direct access to emergency contraception through pharmacies and effect on unintended pregnancy and STIs: A randomized controlled trial. *JAMA*, 293, 54-62.
- Romo, L., Berenson, A., & Wu, Z. (2004). The role of misconceptions on Latino women's acceptance of emergency contraceptive pills. *Contraception*, 69, 227-235.
- Rowlands, S., Devalia, H., Lawrenson, R., Logie, J., & Inejchen, B. (2000). Repeated use of hormonal emergency contraception by younger women in the UK. *Br J Fam Plann*, 26, 138-143.
- TFFPMFR-Task Force on Postovulatory Methods of Fertility Regulation (1998). Randomized controlled trial of levonorgestrel versus the Yuzepé regimen of combined oral contraceptives for emergency contraception. *Lancet*, 352, 428-433.
- Trussell, J., Ellertson, C., Stewart, F., Raymond, E. G., & Shochet, T. (2004). The role of emergency contraception. *Am J Obstet Gynecol*, 190, S30-38.
- Wan, R., & Lo, S. (2005). Are women ready for more liberal delivery of emergency contraceptive pills? *Contraception*, 71, 432-437.
- Weismiller, D. G. (2004). Emergency Contraception. *Am Fam Physician*, 70(4), 707-714.