

대칭특성을 이용한 타원형 객체의 외형기반 부분인식에 관한 연구

조 준 서[†]

요 약

이 논문에서 겹쳐지고 잘린 이미지내의 타원형 객체들 가운데 부분적으로 겹쳐져 보이지 않는 외형과 영역을 재구성하고 계산하기 위한 방법을 제안한다. 대칭적인 속성에 기반을 두고, 불완전한 객체 인식을 위해 타원형 객체의 윤곽에 기반을 둔 방법이다. 이 방법은 한 객체 안에서 대칭 축을 이용하는 영역 복사를 통한 겹쳐져 보이지 않는 영역을 재구성하는 간결한 기교를 제공한다. 부분적으로 겹쳐져 보이지 않는 영역에 대한 측정된 변수에 기반을 두고, 분류 트리의 객체 인지를 수행하는데, 이 방법은 통계 수치보다 대칭에 기반을 둔 객체 재구성에 의존하기 때문이다. 이는 크기 변경과, 객체의 자세, 회전, 등에서 비록 객체 자세에는 한계를 가지고 있지만 부분적으로 겹쳐져 보이지 않는 객체의 인지에서 탁월하다.

키워드 : 객체, 이미지, 외형, 인식, 대칭

Contour-Based Partial Object Recognition Of Elliptical Objects Using Symmetry

June-Suh Cho[†]

Abstract

In This Paper, We Propose The Method To Reconstruct And Estimate Partially Occluded Elliptical Objects In Images From Overlapping And Cutting. We Present The Robust Method For Recognizing Partially Occluded Objects Based On Symmetry Properties, Which Is Based On The Contours Of Elliptical Objects. A Proposed Method Provides Simple Techniques To Reconstruct Occluded Regions Via A Region Copy Using The Symmetry Axis Within An Object. Based On The Estimated Parameters For Partially Occluded Objects, We Perform Object Recognition On The Classifier. Since A Proposed Method Relies On Reconstruction Of The Object Based On The Symmetry Properties Rather Than Statistical Estimates, It Has Proven To Be Remarkably Robust In Recognizing Partially Occluded Objects In The Presence Of Scale Changes, Object Pose, And Rotated Objects With Occlusion, Even Though A Proposed Method Has Minor Limitations Of Object Poses.

Key Words : Object, Image, Contour, Recognition, Symmetry

1. Introduction

There are many research efforts in object recognition. Most existing methods for object recognition are based on full objects. However, many images contain multiple objects with occluded shapes and regions. Due to the occlusion of objects, image retrieval can provide incomplete, uncertain, and inaccurate results. To resolve this problem, we propose new method to reconstruct objects using symmetry properties since most objects in a given image da-

tabase are represented by symmetrical figures.

Even though there have been several efforts in object recognition with occlusion, currents methods have been highly sensitive to object pose, rotation, scaling, and visible portion of occluded objects. In addition, many appearance-based and model-based object recognition methods assumed that they have known occluded regions of objects or images through extensive training processes with statistical approach. However, a new approach is not limited to recognizing occluded objects by pose and scale changes, and does not need extensive training processes.

Unlike existing methods, a proposed method finds shapes and regions to reconstruct occluded shapes and regions within objects. We assume that we only consider

* 본 논문은 2006년도 한국외국어대학교 교내학술연구비 지원에 의하여 연구된 것임.

† 정 회 원 : 한국외국어대학교 경영학과 조교수
논문접수 : 2006년 1월 25일, 심사완료 : 2006년 3월 15일

the elliptical objects in recognition. A proposed approach can handle object rotation and scaling for dealing with occlusion, and does not require extensive training processes. The main advantage of a proposed approach is that it becomes simple to reconstruct objects from occlusions using symmetry. We present the robust method, which is based on the contours of objects, for recognizing partially occluded objects based on symmetry properties. The contour-based approach finds a symmetry axis using the maximum diameter from the occluded object.

In experiments, we demonstrate how a proposed method reconstruct and recognize occluded shapes and regions using symmetry. Experiments use rotated and scaled objects for dealing with occlusion. We use mirror symmetry to find possible occluded regions in objects. We also evaluate the recognition rate of the reconstructed objects using symmetry and the visible portion of the occluded objects for recognition.

2. Related Work

There have been several research efforts in object recognition. Krumm [13] proposed a new algorithm for detecting objects in images which uses models based on training images of the object, with each model representing one pose. Williams [22] proposed a method for the reconstruction of solid-shape from image contour using the Huffman labeling scheme. For object recognition, Rajpal et al. [18] introduced a method for partial object recognition using neural network based indexing.

A number of more recent works have used edges for object recognition. Mikolajczyk et al. [16] generalize Lowe's SIFT descriptors to edge images, where the position and orientation of edges are used to create local shape descriptors that are orientation and scale invariant. Carmichael [4] proposed a method to use a cascade of classifiers of increasing aperture size, trained to recognize local edge configurations, to discriminate between object edges and clutter edges; this method, however, is not invariant to changes in image rotation or scale. David et al. [6] proposed a method to use model and image line features to locate complex objects in high clutter environments.

Also, Edwards and Murase [7] addressed the occlusion problem inherent in appearance-based methods using a mask to block out part of the basic eigenimages and the input image. Leonardis and Bischof [14] handled occlusion, scaling, and translation by randomly selecting image points from the scene and their corresponding points in the basis eigenvectors. Rao [19] applied the adaptive learning of ei-

genspace basis vectors in appearance-based methods. Ohba and Ikeuchi [17] were able to handle translation and occlusion of an object using eigenwindows.

Current methods for dealing with occlusion have been based on template matching, statistical approaches using localized invariants, and recognition of occluded regions based on local features. In addition, there are many efforts in ellipse construction and detection [9, 21]. In this paper, we propose unique methodologies in object recognition for dealing with occlusion based on symmetry properties through the ellipse reconstruction.

Even though there have been several efforts in object recognition with occlusion, current methods have been highly sensitive to object pose and scaling. In addition, many appearance-based and model-based object recognition methods assumed that they have known occluded regions of objects or images through extensive training processes. However, a proposed method is not limited to recognizing occluded objects by pose and scale changes, and do not require extensive training processes.

3. The Proposed Method


We discuss the object reconstruction and the parameter estimation method to find the best matching class of input objects using the classification method [5]. We extracted shape parameters from reconstructed objects using RLC lines, such as roundness, aspect ratio, form factor, surface regularity [1].

The basic assumption is that most objects are represented by symmetrical figures. When a symmetric object is partially occluded, we use the symmetry measure to evaluate the symmetric shape. We estimate the most similar parameters of occluded shape and region of objects, and we retrieve objects that have the estimated parameters of occluded objects.

A basic idea of reconstruction and estimation of occluded objects is to use symmetry properties within objects and use to the contour of objects. Fortunately, most products in electronic catalogs have symmetry in their shapes and they are represented by symmetrical figures. Symmetrical descriptions of shape or detection of symmetrical features of objects can be useful for shape matching, model-based object matching, and object recognition [2, 3].

In the given database, we have elliptical and roughly-rounded objects such as plates, cups, pans, and pots, depending on their poses and shapes. First, we consider elliptical objects in which the occlusion changes values of

measurements and parameters related to diameters. We assume that we can get diameters from elliptical objects, which are partially occluded.




(Fig. 1) Three-Spoke from the Triangle.

However, the elliptical objects are limited to the shape of objects. Therefore, it may not be applied to other types of shape such as irregular shapes. In this case, since we cannot easily detect the symmetry axes, we introduce the three-spoke type symmetry method as shown in (Fig. 1). We apply this approach to roughly-rounded objects such as cups.


For roughly-rounded objects, we use the three-spoke type method, which is derived from the triangle. The triangle is a basic model to represent figures such as circle, rectangle, and polygon. We use extended lines of the triangle to make axes as shown in (Fig. 1). The three-spoke type symmetry axes, which are equally assigned by 120 degrees, provide the possibility to detect proper symmetry axes on roughly-rounded objects. Therefore, this method can detect symmetry axes in roughly-rounded objects.

In order to perform the following procedures, we assume that objects are represented by symmetrical figures.


- ① We have an occluded elliptical object in (Fig. 2) and roughly-rounded object in (Fig. 6), we can get cutting points of the occlusion $(x,y)'$ and $(x,y)''$, that are given by overlapping or cutting.
- ② Compute a distance between two cutting points from $(x,y)'$ and $(x,y)''$, which is called a line l' as in (Fig. 2) and (Fig. 6).
- ③ Based on a line l' , make a connection between two points, fill the concave region and re-captured the




(Fig. 2) The Occlusion Area Estimation using Symmetry: Get cutting points $(x,y)'$ and $(x,y)''$ and get a distance l' .



(Fig. 3) The Occlusion Area Estimation using Symmetry: Get the maximum diameter and the symmetry axis.



(Fig. 4) The Occlusion Area Estimation using Symmetry: Get the estimated region a' using a line l' and the symmetry axis.



(Fig. 5) The Occlusion Area Estimation using Symmetry: Add region a' to occluded shape and region and re-captured the estimated shape of an object.

shape. It is important to compute a centroid in an object.


- ④ Get the maximum diameter from re-captured shape using extremal points as shown in (Fig. 4) and (Fig. 7). Two extremal points (r, l) and $(r, l)'$ from re-captured shape as in (Fig. 7). The distance between two extreme boundary points are represented by the maximum diameter.
- ⑤ In elliptical objects, one of the maximum and minimum diameters can be a symmetry axis. In roughly-rounded objects, we use the three-spoke type symmetry, one spoke can be a symmetry axis to find occluded region within an object.
- ⑥ Centroid Detection: In case of elliptical objects, we find a centroid based on the maximum diameter and a line perpendicular to the maximum diameter, which is located in the center of the length of the maximum

diameter. We select symmetry axes based on one of these lines as in (Fig. 3). In roughly-rounded objects, we get a centroid, based on whole region of an object. Equation 2 is adapted from Russ [20]. If the centroid is calculated by equation 1 using the boundary pixels only, the results may not be correct. The calculated points will be biased toward whichever part of the boundary is most complex and contains the most pixels. The correct centroid location uses the pairs of coordinate x_i, y_i for each point in the shape boundary. The centroid of an irregular shape is calculated correctly using all of the pixels in an object.

$$C_x = \frac{\sum_{i=0}^k x_i}{Area}, C_y = \frac{\sum_{i=0}^k y_i}{Area} \quad (1)$$


$$C_x = \frac{\sum_{i=0}^k (x_i + x_{i-1})^2 (y_i - y_{i-1})^2}{Area}, C_y = \frac{\sum_{i=0}^k (y_i + y_{i-1})^2 (x_i - x_{i-1})^2}{Area} \quad (2)$$

- ⑦ In roughly-rounded objects, a centroid is put at the same position at the center of the three-spoke type symmetry axes.
- ⑧ Axis Detection: The midpoint of the major axis is called the center of the ellipse. The minor axis is the line segment perpendicular to the major axis which




(Fig. 6) The occlusion of a cup: Get a centroid after re-captured a shape.

(Fig. 7) Get extremal points $(r,l), (r,l)'$ and $(r,l)'', (r,l)'''$ and the maximum diameter of an object.



(Fig. 8) Use the three spoke type symmetry: Match a center of the spoke to a centroid and parallel one of axes to the maximum diameter.

(Fig. 9) Extend axes and make symmetry axes.



(Fig. 10) Select a symmetry axis based on two regions, which are A and B.

(Fig. 11) Find a region a' of occluded shape using a symmetry axis and add to a occluded shape.

also goes through the center and touches the ellipse at two points. In elliptical objects, we detect a symmetry axis based on the maximum diameter or the minimum diameter. To find a symmetry axis in roughly-rounded objects, one of axes of the three-spoke type symmetry axes is in parallel with the maximum diameter of an object as shown in (Fig. 8).

- Based on occluded shape and region, we select a symmetry axis to estimate this region within an object. (Fig. 9) and (Fig. 10) show how to select a symmetry axis. When we select an axis in roughly-rounded objects, we consider conditions as follows:
 - Select axes, which don't intersect the occluded region.
 - (Fig. 9) and (Fig. 10) show how to select a symmetry axis. Select axes, which have a region with the maximum diameter $\geq l'$.
 - Area and perimeter are invariants as in equation 3, compare the proportion of region A and B.

$$\left(\frac{Perimeter}{Area}\right)^A \cong \left(\frac{Perimeter}{Area}\right)^B \quad (3)$$

- ⑨ Using mirror symmetry, we can get points across an axis. We find points on the contour across an axis which have the same length l' and the same angle corresponding to the axis that is perpendicular to a symmetry axis, but the distance between axis and points may or may not be the same.
- ⑩ Capture a region a' , move the captured region to the occluded shape using the mirror symmetry, and add to these regions as shown in (Fig. 4), (Fig. 5), and (Fig. 11).
- ⑪ Re-compute shape measurements such as area, diameters, and perimeter using RLC lines from re-captured shape of an object. Then, re-compute shape parameters based on measurements.
- ⑫ Apply to a classifier [5].

From the above discussions, we described how to re-construct and estimate the partially occluded shape and region of an object and how to find the best matching class of partially occluded objects after the estimation.


4. Experimental Results

In the sections, we evaluate and describe the results of partial object recognition by a proposed method. We have selected 190 partially occluded objects of images from electronic catalogs on the Internet as well as manipulated images. We assume that occluded objects have more than 50% visibility of objects, and images of catalogs contain partially occluded objects. The objects are categorized by semantic meanings such as cup and plate. In addition, a proposed approach and experiments are limited to cups and plates since we use roughly-rounded or elliptical objects. More precisely, the database contains 32 objects from different viewpoints and images of 97 objects comprising image plane rotations and scale changes.

In sample images, we have extracted image features of partially occluded objects such as shape and texture. We experimented with shape reconstruction based on the contour of objects using symmetry properties. We assumed that inputs are not correctly classified and have occlusion.

We performed an experiment for the relationships between visible portion of objects and recognition rates. In order to evaluate the visibility of objects, we used manipulated images of cups and plates. (Fig. 12) shows the pattern of object recognition in the presence of partial occlusion of objects and the results obtained by the symmetric recognition. A visible portion of approximately 67% is sufficient for the recognition of objects based on the contour.

There are many efforts in object recognition for dealing with occlusion. The visible portion of objects required to recognize occluded objects are shown in <Table 1>. <Table 1>



(Fig. 12) Object recognition in the presence of the occlusion of objects based on the contour.


shows a simple comparison between a proposed method and other existing methods. The probabilistic method based on local measurements requires small portions of objects to recognize the whole objects, but it required extensive training processes to recognize occluded objects. A proposed method show good visibility of partial object recognition and do not need extensive training processes.

In order to measure the influence of occlusion and compare its impact on the recognition performance of the different methods, we performed an experiment as follows. (Fig. 13) summarizes the recognition results for different visible object portions. For each test object, we varied the visible object portion from 20% to 100% and recorded the recognition results using Chi-square divergence and a proposed method.

The results show that a proposed method clearly obtains better results than Chi-square divergence. Using only 60% of the object area, almost 80% of the objects are still recognized. This confirms that a proposed method is capable of reliable recognition in the presence of occlusion.

<Table 1> The visibility of object recognition in the presence of partial occlusion.

| Methods | Visibility | Training processes |
|---|------------|--------------------|
| Appearance matching techniques using adaptive masks | 90% | not required |
| Probabilistic technique using Chi-square | 72% | required |
| Probabilistic technique using local measurements | 34% | required |
| Contour-based approach using symmetry | 67% | not required |



(Fig. 13) Experimental results with occlusion.

<Table 2> Summary of Object Recognition Methods for dealing with Occlusion.

| Methods | Occlusion | Scale changes | Object Pose | Rotation |
|----------------------|-----------|---------------|---------------|--------------|
| Bischof et al. [2] | Yes | Yes | No | No |
| Edwards et al. [7] | Yes | Yes | No | Yes(limited) |
| Ohba et al. [17] | Yes | No | Yes | No |
| Rao [19] | Yes | No | Yes | No |
| Jacob et al. [11] | Yes | No | Yes | No |
| Krumm [13] | Yes | No | No | No |
| Contour-based Method | Yes | Yes | Yes (limited) | Yes |

<Table 2> summarizes the various object recognition methods. The table indicates whether the methods can handle occlusion, rotation, pose, and changes in the size of objects in the database. Unlike the other methods, a proposed method can handle scale change, object pose, and rotated objects with occlusion, even though a proposed method has minor limitations of object poses.

5. Conclusion

In this paper, we have discussed how to estimate parameters and to reconstruct the occluded shape of partial elliptical objects in image databases. In order to reconstruct occluded shapes, we used mirror symmetry, which provides powerful method for the partial object recognition. Unlike the existing methods, a proposed method tried to reconstruct occluded shapes and regions within objects, since most objects in a domain have symmetrical figures. However, we have limitations in the shape of objects and the occluded region of objects. For example, if a pan has an occlusion in handle, it cannot correctly reconstruct and be recognized.

Another minor limitation of a proposed method is that a method is sensitive to the pose of an object. For example, if we cannot see an ellipse due to the object's pose, we cannot recognize the object. After estimation, we have applied inputs, which include estimated parameters, to the existing classification trees, to get to the best matching class.

All experiments are performed based on the classifier in earlier work. In experiments, the results show that the recognition of the occluded object is properly reconstructed, estimated, and classified, even though we have limited to the size of samples. In addition, we have experienced the power of the symmetry through experiments.

References

[1] 조준서, "내용기반으로한 이미지 검색에서 이미지 객체들의 외형특징추출", 정보처리학회논문지B, 제10-B권 제7호, 2003.
 [2] H. Bischof and A. Leonardis. Robust recognition of scaled eigenimages through a hierachical approach. In *IEEE Conference on CVPR*, 1998.
 [3] H. Blum and R.N. Nagel. Shape description using weighted symmetric axis features. *Pattern Recognition*, 1978.
 [4] O. Carmichael and M. Hebert, Shape-Based Recognition of Wiry Objects, *IEEE Trans. on PAMI*, 2004.
 [5] J. Cho and J. Choi. Object Classification based on the Probabilities of Pre-Assigned Intervals. In *IEEE Conference on IKE*, 2004.
 [6] P. David and D. DeMenthon. Object Recognition in High

Clutter Images Using Line Features. In *IEEE International Conference of Computer Vision*, 2005.
 [7] J. Edwards and H. Murase. Appearance matching of occluded objects using coarse-to-fine adaptive masks. In *IEEE Conference on Computer Vision and Pattern Recognition*, 1997.
 [8] M. Fleck. Local Rotational Symmetries. In *IEEE Conference on CVPR*, 1986.
 [9] C. Ho and L. Chan. A fast ellipse/circle detector using geometric symmetry. *Pattern Recognition*, 1995.
 [10] J. Hornegger, H. Niemann, and R. Risack. Appearance-based object recognition using optimal feature transforms. *Pattern Recognition*, 2000.
 [11] D. W. Jacobs and R. Basri. 3D to 2D recognition with regions. In *IEEE Conference on CVPR*, 1997.
 [12] G. Jones and B. Bhanu. Recognition of articulated and occluded objects. *IEEE Transaction on Pattern Analysis and Machine Intelligence*, 1999.
 [13] J. Krumm. Object detection with vector quantized binary features. In *IEEE Conference on CVPR*, 1997.
 [14] A. Leonardis and H. Bishof. Dealing with Occlusions in the Eigenspace Approach. In *IEEE Conference on CVPR*, 1996.
 [15] D. G. Lowe. Object Recognition from Local Scale-Invariant Features. In *International Conference on Computer Vision*, 1999.
 [16] K. Mikolajczyk, A. Zisserman, and C. Schmid, Shape Recognition with Edge-Based Features. *Proc. British Machine Vision Conference*, 2003.
 [17] K. Ohba and K. Ikeuchi. Detectability, uniqueness, and reliability of eigen windows for stable verification of partially occluded objects. *IEEE Trans. Pattern Anal.* 1997.
 [18] N. Rajpal, S. Chaudhury, and S. Banerjee. Recognition of partially occluded objects using neural network based indexing. *Pattern Recognition*, 1999.
 [19] R. Rao. Dynamic appearance-based recognition. In *IEEE Conference on CVPR*, 1997.
 [20] John C. Russ. *The Image Processing Handbook*. CRC Press, 3rd edition, 1998.
 [21] W. Wu and M. J. Wang. Elliptical object detection by using its geometrical properties. *Pattern Recognition* 1993.
 [22] Lance R. Williams. Topological reconstruction of a smooth manifold-solid from its occluding contour. *Journal of Computer Vision*, 1997.



조준서

e-mail : jscho@hufs.ac.kr
 1989년 경희대학교(학사)
 1993년 New York University, Computer Science(이학석사)
 2001년 Rutgers University, Computer Information Systems(경영학박사)
 2000년~2001년 IBM T. J. Watson Research Center 연구원
 2003년~현재 한국외국어대학교 경영학과 조교수
 관심분야 : Multimedia Database, Electronic Commerce, M-Commerce, Ubiquitous Computing