

JPE 9-1-7

New Approach for Stability of Perturbed DC-DC Converters

Yogesh V. Hote[†], D. Roy Choudhury^{**} and J. R. P. Gupta^{*}

[†]Department of Instrumentation and Control Engineering, NSIT, University of Delhi, Delhi, India

^{**}Dept. of Computer Science, IGIT, Delhi, India

ABSTRACT

In this paper, a simple technique is presented for robust stability testing of perturbed DC-DC converters having multi-linear uncertainty structure. This technique provides a necessary and sufficient condition for testing robust stability. It is based on the corollary of Routh criterion and gridding of parameters. The previous work based on parametric control theory using Kharitonov's theorem and Hermite Biehler theorem gives conservative results and only the sufficient condition of stability^[1-5,16-17], whereas the proposed method provides the necessary and sufficient condition for testing robust stability and it is computationally efficient. The superiority of the method is compared with the Edge theorem^[6].

Keywords: Push-pull dc-dc converter, Kharitonov's theorem, Routh criterion, gridding of parameters, Edge theorem, and aerospace applications.

1. Introduction

Switch-mode DC-DC converters are used to convert the unregulated dc-dc input into a controlled dc output at a desired voltage level. They are widely used in computer hardware, aerospace applications, VLSI design and in modern power supplies^[7-9]. A PWM Buck DC-DC converter is used to step down the voltage level of a power source. An active clamp push-pull converter is useful in battery sourcing applications^[10]. Hence, the robust stability analysis of such type of converters is extremely important. It can be done by using Kharitonov's

theorem^[11]. Using this method, only four polynomials have to be generated from the parameter variations within the maximum and minimum levels. The Routh's stability test is performed on only these four polynomials to declare the system stability under parameter variations. Furthermore, an important corollary of Kharitonov's theorem is reported for robust stability analysis of low-order uncertain systems^[12]. It is shown that to check the stability of low-order interval polynomials, specifically for $n=3,4$ and 5 , the number of Kharitonov's polynomials required to check robust stability is one, two and three respectively, instead of four. In^[1], design of a PWM push-pull converter with state feedback control model is presented, and its robust stability testing has been done using Kharitonov's theorem. Similarly, we have found that in various dc-dc converter applications^[2-5], robust stability has been decided by using the parametric control theory based on Kharitonov's theorem. The

Manuscript received July 30, 2008; revised Oct. 31, 2008

[†]Corresponding Author: y_hotel@yahoo.co.in

Tel: +91-11-25099050, Fax: +91-11-25099022, Delhi Univ.

^{*}Dept. of Instrumentation and Control Engineering, NSIT, Dwarka, Sector-3, New Delhi-110078, India

^{**}Dept. of Computer science, IGIT, Delhi, India

application of the mapping theorem which uses stability techniques, as reported in [13, 14], are also useful in testing the robust stability of the converter [15]. In [16], an improved stability testing technique is shown. It explains that the robust stability analysis of a PWM push-pull converter can be done using simple frequency domain conditions based on the Hermite Biehler theorem [17]. However, it is applicable for low-order uncertain systems and gives only a sufficient condition of stability.

The most efficient criterion is Kharitonov's theorem for testing the robust stability of systems when the uncertainties in the coefficients of the characteristic polynomial are independent. It has been reported that when there is a multi-linear dependent uncertainty structure, Kharitonov's theorem gives conservative results and only a sufficient condition of stability [18-19]. Similarly, when there is an over-bounding of the coefficients, robust parametric control theory (RPCT) i.e., Generalized Kharitonov's theorem [20] also gives conservative results as reported in [4-5]. In certain instances, Kharitonov's theorem may show instability, while in an actual sense, the system is stable. For multi-linear uncertainty, the Edge theorem due to Barlett, Hollot and Lin can be useful [6]. But when the uncertain parameters are large in numbers, a higher number of vertex polynomials are needed. Moreover, the technique is graphical, so even high-speed computers need more time to plot the roots of the polytopic family in the case of Edge theorem and a larger number of images in case of Mapping theorem. Similarly, by using the Nyquist plot and gridding uncertain parameters, robust stability testing of uncertain systems can be done as reported in [19]. But, it is also computationally expensive. Since the converters are useful in aerospace applications we need a control technique, which should be simple, computationally efficient and provides a necessary and sufficient condition for testing the robust stability of systems.

In this paper, a new approach based on Kharitonov's theorem and Routh's criterion is presented to obtain a necessary and sufficient condition for the robust stability testing of DC-DC converters. It is based on Krishnamurthy's result on Routh's criterion [21] and gridding of uncertain parameters. In order to show the effectiveness of this method, the robust stability analysis of a PWM push-pull DC-DC converter with state feedback

[1] was carried out using the proposed approach instead of using only Kharitonov's theorem. The results are verified using the Edge theorem. The proposed analysis is simple and can be useful for practicing engineers.

2. Kharitonov's theorem [11]

The polynomials

$$K(s) = \sum_{i=0}^n a_i s^i, a_i \in [\alpha_i, \beta_i], \quad (1)$$

where, the real coefficients a_i takes any arbitrary value in the closed interval $[\alpha_i, \beta_i]$ are strictly Hurwitz if and only if the following four polynomials are strictly Hurwitz:

$$k_1(s) = \alpha_0 + \beta_1 s + \beta_2 s^2 + \alpha_3 s^3 + \alpha_4 s^4 + \dots \quad (2)$$

$$k_2(s) = \alpha_0 + \alpha_1 s + \beta_2 s^2 + \beta_3 s^3 + \alpha_4 s^4 + \dots \quad (3)$$

$$k_3(s) = \beta_0 + \alpha_1 s + \alpha_2 s^2 + \beta_3 s^3 + \beta_4 s^4 + \dots \quad (4)$$

$$k_4(s) = \beta_0 + \beta_1 s + \alpha_2 s^2 + \alpha_3 s^3 + \beta_4 s^4 + \dots \quad (5)$$

Corollary 1 [12]: The robust stability of low-order uncertain systems, particularly, $n=3, 4$ and 5 can be decided by testing only one, two and three of Kharitonov's polynomials, respectively.

Corollary 2 [21]: The stability of the linear system can be determined testing the s^1 row of the Routh array. If the element in the s^1 of row of the Routh array is zero, then the system is marginally stable and if it is less than zero, then the system is unstable. For stability, it must be greater than zero.

3. Steps for Checking Robust Stability of Multilinear Uncertain Systems

Step 1: Determining all the minimum and the maximum values of the uncertain coefficients using the over-bounding technique.

Step 2: Formulation of all four of Kharitonov's polynomials using coefficients from Step 1.

$$\begin{aligned}
r &= 0.330 \pm 0.2\Omega, r_c = 0.04 \pm 0.02\Omega, \\
L &= (10 \pm 2) \times 10^{-6}, C = (47 \pm 20) \times 10^{-6} F, \\
k_i &= 7.63 \pm 1\Omega, k_v = 77.7 \pm 10H, \\
k_y &= 5.64 \times 10^6 \pm 5 \times 10^5
\end{aligned} \quad (8)$$

When using Kharitonov's theorem for these uncertainties as shown in eq. (8), the system is stable. Now the uncertainties shown in eq. (8), particularly, k_v and k_y are modified, which are as shown in eq. (9).

$$\begin{aligned}
r &= 0.330 \pm 0.2\Omega, r_c = 0.04 \pm 0.02\Omega, \\
L &= (10 \pm 2) \times 10^{-6} H, C = (47 \pm 20) \times 10^{-6} F, \\
k_i &= 7.63 \pm 1\Omega, k_v = 77.7 \pm 40, \\
k_y &= 5.64 \times 10^6 \pm 10 \times 10^5 s^{-1}.
\end{aligned} \quad (9)$$

We checked the robust stability of the PWM push-pull DC-DC converter using the steps mentioned in section- 3. It is as follows.

Step 1: Consider the polynomial,

$$a_3 s^3 + a_2 s^2 + a_1 s + a_0, \quad (10)$$

in which the ranges of the coefficients are,

$$a_0 \in [x_0, y_0], a_1 \in [x_1, y_1], a_2 \in [x_2, y_2], a_3 = 1. \quad (11)$$

Comparing eq. (7) and eq. (10), we determine all the uncertain values as shown in step 2.

Step 2: The uncertain values for all the coefficients of eq. (10) are

$$\begin{aligned}
x_2 &= \min \left\{ \frac{r+r_c+k_i}{L} \right\} = 5.6500 \times 10^5, \\
y_2 &= \max \left\{ \frac{r+r_c+k_i}{L} \right\} = 1.1525 \times 10^6, \\
x_1 &= \min \left\{ \frac{r_c C k_y + k_v + 1}{LC} \right\} = 5.1251 \times 10^{10}, \\
y_1 &= \max \left\{ \frac{r_c C k_y + k_v + 1}{LC} \right\} = 6.7311 \times 10^{11}, \\
x_0 &= \min \left\{ \frac{k_y}{LC} \right\} = 5.7711 \times 10^{15}, \\
y_0 &= \max \left\{ \frac{k_y}{LC} \right\} = 3.074 \times 10^{16}.
\end{aligned} \quad (12)$$

Step 3: We formulate all four of Kharitonov's polynomials;

$$k_1(s) = s^3 + 5.65 \times 10^5 s^2 + 5.1251 \times 10^{10} s + 3.074 \times 10^{16} \quad (13)$$

$$k_2(s) = s^3 + 5.65 \times 10^5 s^2 + 6.7311 \times 10^{11} s + 3.074 \times 10^{16} \quad (14)$$

$$k_3(s) = s^3 + 1.1525 \times 10^6 s^2 + 5.1251 \times 10^{10} s + 5.7711 \times 10^{15} \quad (15)$$

$$k_4(s) = s^3 + 1.1525 \times 10^6 s^2 + 6.7311 \times 10^{11} s + 5.7711 \times 10^{15}. \quad (16)$$

Step 4: Since the order of the system is three, using corollary 1, it is necessary to apply the Routh criterion to polynomial $k_1(s)$ only. The roots of the polynomial $k_1(s)$ are $-5.6975 \times 10^5, (0.0237 \pm 2.3227) \times 10^5$. Since some of the roots of polynomial $k_1(s)$ are lying on the right half of the s-plane the system, i.e. the PWM push-pull DC-DC converter, is unstable. If the system is found to be stable using Kharitonov's theorem, then it has a necessary and sufficient condition of stability. But, in this case, the system is unstable; hence we can not say that the actual system is unstable. Next we checked the actual robust stability using Routh criterion and gridding technique as shown in the following steps.

Step 5: By applying Routh criterion to the polynomials eq. (7), the following Routh array is obtained,

$$\begin{array}{ccc}
s^3 & 1 & \frac{r_c C k_y + k_v + 1}{LC} \\
s^2 & \frac{r+r_c+k_i}{L} & \frac{k_y}{LC} \\
\end{array}$$

(Common factor $\frac{1}{L}$ is eliminated)

$$\begin{array}{ccc}
s^2 & r+r_c+k_i & \frac{k_y}{C} \\
s^1 & \frac{(r+r_c+k_i) \times \left(\frac{r_c C k_y + k_v + 1}{LC} \right) - (1) \times \left(\frac{k_y}{C} \right)}{(r+r_c+k_i)} & \\
s^0 & & \frac{k_y}{C}
\end{array}$$

Using corollary 2 of the Routh criterion, the value in the s^1 row should be greater than zero. So, we get,

$$\frac{(r+r_c+k_i) \times \left(\frac{r_c C k_y + k_v + 1}{LC} \right) - (1) \times \left(\frac{k_y}{C} \right)}{(r+r_c+k_i)} > 0 \quad (17)$$

From eq. (17), we get the following robust stability condition,

$$RC = (r + r_c + k_i)(r_c C k_y + k_v + 1) - (L k_y) \quad (18)$$

Step 6: Now we grid the parameters using say, 3 values within each interval of r, r_c, L, C, k_i, k_v , and k_y , i.e., 7 uncertainties. Thereafter, using MATLAB, 343 (3^7), robust stability conditions (RC) are checked. It is found that for all the 343 conditions,

$$RC > 0, \quad (19)$$

and hence the uncertain PWM push-pull DC-DC converter is stable. But when using Kharitonov's theorem, as shown in step 4, the system is found to be unstable. The results are verified by using the Edge theorem [6]. Using the Edge theorem, the boundary of the root loci of the interval polynomial family can be obtained by plotting the root loci along the exposed edges of the box. The number of vertices and exposed edges are given by 2^n and $n2^{n-1}$ respectively, where n is the number of uncertain parameters. In this case, the number of uncertain parameters is 7, hence 2^7 vertex polynomials are needed. So, using 128 vertex polynomials, 448 edges are checked using the Root locus technique. The root loci of all the edges are shown in Fig. 2. Since the entire root space of the set of characteristic polynomials is found to be in the open left half of the s -plane. Hence, the PWM push-pull DC-DC converter with state feedback system is robustly stable. The comparative results are shown in tabular form in Table 1.




Fig. 2 Robust stability testing of PWM DC-DC converter using Edge theorem

Table 1 Comparison between various stability testing methods for robust stability of PWM push-pull DC-DC converter with state feedback

Various methods for testing stability of PWM push-pull DC-DC converter.	Computational time using tic-toc command in MATLAB using Pentium-IV processor.	Remarks
D. Czarkowski's et.al. approach, using Kharitonov's theorem [1].	0.01 second	(i) All the four Kharitonov's polynomials need to be checked. (ii) It only gives sufficient condition of stability.
Edge theorem By A.C. Bartlett et.al.[6]	41.84 second	(i) It gives necessary and sufficient condition of stability. (ii) It is computationally expensive.
Proposed method	3.70 second	(i) Only one Kharitonov's polynomial needs to be checked. (ii) It is simple and computationally inexpensive. (iii) It gives necessary and sufficient condition of stability.


6. Conclusions

Kharitonov's theorem gives only a sufficient condition for testing robust stability. Hence, using only Kharitonov's


theorem can not be useful for robust stability analysis of DC-DC converters, particularly, in aerospace applications. Hence the proposed technique based on Krishnamurthy's result on Routh's criterion and gridding technique can be useful, by providing a necessary and sufficient condition for stability testing. The proposed approach is simple and computationally efficient in comparison with existing methods such as the Edge theorem and Mapping theorem.

References

- [1] D. Czarkowski, L. R. Pujara and M. K. Kazimierczuk, "Robust Stability of State-Feedback Control of PWM DC-DC Push-Pull Converter", *IEEE Trans. Ind. Electron.*, Vol. 42, No. 1, pp. 108-111, 1995.
- [2] C. Chang, "Robust control of DC-DC converters: The Buck Converter", *IEEE Power Electronics Conference*, pp. 1094-1096, 1995.
- [3] L. R. Pujara, et.al., "Robust stability of PWM Buck DC-DC converter", *IEEE International Conference on Control Applications*, pp. 632-637, September, 15-18, 1996.
- [4] G. Garcera, P. Carbonell, and A. Abellan, "Sensitivity study of the control loops of voltage and current mode controlled DC-DC converters by means of Robust parametric control theory", *ISIE conference*, pp. 613-617, 1999.
- [5] G. Garcera, A. Abellan, and E. Figueres, "Sensitivity study of the control loops of dc-dc converters by Means of robust parametric Control Theory", *IEEE Trans. Ind. Electron.*, Vol. 49, No. 3, pp. 581-586, 2002.
- [6] A. C. Bartlett, C. V. Hollot, and H. Lin, "Root location of an entire polytope of polynomials: it suffices to check the edges", *Mathematics of Controls, Signals and Systems*, Vol. 1, pp. 66-71, 1988.
- [7] V. Vorperian, "Simplified analysis of PWM converters using the model of the PWM switch, Part I: Continuous conduction mode", *IEEE Trans. Aerospace and Electronic Systems*, Vol. 26, No. 3, pp. 490-496, 1990.
- [8] D. Czarkowski and M. K. Kazimierczuk, "Circuit models of PWM dc-dc converters", *Proceedings of the IEEE Nat. Aerospace and Electronic Systems Conference*, Dayton, OH, USA, pp. 407-413, 1992.
- [9] D. Czarkowski, and M. K. Kazimierczuk, "Energy-conservation approach to modeling of PWM converters", *IEEE Trans. Aerospace and Electronics Systems*, Dayton, OH, AES-29, pp. 1059-1063, July 1993.
- [10] J. C. Hung, et.al., "An active clamp Push Pull Converter for battery sourcing applications", *IEEE Applied Power Electronics Conf.*, pp. 1186-1192, 2005.
- [11] V. L. Kharitonov, "Asymptotic stability of an equilibrium position of a family of systems of linear differential equations", *Differentsialnye Uravneniya*, Vol. 14, No. 11, pp. 2086-2088, 1978.
- [12] B. D. O. Anderson, E. I. Jury, and M. Mansour, "On Robust Hurwitz Polynomials", *IEEE Trans. Automatic Control*, Vol. 32, No. 10, pp. 909-913, 1987.
- [13] L. R. Pujara, and N. Shanbhag, "Some stability theorems for polygons of polynomials", *IEEE Trans. Automatic Control*, Vol. 37, No. 11, pp. 1845-1848, 1992.
- [14] L. R. Pujara, and P. S. Bollepalli, "On the geometry and stability of a polytope generated by a finite set of polynomials", *American Control Conference*, pp. 236-237, 1994.
- [15] A. S. M. Nazirul, et.al., "Comparison of the Kharitonov method with others for the robust stability analysis of PWM buck converter", *IEEE International Conference on Control Applications*, pp. 779-784, 1997.
- [16] Y. V. Hote, D. Roy. Choudhury, and J.R.P. Gupta, "Robust stability analysis PWM push-pull dc-dc converters", *accepted in IEEE Trans. Power Electronics*, Dec. 2007.
- [17] M. B. Argoun, "On the stability of low-order perturbed polynomials", *IEEE Trans. Automatic Control*, Vol. 35, No. 2, pp. 180-182, 1990.
- [18] S. P. Bhattacharyya, H. Chapellat, and L. H. Keel, "Robust Control: The Parametric Approach", *Englewood Cliffs*, NJ: Prentice Hall, 1995.
- [19] N. Tan. and D. P. Atherton, "Stability and performance analysis in an uncertain world", *Computing and Control Engineering Journal*, pp. 91-101, 2000.
- [20] H. Chapellat and S. P. Bhattacharyya, "Generalization of Kharitonov's theorem: robust stability of interval plants", *IEEE Trans. Automatic control*, Vol. 34, pp. 306-311, 1989.
- [21] V. Krishnamurthy, "Correlation between Routh's stability criterion and relative stability of linear systems", *IEEE Trans. Automatic Control*, Vol. 17, No. 1, pp. 144-145, 1972.



Yogesh V. Hote received his B.E. degree in Electrical Engineering from the Govt. College of Engineering, Amravati, in 1998. Then, he received his M.E. degree in Control Systems, from the Govt. College of Engineering, Pune, in 2000. Since 2001, he has been associated with the Netaji Subhas Institute of Technology (NSIT), Delhi University, New Delhi. Currently, he is holding the post of Sr. Lecturer, in the Instrumentation and Control Department. His field of research includes robust control, robotics, numerical analysis and power electronics.



D. Roy Choudhury received his B.Tech. and M.Tech degrees in Radio Physics and Electronics from the Institute of Radio Physics and Electronics, University of Calcutta, Calcutta in 1965 and 1966 respectively. He has been awarded the degree of Doctor of Philosophy from the same university in 1971. From 1971 to 1973, he was associated with the Institute de Reglage Automatique, EPFL, Switzerland. Since 1974, he has been associated with the Delhi College of Engineering, Delhi. Currently, he is holding the post of Professor in the Computer Science department, I. P. University, Delhi. His field of research includes control systems, digital communications and biomedical engineering.



J. R. P. Gupta received his B. Sc (Engg.) degree in Electrical Engineering from Muzaffarpur Institute of Technology, Muzaffarpur and Ph. D from the University of Bihar in 1972 and 1983 respectively. After serving in the Post and Telegraph Department, Government of India for nearly three years, he joined the Muzaffarpur Institute of Technology (MIT) as Assistant Professor in the Electrical Engineering Department in 1976. He then switched over to the Regional Institute of Technology, Jamshedpur in 1986 and then to the Netaji Subhas Institute of Technology (NSIT), New Delhi in 1994 where currently he is holding the post of Professor and Head of the Department of Instrumentation and Control Engineering, University of Delhi. His research interests include power electronics, electrical drives, control theory. He has been awarded the K. S. Krishnan Memorial Award for the best system oriented paper by the Institute of Electronics and Telecommunication Engineers (India), in 2008.