

## Erratum to "Microfluidic System Based High Throughput Drug Screening System for Curcumin/TRAIL Combinational Chemotherapy in Human Prostate Cancer PC3 Cells" [Biomol. Ther. 22 (2014) 355-362]

Dami An<sup>1</sup>, Kwangmi Kim<sup>2</sup> and Jeongyun Kim<sup>1,\*</sup>

<sup>1</sup>Department of Nanobiomedical Science, <sup>2</sup>College of Pharmacy, Dankook University, Cheonan 330-714, Republic of Korea

The authors request to correct the project number NRF-2013R1A1A1010734 from NRF-116436 on the 4th line of Acknowledgments section.

**Open Access** <http://dx.doi.org/10.4062/biomolther.2014.475>

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

DOI of original article : <http://dx.doi.org/10.4062/biomolther.2014.078>

**\*Corresponding Author**

E-mail: [jeongyunkim@dankook.ac.kr](mailto:jeongyunkim@dankook.ac.kr)  
Tel: +82-41-550-1255, Fax: +82-41-561-1256