

Erratum: Tables Correction

<https://doi.org/10.4163/jnh.2018.51.1.87>

Journal of Nutrition and Health (J Nutr Health) 2018; 51(1): 87 ~ 102

Development of NQ-E, Nutrition Quotient for Korean elderly: item selection and validation of factor structure*

Chung, Min-Jae¹ · Kwak, Tong-Kyung¹ · Kim, Hye-Young² · Kang, Myung-Hee³ · Lee, Jung-Sug⁴ · Chung, Hae Rang⁵ · Kwon, Sehyug⁶ · Hwang, Ji-Yun⁷ · Choi, Young-Sun^{8†}

¹Department of Food and Nutrition, Yonsei University, Seoul 03722, Korea

²Department of Food and Nutrition, Yongin University, Yongin, Gyeonggi 17092, Korea

³Department of Food and Nutrition, Hannam University, Daejeon 34430, Korea

⁴Department of Food and Nutrition, Kookmin University, Seoul 02707, Korea

⁵Nutrition for the Future Inc., Seoul 08788, Korea

⁶Department of Statistics, Hannam University, Daejeon 34430, Korea

⁷Department of Foodservice Management and Nutrition, Sangmyung University, Seoul 03016, Korea

⁸Department of Food and Nutrition, Daegu University, Gyeongsan, Gyeongbuk 38453, Korea

The original version of this article contained errors in Tables. The contents of Table 4, 5, and 6 should be as follows. The publisher would like to apologize for any inconvenience caused.

Table 4. Weights and path coefficients of four-factor structure model

Groups and items selected for NQ-E checklist and their weights			
Group (Group weight) ¹⁾	Checklist items	Path coefficient within each group	Item weight within NQ
Dietary behavior (0.30)	1. Difficulties in chewing foods	0.227	0.068
	2. Perception level for one's health	0.200	0.060
	3. Depressed condition	0.212	0.063
	4. Washing hands practices before eating meals	0.099	0.030
	5. Exercise hours	0.122	0.037
	6. Efforts to have healthy eating habits	0.140	0.042

the rest omitted

* This research was supported by a grant (14162MFDS126) from Ministry of Food and Drug Safety in 2014.

† To whom correspondence should be addressed.
tel: +82-53-850-6833, e-mail: yschoi@daegu.ac.kr

Table 5. NQ-E score and group score calculation using response point of the checklist

Group	group weight: A	Items		Scale point	Item score: B	Item weight within group: C	Item weight within NQ: D
		Question	Response				
Dietary behavior	0.3	Difficulties in chewing foods	Never	5	(response point-1) × 100/4	0.227	0.068
			Seldom	4			
			Moderate	3			
			Often	2			
			Always	1			
		Perception level for one's health	Very low	1	(response point-1) × 100/4	0.200	0.060
			low	2			
			Moderate	3			
			High	4			
			Very high	5			
<i>omitted</i>							
Diversity	0.2	Eating alone	Seldom	6	(response point-1) × 100/5	0.209	0.042
			1 ~ 3 times a week	5			
			4 ~ 6 times a week	4			
			Once a day	3			
			Twice a day	2			
			3 times a day	1			

Table 6. NQ-E checklist

the preface omitted

Nutrition quotient checklist for the elderly (over 65 years)	
17. How many hours do you exercise a day? (귀하는 하루에 운동 (걷기 포함)을 얼마나 하십니까?)	
① Seldom (거의 하지 않는다)	
② Less than 30 minutes (30분 이내)	
③ More than 30 minutes ~ Less than 1 hour (30분 이상 ~ 1시간 이내)	
④ More than 1 hour ~ Less than 2 hours (1시간 이상 ~ 2시간 이내)	
⑤ More than 2 hours (2시간 이상)	