

Type 1.5 Split Cord Malformations : Bridging the Gap

Mengchun Sun,^{1,2} Benzhang Tao,¹ Tianbao Luo,³ Gan Gao,¹ Aijia Shang¹

Department of Neurosurgery,¹ the First Medical Center of Chinese PLA General Hospital, Beijing, China
Medical School,² Nankai University, Tianjin, China
Department of Neurosurgery,³ Yuquan Hospital, Beijing, China

We are glad to receive your insightful comments and sincerely thank you for your support on the use of the nomenclature, that is type 1.5 split cord malformation. We also appreciate your hard work on the summary of these rare cases and the proposition of this new subtype of split cord malformation. We recommend this nomenclature and believe that clinicians will deeply understand the characteristics of this special subtype with the identification of more similar cases.

ORCID

| | |
|--------------|---|
| Mengchun Sun | https://orcid.org/0000-0003-4184-5395 |
| Benzhang Tao | https://orcid.org/0000-0002-0677-3296 |
| Tianbao Luo | https://orcid.org/0000-0001-5374-0844 |
| Gan Gao | https://orcid.org/0000-0001-7090-5583 |
| Aijia Shang | https://orcid.org/0000-0003-0002-5331 |

• Address for reprints : **Aijia Shang**

Department of Neurosurgery, the First Medical Center of Chinese PLA General Hospital, 28 Fuxing Road, Haidian District, Beijing 100853, China
Tel : +86-10 66875540, Fax : +86-10 57976556, E-mail : shangaj@126.com, ORCID : <https://orcid.org/0000-0003-0002-5331>

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.