

## 세포교정영양요법(OCNT)을 이용한 SIBO증 환자 개선 사례 연구

민시미 약사

서울 광진구 아차산로 484 치료의 빛 셀메드 약국

## A Case Study on the Improvement of a Patient with SIBO Syndrome Using Ortho-Cellular Nutrition Therapy (OCNT)

Pharmacist, Shimi Min

Light of Therapy Cellmed Pharmacy, 4, Ahasan-ro, Gwangjin-gu, Seoul, Republic of Korea

## ABSTRACT

**Objective:** To report a case of SIBO syndrome improvement through Ortho-Cellular Nutrition Therapy.

**Methods:** A Korean male in his 60s suffering from indigestion due to SIBO.

**Results:** After the OCNT, symptoms of SIBO and indigestion improved.

**Conclusion:** OCNT can be beneficial for patients with SIBO and indigestion.

**Keywords** Ortho-Cellular Nutrition Therapy (OCNT), Hypochlorhydria, Indigestion, Small Intestinal Bacterial Overgrowth, SIBO

## INTRODUCTION

Small Intestinal Bacterial Overgrowth (SIBO) is defined as an increase in the number or a change in the type of bacteria in the upper

gastrointestinal tract. The causes are usually complex and related to insufficient gastric acid secretion, exocrine pancreatic insufficiency, Immunodeficiency syndromes, small bowel obstruction, diverticula, fistulas, etc.<sup>1</sup>

The patient had hypochlorhydria due to prolonged use of antacids and stress. Long-term use of antacids can decrease gastric acid secretion, resulting in the loss of a physicochemical barrier important for

\*Correspondence: Shimi Min

E-mail: simimin@hanmail.net

Received Nov 29, 2023; Accepted Nov 29, 2023; Published Nov 30, 2023

doi: <http://dx.doi.org/10.5667/CellMed.spc.055>

©2023 by CellMed Orthocellular Medicine Pharmaceutical Association

This is an open access article under the CC BY-NC license.

<http://creativecommons.org/licenses/by-nc/3.0/>

† This report has been translated and edited by the CellMed editor-in-chief, Prof. Beom-Jin Lee.

controlling intestinal bacterial growth and settlement, potentially promoting intrinsic infections and increasing the formation of carcinogens in the stomach.<sup>2</sup>

Reduced gastric acid secretion due to prolonged use of antacids was considered a contributing factor to SIBO. The focus was on reducing bacterial count and normalizing stomach pH.

OCNT was relatively short, but it resulted in an improvement in SIBO, with the patient's consent obtained for case reporting.

## **CASE STUDY**

### **1. Subject**

A case of a SIBO patient was studied.

- 1) Name: Mr. Hwang (M/69)
- 2) Diagnosis: Gastric atony due to SIBO
- 3) Onset date: After February 2023
- 4) Treatment period: October 27, 2023, to November 3, 2023
- 5) Symptoms: Feeling bloated and gassy, a fullness in the stomach
- 6) Past medical history: None
- 7) Social history: No alcohol or smoking
- 8) Family history: None
- 9) Medications: Antacids, etc.

### **2. Methods**

First OCNT on October 27, 2023:

Enzaplex (111, three times daily, one sachet per time)

Yangwi-bo (111, three times daily, one sachet per time)

These were taken for two days.

Second OCNT on October 30, 2023:

Paragon (101, twice daily, one sachet per time)

Apple vinegar powder (101, twice daily, one sachet per time)

Bioplex (101, twice daily, one sachet per time)

Enzaplex (101, twice daily, one sachet per time)

Taken one sachet each morning and evening for five days.

## **RESULTS**

The patient experienced discomfort in daily life due to a bloated and gassy stomach, feeling full. However, after about one week of OCNT, the bloated feeling and gas improved, indicating an improvement in indigestion.

## **DISCUSSION**

Hypochlorhydria led to incomplete digestion of food in the stomach, causing intestinal putrefaction and subsequent harmful bacterial growth in the small intestine, resulting in SIBO. Excessive bacteria can interfere with the metabolism and absorption of various substances like carbohydrates, proteins, fats, and vitamins.<sup>3</sup>

During the first visit, the patient was prescribed Enzaplex and Yangwi-bo three

times a day for two days. Enzaplex contains digestive enzymes like protease, amylase, and lipase, which aid in food digestion<sup>4</sup>, while the tangerine peel in Yangwi-bo improves gastrointestinal motility<sup>5</sup>, and the toasted rice bran's phenolic compounds and jujube's polysaccharides play an important role in regulating intestinal microorganisms<sup>6,7</sup>.

Additionally, licorice root<sup>8</sup>, and ginger rhizome<sup>9</sup> were beneficial for digestion.

After seeing the effects of this two-day regimen, the patient was advised to take Paragon, Apple beanie powder, Bioplex, and Enzaplex again. Paragon's fennel<sup>10</sup>, buckwheat<sup>11</sup>, and clove<sup>12</sup> aided digestion, and the natural probiotics in Apple beanie powder, the fructooligosaccharide powder in Bioplex<sup>13,14</sup>, oat fiber<sup>15,16</sup>, and psyllium husk fiber<sup>17</sup> were thought to improve intestinal flora, suppress harmful bacteria, and alleviate the patient's SIBO symptoms, gastric distention and digestive discomfort.

This case report, based on a single case, cannot be universally applied to all patients with digestive issues but is thought to have helped improve the patient's symptoms, hence reported with the patient's consent.

## REFERENCES

- 1 Bures, J. *et al.* Small intestinal bacterial overgrowth syndrome. *World journal of gastroenterology: WJG* **16**, 2978 (2010).
- 2 Selway, S. Potential hazards of long-

term acid suppression. *Scandinavian Journal of Gastroenterology* **25**, 85-92 (1990).

- 3 Gasbarrini, A. *et al.* Small Intestinal Bacterial Overgrowth: Diagnosis and Treatment. *Digestive Diseases* **25**, 237-240, (2007).

- 4 Ianiro, G., Pecere, S., Giorgio, V., Gasbarrini, A. & Cammarota, G. Digestive Enzyme Supplementation in Gastrointestinal Diseases. *Curr Drug Metab* **17**, 187-193, (2016).

- 5 이현태. 굴나무 과피 유래 한약재 주정 추출물의 위장관 운동 촉진 효과. *생명과학회지* **24**, 260-265 (2014).

- 6 Sivamaruthi, B. S. *et al.* Composition, Microbiota, Mechanisms, and Anti-Obesity Properties of Rice Bran. *Foods* **12**, 1300 (2023).

- 7 Li, Z. *et al.* Fingerprinting Evaluation and Gut Microbiota Regulation of Polysaccharides from Jujube (*Ziziphus jujuba* Mill.) Fruit. *International Journal of Molecular Sciences* **24**, 7239 (2023).

- 8 Ding, Y., Brand, E., Wang, W. & Zhao, Z. Licorice: Resources, applications in ancient and modern times. *Journal of Ethnopharmacology*, 115594 (2022).

- 9 Giacosa, A. *et al.* Can nausea and vomiting be treated with ginger extract? *European Review for Medical &*

- Pharmacological Sciences* **19** (2015). 103939 (2020).
- 10 Zafar, S., Khan, M. K., Perveen, S., Iqbal, M. & AL-Huqail, A. A. in *Essentials of Medicinal and Aromatic Crops* 483-514 (Springer, 2023). 17 Martellet, M. C., Majolo, F., Ducati, R. G., de Souza, C. F. V. & Goettert, M. I. Probiotic applications associated with Psyllium fiber as prebiotics geared to a healthy intestinal microbiota: A review. *Nutrition* **103**, 111772 (2022).
- 11 Gang, Z., Yu, T., Anhu, W. & Zhu, H. in *Proceeding of the 9th International Symposium on Buckwheat*. 630-632.
- 12 Milind, P. & Deepa, K. Clove: a champion spice. *Int J Res Ayurveda Pharm* **2**, 47-54 (2011).
- 13 Hidaka, H., Eida, T., Takizawa, T., Tokunaga, T. & Tashiro, Y. Effects of fructooligosaccharides on intestinal flora and human health. *Bifidobacteria and microflora* **5**, 37-50 (1986).
- 14 Gibson, G. R. & Roberfroid, M. B. Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *The Journal of nutrition* **125**, 1401-1412 (1995).
- 15 Reddy, B. *et al.* Biochemical epidemiology of colon cancer: effect of types of dietary fiber on fecal mutagens, acid, and neutral sterols in healthy subjects. *Cancer research* **49**, 4629-4635 (1989).
- 16 Zhu, Y. *et al.* Effects of oat  $\beta$ -glucan, oat resistant starch, and the whole oat flour on insulin resistance, inflammation, and gut microbiota in high-fat-diet-induced type 2 diabetic rats. *Journal of Functional Foods* **69**,