

## 천문화학/천문생물학

**[포 AA-01] Understanding Correlations among Observed Interstellar Molecules with Numerical Simulations (성간 물질에서 발견되는 분자들 사이의 상관 관계를 이해하기 위한 전산 모사 연구)**

Jeongkwan Yoon(윤정관), Kyujin Kwak (곽규진)  
*Ulsan National Institute of Science and Technology (울산과학기술원)*

성간 물질의 분광선 관측을 통해 측정된 분자들의 기동 밀도 사이에 상관 관계가 존재하는 것이 알려져 있다. 가령 같은 시선 방향을 따라 측정된 H<sub>2</sub>, CO, CH 분자의 기동 밀도가 서로 선형 상관 관계를 갖고 있음이 최근 밝혀졌다. 이러한 분자들의 상관 관계는 분자 구름의 물리, 화학적 기원 및 성질과 관련이 있을 것으로 추측되지만 아직까지 상관 관계를 설명하기 위한 연구는 활발히 이루어지지 않고 있다. 본 연구에서는 성간 물질 혹은 구름 모형의 전산 모사를 통해 이러한 상관 관계를 재현함으로써 성간 분자 구름의 물리적 특성, 화학적 조성, 그리고 환경 변수들을 영향을 이해하려고 한다. 성간 분자 구름의 화학적 조성이 시간에 따라 변화하는 것을 계산하기 위해 Astrochem을 이용하였다.

## 외부은하/은하단

**[포 GC-01] Escape of LyC and Ly $\alpha$  Photons from Simulated Turbulent Clouds**

Taysun Kimm (김태선), Jeremy Blaizot<sup>2</sup>, Thibault Garel<sup>2</sup>, Leo Michel-Dansac<sup>2</sup>, Harley Katz<sup>3</sup>, Joakim Rosdahl<sup>2</sup>, Anne Verhamme<sup>4</sup>, Martin Haehnelt<sup>5</sup>  
<sup>1</sup>Yonsei University (연세대학교), <sup>2</sup>Lyon, <sup>3</sup>Oxford, <sup>4</sup>Geneva, <sup>5</sup>Cambridge

Understanding how ionizing radiation propagates from molecular clouds to the intergalactic space is the key to the study of reionization and the emergence of Ly $\alpha$  emission from galaxies. In this contribution, I will present our new efforts to better understand the escape of UV photons from turbulent clouds with different masses, star formation efficiencies, and spectral energy distributions using radiation-hydrodynamic simulations. I will also show predicted Ly $\alpha$  profiles from turbulent clouds and discuss a few interesting differences identified when compared with the properties of the local green pea galaxies.

**[포 GC-02] A new KVN key science program: the iMOGABA to the AiMOGABA**

Sang-Sung Lee and the iMOGABA team

<sup>1</sup>Korea Astronomy and Space Science Institute  
<sup>2</sup>University of Science and Technology

A Korean VLBI Network 1<sup>st</sup> generation key science program, the Interferometric Monitoring of Gamma-ray Bright AGNs (iMOGABA) program has revealed various natures of gamma-ray flares in active galactic nuclei (AGNs). Here in this presentation, we would like to introduce a new candidate of KVN 2<sup>nd</sup> generation key science program, so called, the AiMOGABA (Astrometric iMOGABA), aiming at studying a wondering radio core effect of relativistic jets from AGNs with high resolution VLBI astrometric monitoring of high-energy bursting AGNs with KVN as well as a Australian millimeter radio telescope MOPRA. The introduction will include the current scientific highlights of the iMOGABA, and the overview of the AiMOGABA.

**[포 GC-03] The medium-band observation of the neutrino source, TXS 0506+056**

Sungyong Hwang<sup>1</sup>, Myungshin Im<sup>1</sup>, Yoonchan Taak<sup>1</sup>, Insu Paek<sup>1</sup>, Changsu Choi<sup>1</sup>, Suhyun Shin<sup>1</sup>, Tae-Geun Ji<sup>2</sup>

<sup>1</sup>Astronomy Program, Department of Physics & Astronomy, Seoul National University, <sup>2</sup>School of Space Research and Institute of Natural Sciences, Kyung Hee University

The TXS0506+056 is a blazar and counterpart of the neutrino event IceCube-170922A. It is the first time that the neutrino event and flaring event in electromagnetic wave (EM) coincided. We observed TXS0506+056 with medium-bands in optical using 0.25m and 2.1m telescope at McDonald observatory about a month after the neutrino event. We tracked the variability of SED of the target for three weeks, and our observation showed no abrupt variability in optical range during this period. We concluded that a month after the neutrino event, the TXS0506+056 became less active and shows no feature of the energetic event. We also concluded that the medium-bands are well suited for tracking SEDs of objects. Our result demonstrates the potential of the wide-field 0.25m telescope (5.5 deg<sup>2</sup>) for finding transient objects and track the variability of sources like AGNs.

**[포 GC-04] Ly $\alpha$  spectrum regulated by the cold interstellar medium surrounding H II regions**

Kwang-il Seon<sup>1,2</sup> (선광일), Jun-Gu Kang<sup>3</sup> (강준구)  
<sup>1</sup>Korea Astronomy & Space Science Institute